MATERIAL SAFETY DATA SHEET GOLD SHIMMER (VERSION 2)

Version Number 1.1 Revision Date 02/02/2004 Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | oduct Stewardship (770) 271-5902 | | |
|----------------------------|---|--|--|--|
| Emergency telephone | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | | |
| Product name | : | GOLD SHIMMER (VERSION 2) | | |
| Product code | : | CC10006744 | | |
| Chemical Name | : | Mixture | | |
| CAS-No. | : | Mixture | | |
| Product Use | : | Industrial Applications | | |

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Mica | 12001-26-2 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | | | |
|---------------------------------|---|--|--|--|--|
| Acute exposure | | | | | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. | | | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | | | |

PolyOne.

MATERIAL SAFETY DATA SHEET GOLD SHIMMER (VERSION 2)

Version Number 1.1 Revision Date 02/02/2004 Page 2 of 6 Print Date 11/13/2011

| Medical Conditions Aggravated by Exposure: | : None known. |
|--|--|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seel medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation. |

MATERIAL SAFETY DATA SHEET GOLD SHIMMER (VERSION 2)

Version Number 1.1 Revision Date 02/02/2004 Page 3 of 6 Print Date *11/13/2011*

Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : **Eye/Face Protection** Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. ÷ Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|------------------|----------|-----------------------|----------------------|---------|
| Mica | 20 mppcf | PEL: | Total dust. | OSHA |
| | 3 mg/m3 | Time Weighted Average | Respirable fraction. | ACGIH |
| | | (TWA): | | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | | ACGIH |
| | | (TWA): | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- Solid
 Pellets
 YELLOW
 Very faint
 Not determined
 Not applicable
 Insoluble
- Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH
- Not applicableNot determinedNot establishedNot applicable
- : Not applicable
- : Not applicable
- **10. STABILITY AND REACTIVITY**

Stability

: Stable.

Hazardous Polymerization

: Will not occur.



MATERIAL SAFETY DATA SHEET GOLD SHIMMER (VERSION 2)

Version Number 1.1 Revision Date 02/02/2004 Page 4 of 6 Print Date 11/13/2011

| Conditions to avoid | : | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. | |
|----------------------------------|---|--|--|
| Incompatible Materials | : | Incompatible with strong acids and oxidizing agents. | |
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | | Chemical | Name | Effect | Target Organ | | |
|---------------------------|------------|--------------------|--|---|---|--|--|
| 12001-26-2 | Mica | | | Systemic effects | Respiratory system. | | |
| 13463-67-7 | Titaniı | ım dioxic | le | Systemic effects | Respiratory system. | | |
| | | 12. EC | COLOGI | CAL INFORMATION | I | | |
| Persistence and deg | radability | : No | t readily b | iodegradable. | | | |
| Environmental Toxicity | | | Chemicals are not readily available as they are bound within the matrix of the polymer. | | | | |
| Bioaccumulation Potential | | | Chemicals are not readily available as they are bound within the matrix of the polymer. | | | | |
| Additional advice | | : No | No data available | | | | |
| | | 13. DI | ISPOSAL | CONSIDERATIONS | \$ | | |
| Product | | pos ger clas | ssible recy nerator of versification | cling is preferred to dis waste material has the r | product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. | | |
| Contaminated packaging | | has and | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | | | |
| | | 14. T | RANSPO | RT INFORMATION | | | |
| U.S. DOT Classific | ation | : No | t regulated | l for transportation. | | | |

PolyOne

MATERIAL SAFETY DATA SHEET GOLD SHIMMER (VERSION 2)

Version Number 1.1 Revision Date 02/02/2004 Page 5 of 6 Print Date 11/13/2011

| ICAO/IATA (air) | : | Refer to specific regulation. | | | | |
|---|---------------------------------|--|--|--|--|--|
| IMO / IMDG (maritime) | : Refer to specific regulation. | | | | | |
| | 15 | 5. REGULATORY INFORMATION | | | | |
| | 15 | . REGULATORY INFORMATION | | | | |
| US Regulations: | | | | | | |
| OSHA Status | : | Classified as hazardous based on components. | | | | |
| TSCA Status | : | All components of this product are listed on or exempt from the TSCA Inventory. | | | | |
| US. EPA CERCLA Hazardous | s Sub | stances (40 CFR 302) | | | | |
| Not applicable | | | | | | |
| | | | | | | |
| | | | | | | |
| California Proposition 65 | : | This product does not contain a substance listed by California Prop 65. | | | | |
| SARA Title III Section 302 Ex | trem | ely Hazardous Substance | | | | |
| Not applicable | | | | | | |
| SARA Title III Section 313 To | oxic (| Chemicals: | | | | |
| Not applicable Canadian Regulations: | | | | | | |
| National Pollutant Relea | ase Iı | nventory (NPRI) | | | | |
| Not applicable | | | | | | |
| WHMIS Classification | : | D2B | | | | |
| WHMIS Ingredient Dis | closu | ire List | | | | |
| CAS-No. 12001-26-2 | | | | | | |
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. | | | | |
| National Inventories: | | | | | | |
| Australia AICS | : | Listed | | | | |
| | | | | | | |



MATERIAL SAFETY DATA SHEET GOLD SHIMMER (VERSION 2)

Version Number 1.1 Revision Date 02/02/2004 Page 6 of 6 Print Date *11/13/2011*

| : | Listed |
|---|------------------|
| : | Listed |
| : | Not determined |
| : | Listed |
| : | Listed |
| | : : : : |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.