

### MATERIAL SAFETY DATA SHEET

# PEARL RED

Version Number 1.0 Revision Date 12/05/2001 Page 1 of 6 Print Date 11/2/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PEARL RED
Product code	:	CC10006802
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	<ul> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

# MATERIAL SAFETY DATA SHEET



ion Number 1.0 sion Date 12/05/2001	Page 2 Print Date 11/2/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

# MATERIAL SAFETY DATA SHEET





ision Date 12/05/2001				Page 3
131011 Date 12/03/2001			Print	Date 11/2/2
Storage		eep containers dry and tightly on contamination. Keep in a dr		re absorption
8. E	XPOSURE	CONTROLS / PERSONAL I	PROTECTION	
Respiratory protection	: N	o personal respiratory protectiv	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		safety practice
Engineering measures		eat only in areas with appropriate exhaust ventilation a		. Provide
	"	ppropriate exhaust ventilation a	a machinery.	
Exposure limit(s)	uj	spropriate exhaust ventration a	a machinery.	
Exposure limit(s) Components	Value	Exposure time	Exposure type	List:
-				List: ACGIH
Components Mica	Value 3 mg/m3 20 mppcf	Exposure time Time Weighted Average (TWA): PEL:	Exposure type Total dust. Total dust.	ACGIH OSHA
Components	Value 3 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	ACGIH
Components Mica	Value 3 mg/m3 20 mppcf	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average	Exposure type Total dust. Total dust.	ACGIH OSHA
Components Mica	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Exposure type Total dust. Total dust. Total dust. Total dust.	ACGIH OSHA ACGIH
Components Mica Titanium dioxide	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Exposure type Total dust. Total dust. Total dust. Total dust. PERTIES	ACGIH OSHA ACGIH OSHA Z1
Components Mica Titanium dioxide	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapor	Exposure type Total dust. Total dust. Total dust. Total dust. PERTIES ation rate : No	ACGIH OSHA ACGIH OSHA Z1
Components         Mica         Titanium dioxide         Form         Appearance	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapor ts Specific	Exposure type Total dust. Total dust. Total dust. Total dust. PERTIES ation rate : No c Gravity : No	ACGIH OSHA ACGIH OSHA Z1 ot applicable.
Components         Mica         Titanium dioxide         Form         Appearance         Color	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor ts Specific Bulk de	Exposure type Total dust. Total dust. Total dust. Total dust. PERTIES ation rate : No c Gravity : No ensity : No	ACGIH OSHA ACGIH OSHA Z1 ot applicable. t determined t established
Components         Mica         Titanium dioxide         Form         Appearance         Color         Odor	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very	Exposure time         Time Weighted Average         (TWA):         PEL:         Time Weighted Average         (TWA):         PEL:         ZAL AND CHEMICAL PRO         I       Evapor         ts       Specifie         Bulk de         faint       Vapor	Exposure type         Total dust.         Total dust.         Total dust.         Total dust.         PERTIES         ation rate       : No         c Gravity       : No         ensity       : No         pressure       : No	ACGIH OSHA ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable
Components         Mica         Titanium dioxide         Form         Appearance         Color	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not of	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor ts Specific Bulk de	Exposure type         Total dust.         Operation rate       No         c Gravity       No         pressure       No         density       No	ACGIH OSHA ACGIH OSHA Z1 ot applicable. t determined t established

**10. STABILITY AND REACTIVITY** 

Stability

: Stable.

Hazardous Polymerization : Will not occur.



### MATERIAL SAFETY DATA SHEET

Version Number 1.0 Revision Date 12/05/2001		Page 4 of 6 Print Date 11/2/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk	: Not regulated for transportation.





PEARL RED			
Version Number 1.0 Revision Date 12/05/2001		Page 5 o Print Date 11/2/20	
ICAO/IATA	:	Not regulated for transportation.	
IMO / IMDG	:	Not regulated for transportation.	
	15	. REGULATORY INFORMATION	]
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.	
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
Canadian Regulations:			
WHMIS Classification	:	D2B	
WHMIS Ingredient Disclo	osu	re List	
CAS-No. 12001-26-2 18282-10-5			
DSL	:	Listed.	
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	
Korea KECI	:	Listed.	
Philippines PICCS	:	Listed.	
		16. OTHER INFORMATION	]

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### MATERIAL SAFETY DATA SHEET

# PEARL RED

Version Number 1.0 Revision Date 12/05/2001



Page 6 of 6 Print Date 11/2/2011