

MATERIAL SAFETY DATA SHEET

IRWIN OUTDOOR ORANGE

Version Number 1.0 Revision Date 12/07/2001 Page 1 of 6 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	IRWIN OUTDOOR ORANGE
Product code	:	CC10006832
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	5 - 10
Rutile, antimony chromium buff	68186-90-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

IRWIN OUTDOOR ORANGE

Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

IRWIN OUTDOOR ORANGE

sion Number 1.0 sion Date 12/07/2001			Print	Page 3 Date 11/2/2
Handling		ake measures to prevent the b nly in areas with appropriate e		arge. Heat
Storage		eep containers dry and tightly nd contamination. Keep in a contamination.		e absorption
8.	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-shields	5.	
Hand protection	: P	rotective gloves.		
Skin and body protection	n : L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		afety practice
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Components Rutile, antimony chromium buff	Value 0.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust. as Cr	List: ACGIH
Rutile, antimony		Time Weighted Average		
Rutile, antimony	0.5 mg/m3	Time Weighted Average (TWA):	Total dust. as Cr	ACGIH
Rutile, antimony	0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average	Total dust. as Cr Total dust. as Cr	ACGIH OSHA Z1
Rutile, antimony	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Total dust. as Cr Total dust. as Cr as Sb Total dust. as Sb	ACGIH OSHA Z1 ACGIH
Rutile, antimony chromium buff	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as Cr Total dust. as Cr as Sb Total dust. as Sb	ACGIH OSHA Z1 ACGIH OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as Cr Total dust. as Cr as Sb Total dust. as Sb OPERTIES oration rate : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 applicable.
Rutile, antimony chromium buff Form Appearance	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as Cr Total dust. as Cr as Sb Total dust. as Sb OPERTIES oration rate : Not fic Gravity : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 applicable. determined
Rutile, antimony chromium buff Form Appearance Color	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : Pelle : ORA	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor sts Specific NGE Bulk of	Total dust. as Cr Total dust. as Cr as Sb Total dust. as Sb OPERTIES oration rate : Not fic Gravity : Not density : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 applicable. determined established
Rutile, antimony chromium buff Form Appearance Color Odor	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor sts Specific NGE Bulk of faint Vapor	Total dust. as Cr Total dust. as Cr as Sb Total dust. as Sb OPERTIES oration rate : Not fic Gravity : Not density : Not r pressure : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 applicable. determined established applicable
Rutile, antimony chromium buff Form Appearance Color	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor sts Specific NGE Bulk of faint Vapor	Total dust. as Cr Total dust. as Cr as Sb Total dust. as Sb OPERTIES oration rate : Not fic Gravity : Not density : Not r pressure : Not r density : Not r density : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 applicable. determined established

10. STABILITY AND REACTIVITY

Stability

Water solubility

: Stable.

: Insoluble



MATERIAL SAFETY DATA SHEET

IRWIN OUTDOOR ORANGE

- 1	Version Number 1.0 Revision Date 12/07/2001		Page 4 of 6 Print Date 11/2/2011
	Hazardous Polymerization	:	Will not occur.
	Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
	Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
	Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
70624-18-9	1,6-Hexanediamine,	Highly Toxic	Refer to MSDS for Toxicity	
	N,N'-bis(2,2,6,6-tetrameth		Data	
	yl-4-piperidinyl)-,polymer			
	with			
	2,4,6-trichloro-1,3,5-triazi			
	ne, reaction products			
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin.	
	chromium buff			

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with	LC50 Oral LD50	112 mgm34H 9,910 mg/kg	rat rat
	2,4,6-trichloro-1,3,5-triazi ne, reaction products			

Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.



MATERIAL SAFETY DATA SHEET

IRWIN OUTDOOR ORANGE

ion Number 1.0 sion Date 12/07/2001	Page 5 Print Date 11/2/2
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65
SARA Title III Section 313 Tox	ic Chemicals:
Chemical Name	CAS-No. Weight %
CHROMIUM III ANTIMONY CO	COMPOUNDS 68186-90-3 9.99
Canadian Regulations:	
WHMIS Classification	: D1A



MATERIAL SAFETY DATA SHEET

IRWIN OUTDOOR ORANGE

Version Number 1.0 Revision Date 12/07/2001 Page 6 of 6 Print Date 11/2/2011

	WHMIS Ingredient Discl	.osu	ire List	
	1309-37-1 68186-90-3	_		
	DSL	:	Listed.	
Natior	al Inventories:			
	Australia AICS	:	Listed.	
	China IECS	:	Listed.	
	Europe EINECS	:	Not determined.	
	Japan ENCS	:	Not determined.	
	Korea KECI	:	Not determined.	
	Philippines PICCS	:	Not determined.	
			16. OTHER INFORMATION	1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.