

MATERIAL SAFETY DATA SHEET

WHITE TRANSL.

Version Number 1.0 Revision Date 01/07/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE TRANSL.
Product code	:	CC10006886
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

WHITE TRANSL.

ion Number 1.0 sion Date 01/07/2002	Page 2 Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
	0. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WHITE TRANSL.

			Print	Page 3 Date 11/3/2
	ar	nd contamination. Keep in a c	łry, cool place.	
8. F	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: Sa	afety glasses with side-shields		
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.			
General Hygiene: Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.				
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)				
				_
Components	Value	Exposure time	Exposure type	List:
-	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH
Components		Time Weighted Average		
Components	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Components	10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL:	Total dust. Respirable fraction. Total dust.	ACGIH OSHA Z1
Components Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Total dust. Respirable fraction. Total dust.	ACGIH OSHA Z1 OSHA Z1
Components Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not	ACGIH OSHA ZI OSHA ZI
Components Barium sulfate Form Appearance	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Total dust. Respirable fraction. Total dust. OPERTIES ration rate : Not ic Gravity : Not	ACGIH OSHA ZI OSHA ZI applicable.
Components Barium sulfate Form Appearance Color	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : WHI	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO I Evapo ts Specif TE Bulk of	Total dust. Respirable fraction. Total dust. DPERTIES oration rate : Not Tic Gravity : Not lensity : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined established
Components Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : WHI : Very	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO ts Specif TE Bulk of faint Vapor	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not fic Gravity : Not lensity : Not pressure : Not	ACGIH OSHA ZI OSHA ZI applicable. determined established applicable
Components Barium sulfate Form Appearance Color	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : WHI : Very : Not c	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO ts Specif TE Bulk of faint Vapor	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined established
Components Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : WHI : Very : Not c	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO ts Specif TE Bulk of faint Vapor letermined Vapor applicable pH	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 determined established applicable applicable
Components Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : WHI : Very : Not c : Not z : Insol	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO ts Specif TE Bulk of faint Vapor letermined Vapor applicable pH	Total dust. Respirable fraction. Total dust. OPERTIES oration rate : Not Construction rate : Not Description : Not oration rate : Not ic Gravity : Not oration : Not ic density : Not	ACGIH OSHA ZI OSHA ZI OSHA ZI determined established applicable applicable
Components Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : WHI : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO I Evapo ts Specif TE Bulk of faint Vapor applicable pH uble	Total dust. Respirable fraction. Total dust. OPERTIES oration rate : Not Construction rate : Not Description : Not oration rate : Not ic Gravity : Not oration : Not ic density : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 determined established applicable applicable

Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

Incompatible Materials : Incompatible with strong acids and oxidizing agents.



MATERIAL SAFETY DATA SHEET

WHITE TRANSL.

Version Number 1.0 Revision Date 01/07/2002 Page 4 of 5 Print Date 11/3/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

WHITE TRANSL.

Version Number 1.0 Revision Date 01/07/2002 Page 5 of 5 Print Date 11/3/2011

	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16 OTHED INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.