

### MATERIAL SAFETY DATA SHEET

### **Ivory Sub**

Version Number 1.2 Revision Date 01/20/2004 Page 1 of 6 Print Date *11/13/2011* 

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Ivory Sub
Product code	:	CC10006956
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



### MATERIAL SAFETY DATA SHEET

# Ivory Sub

Version Number 1.2 Revision Date 01/20/2004 Page 2 of 6 Print Date 11/13/2011

Medical Conditions Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



### MATERIAL SAFETY DATA SHEET

# Ivory Sub

			Doo	0.2	
		C			
		Γ		13/2	
				at	
			oisture absorptio	on	
EXPOSURE	CONTROLS / PERSON	NAL PROTECTION			
· N	lo personal respiratory pr	otective equipment nor	mally required		
. 1	to personal respiratory pro	steenve equipment non	many required.		
: S	afety glasses with side-sh	ields.			
: P	rotective gloves.				
: L	ong sleeved clothing.				
: S	: Safety shoes.				
: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Value	Exposure time	Exposure typ	pe List	:	
	A				
10 mg/m3	Time Weighted Avera		ACG		
15 mg/m3		Total dust.	. OSHA	Z1	
U					
9. PHYSIC	CAL AND CHEMICAL	PROPERTIES			
· Solid	4 E	vanoration rata	· Not applicabl	0	
		· ·			
		n :	: Not applicabl	e	
10. 8	STABILITY AND REA	CTIVITY			
	Value         20 mppcf         20 mppcf         20 mppcf         10 mg/m3         15 mg/m3         9. PHYSIC         : Solid         : Pelle         : TAN         : Volue	only in areas with appropriation only in areas with appropriation of the protection of the protection of the protective gloves.         :       No personal respiratory processes with side-sheets of the protective gloves.         :       Safety glasses with side-sheets of the protective gloves.         :       Long sleeved clothing.         :       Safety shoes.         :       Handle in accordance with Wash hands before breaks         :       Heat only in areas with appropriate exhaust ventilated of the protection of the	<ul> <li>Take measures to prevent the build up of electross only in areas with appropriate exhaust ventilation</li> <li>Keep containers dry and tightly closed to avoid m and contamination. Keep in a dry, cool place.</li> <li>EXPOSURE CONTROLS / PERSONAL PROTECTION</li> <li>No personal respiratory protective equipment nor</li> <li>Safety glasses with side-shields.</li> <li>Protective gloves.</li> <li>Long sleeved clothing.</li> <li>Safety shoes.</li> <li>Handle in accordance with good industrial hygiene Wash hands before breaks and at the end of workding wash hands before breaks and at the end of workding.</li> <li>Heat only in areas with appropriate exhaust ventil appropriate exhaust ventilation at machinery.</li> <li>Value Exposure time Exposure ty 20 mppcf PEL: Total dust. 20 mppcf PEL: Total dust. 10 mg/m3 Time Weighted Average (TWA):</li> <li>15 mg/m3 PEL: Total dust.</li> <li>Solid Evaporation rate PHELS Specific Gravity: TAN Bulk density Vapor pressure is Not determined Vapour density is Not applicable pH</li> </ul>	EXPOSURE CONTROLS / PERSONAL PROTECTION         : No personal respiratory protective equipment normally required.         : Safety glasses with side-shields.         : Protective gloves.         : Long sleeved clothing.         : Safety shoes.         : Handle in accordance with good industrial hygiene and safety prace Wash hands before breaks and at the end of workday.         : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Value       Exposure time       Exposure type       List         20 mppcf       PEL:       Total dust.       OSH         20 mppcf       PEL:       Total dust.       Z3         10 mg/m3       Time Weighted Average (TWA):       Item total dust.       OSHA         9. PHYSICAL AND CHEMICAL PROPERTIES       : Solid       Evaporation rate : Not applicable         : Solid       Evaporation rate : Not applicable       Not applicable         : Not determined       Vapor pressure : Not applicable       Not applicable	

Hazardous Polymerization : Will not occur.

3/6



### MATERIAL SAFETY DATA SHEET

## **Ivory Sub**

Version Number 1.2 Revision Date 01/20/2004	Print D	Page 4 of 6 ate 11/13/2011
Conditions to avoid	: Keep away from oxidizing agents and open flame. To a decomposition, do not overheat.	void thermal
Incompatible Materials	: Avoid contact with strong oxidizers. Also, avoid contact acetal copolymers and with amine containing materials of processing. At processing conditions, these materials ar destructive and involve rapid degradation. Thoroughly mechanically clean processing equipment to avoid even quantities of these materials from coming in contact with Prevent cross contamination of feedstocks.	luring e mutually ourge and trace
Hazardous decomposition products	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides (NOx), hydrogen chloride (HCl), other hazardous mater smoke are all possible. Prolonged heating (approximate or more) above 392 °F (200 °C) or short term heating at °C) may result in product decomposition and evolution of monoxide and hydrogen chloride.</li> </ul>	als, and ly 30 minutes 482 °F (250

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	C	hemical Name	Effect	Target Organ		
7631-86-9	Silica,	amorphous	Irritant	Eyes, Respiratory system.		
13463-67-7	Titaniu	m dioxide	Systemic effects	Respiratory system.		
12. ECOLOGICAL INFORMATION						
Persistence and degradability : Not readily biodegradable.						
Environmental Toxicity :			Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Potential			Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice		: No data availa	No data available			
13. DISPOSAL CONSIDERATIONS						
Product		possible recyc generator of v classification,	cling is preferred to dis vaste material has the r	product can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with and local regulations.		



MATERIAL SAFETY DATA SH	ЕТ	
Ivory Sub		
Version Number 1.2 Revision Date 01/20/2004	P Print Date <i>1</i>	age 5 of 6
Contaminated packaging	<ul> <li>Recycling is preferred when possible. The generator of waste n has the responsibility for proper waste classification, transporta and disposal in accordance with applicable federal, state/provin and local regulations.</li> </ul>	naterial
	-	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA (air)	: Refer to specific regulation.	
IMO / IMDG (maritime)	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on or exempt from the Inventory.	TSCA
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		
California Proposition 65	: WARNING! This product contains a chemical known to the St California to cause cancer.	tate of
SARA Title III Section 302 Ex	emely Hazardous Substance	
Not applicable		
SARA Title III Section 313 To	ic Chemicals:	
Not applicable Canadian Regulations:		
National Pollutant Relea	e Inventory (NPRI)	
Not applicable		
WHMIS Classification	: D2B	
WHMIS Ingredient Dis	osure List	



### MATERIAL SAFETY DATA SHEET

### Ivory Sub

Version Number 1.2 Revision Date 01/20/2004		Page 6 of 6 Print Date <i>11/13/2011</i>		
CAS-No. 7631-86-9				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Not determined		
Europe EINECS	:	Not determined		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.