

MATERIAL SAFETY DATA SHEET

BRICK 1807C

Version Number 1.0 Revision Date 12/12/2001 Page 1 of 6 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BRICK 1807C
Product code	:	CC10007133
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	 Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





ion Number 1.0 sion Date 12/12/2001	Page 2 Print Date 11/2/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion: Do not induce vomiting without medical advice. When sympersist or in all cases of doubt seek medical advice.Eyes: Rinse immediately with plenty of water, also under the eyeld least 15 minutes. If eye irritation persists, seek medical attended	
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

MATERIAL SAFETY DATA SHEET





ersion Number 1.0 Revision Date 12/12/2001		Page 3 of 6 Print Date 11/2/2011
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average	as Fe	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: RED	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determin	ed Vapor density	: Not applicable
Boiling Point:	: Not applicab	le pH	: Not applicable
Water solubility	: Insoluble		
	10. STABIL	ITY AND REACTIVITY	
Stability	: Stable.		
Stability	: Stable.		
Hazardous Polymerization	: Will not o	occur.	



MATERIAL SAFETY DATA SHEET

sion Date 12/12/200	01			Page 4 Print Date 11/2/2
		decompositio	n, do not overheat.	
Incompatible Material	Incompatible Materials :		with strong acids and o	oxidizing agents.
Hazardous decomposition : products		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	11. 7	OXICOLOG	ICAL INFORMATIO	DN
health data for the ind				re effects listed are based on exi
<u>Toxicity Overview</u> This product contains	the following	components w	which in their pure form	have the following characteristic
CAS-No.		ical Name	Effect	Target Organ
1309-37-1	Iron oxide		Systemic effects	Respiratory system.
13463-67-7	Titanium di	oxide	Systemic effects	Respiratory system.
Environmental Toxici Bioaccumulation Pote Additional advice	ential : :	of the polyme Chemicals are of the polyme No data avail	er. e not readily available a er. able.	s they are bound within the matri s they are bound within the matri
	13	3. DISPOSAL	CONSIDERATIONS	
Product	:	recycling is p waste materia	referred to disposal or i al has the responsibility and disposal in accord	t can be recycled. Where possibl ncineration. The generator of for proper waste classification, ance with applicable federal,
			ar and local regulations	
Contaminated packag	ing :	has the respon	preferred when possible nsibility for proper was in accordance with app	
Contaminated packag		has the respon- and disposal is and local regu	preferred when possible nsibility for proper was in accordance with app	e. The generator of waste materia te classification, transportation



MATERIAL SAFETY DATA SHEET

BRICK 1807C		
Version Number 1.0 Revision Date 12/12/2001		Page 5 of 6 Print Date 11/2/2011
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	losu	ure List
CAS-No. 1309-37-1 7631-86-9		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

BRICK 1807C

Version Number 1.0 Revision Date 12/12/2001



Page 6 of 6 Print Date 11/2/2011