

MATERIAL SAFETY DATA SHEET

RED BRICK 187C

Version Number 1.0 Revision Date 12/12/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED BRICK 187C
Product code	:	CC10007135
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

RED BRICK 187C

ion Number 1.0 sion Date 12/12/2001	Page 2 Print Date 11/2/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RED BRICK 187C

vision Date 12/12/2001			Print	Page 3 t Date 11/2/2
	ar	nd contamination. Keep in	a dry, cool place.	
8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION	
Respiratory protection	: N	o personal respiratory prot	ective equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations		andle in accordance with g ash hands before breaks a	ood industrial hygiene and nd at the end of workday.	safety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	e Total dust.	ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL I	PROPERTIES	
Form Appearance	: Solid : Pellet			ot applicable.
Color	: RED			ot established
0.1	: Very			ot applicable
Odor				
Odor Melting point/range	: Not a			ot applicable
			por density : No	
Melting point/range		letermined Va applicable pH	por density : No	ot applicable
Melting point/range Boiling Point:	: Not a : Insolu	letermined Va applicable pH	por density : No : No	ot applicable
Melting point/range Boiling Point:	: Not a : Insolu 10. S	letermined Va upplicable pH uble	por density : No : No	ot applicable
Melting point/range Boiling Point: Water solubility	: Not a : Insolu 10. S : St	letermined Va applicable pH uble TABILITY AND REAC	por density : No : No	ot applicable
Melting point/range Boiling Point: Water solubility Stability	: Not a : Insolu 10. S : St 1 : W : K	letermined Va applicable pH uble TABILITY AND REAC table. 7ill not occur.	por density : No : No TIVITY agents and open flame. To	ot applicable ot applicable



MATERIAL SAFETY DATA SHEET

RED BRICK 187C

Version Number 1.0 Revision Date 12/12/2001 Page 4 of 5 Print Date 11/2/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

Persistence and degrada		Systemic effects	Respiratory system.		
-		CAL INFORMATION	1		
Persistence and degradal Environmental Toxicity					
Environmental Toxicity		odegradable.			
	: Chemicals are of the polyme		s they are bound within the matri		
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data availa	able.			
	13. DISPOSAL	CONSIDERATIONS			
Product Contaminated packaging	g : Recycling is p waste materia transportation state/provinci g : Recycling is p has the respon	referred to disposal or a l has the responsibility and disposal in accord al and local regulations preferred when possible nsibility for proper was n accordance with app	et can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s. e. The generator of waste materia te classification, transportation licable federal, state/provincial		
	14. TRANSPO	RT INFORMATION			
U.S. D.O.T. / CA T.D.G Classification (Non-bulk ground)	. : Not regulated	for transportation.			
ICAO/IATA	: Not regulated	for transportation.			
IMO / IMDG	: Not regulated	for transportation.			
	15. REGULATO	DRY INFORMATION	J		

MATERIAL SAFETY DATA SHEET



RED BRICK 187C

Version Number 1.0 Revision Date 12/12/2001		Page 5 of 5 Print Date 11/2/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Discl	lost	ure List
CAS-No. 7631-86-9		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
	_	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.