

# MATERIAL SAFETY DATA SHEET

## BROWN 731U

Version Number 1.1 Revision Date 02/02/2004 Page 1 of 6 Print Date 11/13/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BROWN 731U
Product code	:	CC10007274
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET BROWN 731U

Version Number 1.1 Revision Date 02/02/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



## MATERIAL SAFETY DATA SHEET BROWN 731U

Version Number 1.1 Revision Date 02/02/2004 Page 3 of 6 Print Date 11/13/2011

			in a dry, cool place.	
8. E	XPOSURE	CONTROLS / PERSON	NAL PROTECTION	
Respiratory protection	: 1	No personal respiratory pro	otective equipment normally	required.
Eye/Face Protection	: \$	afety glasses with side-sh	ields.	
Hand protection	: F	Protective gloves.		
Skin and body protection	: I	long sleeved clothing.		
Additional Protective Measures	: 5	afety shoes.		
General Hygiene Considerations			good industrial hygiene and s and at the end of workday.	safety practice.
Engineering measures		Heat only in areas with app ppropriate exhaust ventila	propriate exhaust ventilation. ation at machinery.	Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Avera (TWA):		ACGIH
	9. PHYSI	CAL AND CHEMICAL	PROPERTIES	
Form	: Soli		vaporation rate : Not	t applicable
	: Soli : Pelle	d E		t applicable t determined
Appearance	: Pelle	d E ets S	pecific Gravity: : Not	
Appearance Color	: Pelle	d E ets Sj DWN B	pecific Gravity: : Not ulk density : Not	t determined
Appearance Color Odor Melting point/range	: Pelle : BRO : Very : Not	d E ets S DWN B y faint V determined V	pecific Gravity::Notulk density:Not'apor pressure:Not'apour density:Not	t determined t established t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Very : Not	d E ets Sj DWN B y faint V	pecific Gravity::Notulk density:Not'apor pressure:Not'apour density:Not	t determined t established t applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Very : Not	d E ets S DWN B y faint V determined V applicable pl	pecific Gravity::Notulk density:Not'apor pressure:Not'apour density:Not	t determined t established t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Ver : Not : Not : Inso	d E ets S DWN B y faint V determined V applicable pl	pecific Gravity: : Not ulk density : Not 'apor pressure : Not 'apour density : Not H : Not	t determined t established t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pella : BRO : Very : Not : Not : Inso 10.	d E ets Sj DWN B y faint V determined V applicable pl luble	pecific Gravity: : Not ulk density : Not 'apor pressure : Not 'apour density : Not H : Not	t determined t established t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pella : BRO : Very : Not : Not : Inso 10.5	d E ets S DWN B y faint V determined V applicable pl luble STABILITY AND REAC	pecific Gravity: : Not ulk density : Not 'apor pressure : Not 'apour density : Not H : Not	t determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatior Conditions to avoid	: Pella : BRC : Very : Not : Not : Inso 10.5 : S	d E ets Sj DWN B y faint V determined V applicable pl luble STABILITY AND REAC Stable.	pecific Gravity:       : Not         ulk density       : Not         'apor pressure       : Not         'apour density       : Not         H       : Not         CTIVITY       CTIVITY         agents and open flame. To a	t determined t established t applicable t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatior	: Pella : BRO : Very : Not : Not : Inso 10.1 : S n : V : F	d E ets Sj DWN B y faint V determined V applicable pl luble STABILITY AND REAC Stable. Will not occur. Keep away from oxidizing lecomposition, do not over	pecific Gravity:       : Not         ulk density       : Not         'apor pressure       : Not         'apour density       : Not         H       : Not         CTIVITY       CTIVITY         agents and open flame. To a	t determined t established t applicable t applicable t applicable



# MATERIAL SAFETY DATA SHEET **BROWN 731U**

## DRUWIN 1310

Version Number 1.1 Revision Date 02/02/2004 Page 4 of 6 Print Date 11/13/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

1309-37-1     Iron oxide     Systemic effects     Respiratory system.	CAS-No.	Chemical Name	Effect	Target Organ
	1309-37-1	Iron oxide	Systemic effects	Respiratory system.
12. ECOLOGICAL INFORMATION	[	12. ECOLOGICA	L INFORMATION	

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	



## MATERIAL SAFETY DATA SHEET **BROWN 731U**

Version Number 1.1	
Revision Date 02/02/2004	

Page 5 of 6 Print Date 11/13/2011

	~			
OSHA Status	: Cla	assified as hazardou	is based on compone	ents.
TSCA Status		ll components of thi ventory.	s product are listed of	on or exempt from the TS
US. EPA CERCLA Hazardous	Substanc	ces (40 CFR 302)		
Not applicable				
California Proposition 65	: Thi	is product does not	contain a substance	listed by California Prop
SARA Title III Section 302 Extr	remely H	Hazardous Substand	ce	
Not applicable				
SARA Title III Section 313 Tox	tic Chem	nicals:		
Chemical Name			CAS-No.	Weight %
-	Ţ		68187-51-9	8.15
Canadian Regulations: National Pollutant Releas				
Canadian Regulations: National Pollutant Releas WHMIS Classification	: No	t controlled.	68187-51-9	8.15
Canadian Regulations: National Pollutant Releas	: No : Al	t controlled.	68187-51-9	
Canadian Regulations: National Pollutant Releas WHMIS Classification	: No : Al	t controlled.	68187-51-9	8.15
Canadian Regulations: National Pollutant Releas WHMIS Classification DSL	: No : Al Sut	t controlled.	68187-51-9	8.15
Canadian Regulations: National Pollutant Releas WHMIS Classification DSL National Inventories:	: No : Al Sub : Lis	t controlled. l components of th bstances List (DSL	68187-51-9	8.15
Canadian Regulations: National Pollutant Releas WHMIS Classification DSL National Inventories: Australia AICS	: No : Al Sub : Lis	t controlled. I components of th bstances List (DSL	68187-51-9	8.15
Canadian Regulations: National Pollutant Releas WHMIS Classification DSL National Inventories: Australia AICS China IECS	: No : Al Sut : Lis : Lis	t controlled. I components of th bstances List (DSL sted sted	68187-51-9	8.15
Canadian Regulations: National Pollutant Releas WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	: No : Al Sut : Lis : Lis : Lis : No	t controlled. Il components of th bstances List (DSL sted sted sted	68187-51-9	8.15



MATERIAL SAFETY DATA SHEET **BROWN 731U** 

Version Number 1.1 Revision Date 02/02/2004

Page 6 of 6 Print Date 11/13/2011

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.