

MATERIAL SAFETY DATA SHEET

BLUE CD4171

Version Number 1.0 Revision Date 12/14/2001 Page 1 of 6 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE CD4171
Product code	:	CC10007332
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	 Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





BLUE CD4171 Version Number 1.0 Page 2 of 6 Revision Date 12/14/2001 Print Date 11/2/2011 **Medical Conditions** : None known. Aggravated by Exposure: 4. FIRST AID MEASURES Move to fresh air in case of accidental inhalation of fumes from Inhalation overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Do not induce vomiting without medical advice. When symptoms Ingestion : persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. **5. FIRE-FIGHTING MEASURES** Flash point : Not applicable Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None • Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Methods for cleaning up Clean up promptly by sweeping or vacuum. Package all material in : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat · only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET





sion Number 1.0 /ision Date 12/14/2001			Print	Page 3 of Date 11/2/20	
Storage		Leep containers dry and tightly on the second secon		e absorption	
8. E	XPOSURE	CONTROLS / PERSONAL I	PROTECTION		
Respiratory protection	: N	lo personal respiratory protectiv	ve equipment normally	required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			safety practice.	
Engineering measures	neering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
	20 mppcf	PEL:	Total dust.	Z3	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	

9. PHYSICAL AND CHEMICAL PROPERTIES

Not applicable Insoluble	pH :	Not applicable Not applicable
	ACTIVITY	
	ng agents and open flame	To avoid thermal
	10. STABILITY AND RE : Stable. : Will not occur.	10. STABILITY AND REACTIVITY : Stable.



MATERIAL SAFETY DATA SHEET

RI I	IF	CD4171	
DLU			

sion Number 1.0 vision Date 12/14/20	01			Page 4 c Print Date <u>11/2/20</u>	
		decompositio	n, do not overheat.		
Incompatible Materia	ls :	Incompatible	with strong acids and	oxidizing agents.	
Hazardous decompos products	ition :			noxide (CO), oxides of nitrogen and smoke are all possible.	
	11.	TOXICOLOG	ICAL INFORMAT	ION	
This mixture has not health data for the inc				sure effects listed are based on exist	
<u>Toxicity Overview</u> This product contains	the following	components w	hich in their pure for	n have the following characteristics	
CAS-No.	Chen	nical Name	Effect	Target Organ	
7631-86-9	Silica, amo		Irritant	Eyes, Respiratory system.	
13463-67-7	Titanium d	ioxide	Systemic effects	Respiratory system.	
	1'	2. ECOLOGIO	CAL INFORMATIO	N	
Persistence and degra Environmental Toxic	-	Not readily bi Chemicals are of the polyme	e not readily available	as they are bound within the matrix	
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice		No data availa	able.		
	1	3. DISPOSAL	CONSIDERATION	S	
Product		: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	1	4. TRANSPO	RT INFORMATION	1	
U.S. D.O.T. / CA T.I Classification (Non-b		Not regulated	for transportation.		



MATERIAL SAFETY DATA SHEET

BLUE CD4171		
Version Number 1.0 Revision Date 12/14/2001		Page 5 of 6 Print Date 11/2/2011
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	losu	re List
CAS-No. 1333-86-4 7631-86-9		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

BLUE CD4171

Version Number 1.0 Revision Date 12/14/2001



Page 6 of 6 Print Date 11/2/2011