

MATERIAL SAFETY DATA SHEET

## DK. PEACH-9

Version Number 1.0 Revision Date 12/17/2001 Page 1 of 6 Print Date 11/2/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DK. PEACH-9
Product code	:	CC10007388
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> </ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





ion Number 1.0 sion Date 12/17/2001	Page 2 Print Date 11/2/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	contaminants. : None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



rsion Number 1.0 vision Date 12/17/2001			Print	Page 3 o Date <i>11/2/20</i>	
Storage	ar	eep containers dry and tightly nd contamination. Keep in a c	dry, cool place.	re absorption	
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Sa	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.				
Skin and body protection	: L⁄	: Long sleeved clothing.			
Additional Protective Measures	: Sa	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with appropripropriate exhaust ventilation		Provide	
Exposure limit(s)			, ,		
	Value	Exposure time		List:	
Exposure limit(s) Components Mica	Value 3 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH	
Components		Time Weighted Average (TWA): PEL: Time Weighted Average	Exposure type		
Components Mica	3 mg/m3 20 mppcf	Time Weighted Average (TWA): PEL:	Exposure type Total dust. Total dust.	ACGIH OSHA	
Components Mica	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Exposure type Total dust. Total dust. Total dust. Total dust.	ACGIH OSHA ACGIH	
Components Mica Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Exposure type Total dust. Total dust. Total dust. Total dust. DPERTIES	ACGIH OSHA ACGIH OSHA Z1	
Components         Mica         Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(	Exposure type         Total dust.         Total dust.         Total dust.         Total dust.         DPERTIES         oration rate       : No	ACGIH OSHA ACGIH OSHA Z1 t applicable.	
Components         Mica         Titanium dioxide         Form         Appearance	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Exposure type         Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       : No         Fic Gravity       : No	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined	
Components         Mica         Titanium dioxide         Form         Appearance         Color	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR( MELSINGE Specific NGE Bulk of Chemical Contents of Contents o	Exposure type         Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         pration rate       : No         fic Gravity       : No         density       : No	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established	
Components         Mica         Titanium dioxide         Form         Appearance         Color         Odor	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor the Specific Specific NGE Bulk of faint Vapor	Exposure type         Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       : No         fic Gravity       : No         opensity       : No         opensure       : No	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable	
Components         Mica         Titanium dioxide         Form         Appearance         Color         Odor         Melting point/range	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c	Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts       Specification         NGE       Bulk of         faint       Vapor         determined       Vapor	Exposure type         Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       : No         fic Gravity       : No         opensity       : No         ordensity       : No         ordensity       : No	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable	
Components         Mica         Titanium dioxide         Form         Appearance         Color         Odor	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c	Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         Its       Specification         NGE       Bulk of faint         Vapor         determined       Vapor         applicable       pH	Exposure type         Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       : No         fic Gravity       : No         opensity       : No         ordensity       : No         ordensity       : No	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable	

Stability

: Stable.

Hazardous Polymerization : Will not occur.



#### MATERIAL SAFETY DATA SHEET

# DK. PEACH-9

Version Number 1.0 Revision Date 12/17/2001		Page 4 of 6 Print Date 11/2/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

nd within the matr
nd within the matr
led. Where possib The generator of aste classification, blicable federal, tor of waste materi
on, transportation l, state/provincial





DK. PEACH-9		
Version Number 1.0 Revision Date 12/17/2001		Page 5 of 6 Print Date 11/2/2011
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc.	losı	ure List
CAS-No. 12001-26-2 150-13-0 18282-10-5		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

# DK. PEACH-9

Version Number 1.0 Revision Date 12/17/2001



Page 6 of 6 Print Date 11/2/2011