

MATERIAL SAFETY DATA SHEET

Pearl W734

Version Number 1.1 Revision Date 01/20/2004

Page 1 of 6 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Pearl W734
Product code	:	CC10007412
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

Pearl W734

Version Number 1.1 Revision Date 01/20/2004 Page 2 of 6 Print Date 11/13/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

Pearl W734

arl W734				
sion Number 1.1 ision Date 01/20/2004			Print D	Page 3 o Date 11/13/20
Handling		ake measures to prevent the nly in areas with appropriat		narge Heat
Storage		eep containers dry and tigh nd contamination. Keep in		e absorption
8. 1	EXPOSURE	CONTROLS / PERSONA	AL PROTECTION	
Respiratory protection	: N	o personal respiratory prote	ective equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shie	lds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with go Vash hands before breaks ar		afety practice.
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
~				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Titenium dienide	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	15 116/115	T EE.	Total dust.	ODITI ZI
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES	
	: Solid	l Fva	poration rate : Not	applicable
Form				
Form Appearance			cific Gravity: · Not	determined
Appearance	: Pelle	ets Spe	· · · · · · · · · · · · · · · · · · ·	determined established
	: Pelle : TAN	ets Spe Bul	k density : Not	established
Appearance Color	: Pelle : TAN : Very	ts Spe f Bul faint Var	k density : Not por pressure : Not	established applicable
Appearance Color Odor	: Pelle : TAN : Very : Not o	ts Spe f Bul faint Var	k density: Notoor pressure: Notoour density: Not	established

10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.



MATERIAL SAFETY DATA SHEET

Pearl W734

Version Number 1.1 Revision Date 01/20/2004		Page 4 of 6 Print Date 11/13/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Ch	emical Name	Effect	Target Organ
7631-86-9		morphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titaniur	n dioxide	Systemic effects	Respiratory system.
		12. ECOLOGIC	AL INFORMATION	۸
Persistence and degrad	lability	: Not readily bio	odegradable.	
Environmental Toxicit	У	: Chemicals are of the polymer	•	is they are bound within the matrix
Bioaccumulation Poter	ntial	: Chemicals are of the polymer	•	as they are bound within the matrix
Additional advice		: No data availa	ble	
		13. DISPOSAL	CONSIDERATIONS	8
Product		possible recycle generator of w classification,	ling is preferred to dis aste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.



MATERIAL SAFETY DATA SHEI	CT	
Pearl W734		
Version Number 1.1 Revision Date 01/20/2004	Print Date	Page 5 of 6 11/13/2011
Contaminated packaging	: Recycling is preferred when possible. The generator of wast has the responsibility for proper waste classification, transpo and disposal in accordance with applicable federal, state/pro and local regulations.	ortation
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA (air)	: Refer to specific regulation.	
IMO / IMDG (maritime)	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on or exempt from Inventory.	the TSCA
US. EPA CERCLA Hazardous S	ubstances (40 CFR 302)	
Not applicable		
California Proposition 65	: WARNING! This product contains a chemical known to the California to cause cancer.	e State of
SARA Title III Section 302 Extre	emely Hazardous Substance	
Not applicable		
SARA Title III Section 313 Toxi	c Chemicals:	
Not applicable Canadian Regulations:		
National Pollutant Release Chemical Name	CAS-No. Weight % NPRI	ID#
		10



MATERIAL SAFETY DATA SHEET

Pearl W734

Version Number 1.1 Revision Date 01/20/2004 Page 6 of 6 Print Date 11/13/2011

Chemical Name		CAS-No.	Weight %	NPRI ID#
Manganese antimony titan Pigment Yellow 164)	ium brown rutile (C.I.	68412-38-4	0.51	147
Manganese antimony titan Pigment Yellow 164)	ium brown rutile (C.I.	68412-38-4	0.51	17
Rutile, antimony chromiun	n buff	68186-90-3	0.33	68
Rutile, antimony chromiur	Rutile, antimony chromium buff		0.33	17
WHMIS Ingredient Disc CAS-No. 7631-86-9	losure List			
DSL	: All components of Substances List (DS		the Canadian	Domestic
DSL			the Canadian	Domestic
			the Canadian	Domestic
ional Inventories:	Substances List (DS		the Canadian	Domestic
ional Inventories: Australia AICS	Substances List (DS : Not determined		the Canadian	Domestic
ional Inventories: Australia AICS China IECS	Substances List (DS : Not determined : Not determined		the Canadian	Domestic
ional Inventories: Australia AICS China IECS Europe EINECS	Substances List (DS : Not determined : Not determined : Not determined		the Canadian	Domestic
ional Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	Substances List (DS : Not determined : Not determined : Not determined : Not determined		the Canadian	Domestic

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.