

MATERIAL SAFETY DATA SHEET

MURIATIC RED

Version Number 1.0 Revision Date 12/19/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MURIATIC RED
Product code	:	CC10007493
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

MURIATIC RED

sion Date 12/19/2001	Page 2 Print Date 11/2/
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

MURIATIC RED

Respiratory protection Eye/Face Protection	XPOSURE	nd contamination. Keep		ace.	
8. EX Respiratory protection Eye/Face Protection Hand protection		CONTROLS / PERSO			
Eye/Face Protection	: N		NAL PROTEC	TION	
-		lo personal respiratory p	rotective equipm	ent normally	required.
Hand protection	: Safety glasses with side-shields.				
	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time		sure type	List:
	10 mg/m3	Time Weighted Aver (TWA):	-	tal dust.	ACGIH
	15 mg/m3	PEL:	Tot	al dust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAI	PROPERTIES	S	
Form	: Solid		Evaporation rate		t applicable.
Appearance	: Pelle		Specific Gravity	: Not	t determined
Color	: RED		Bulk density	: Not	t established
Odor	: Very		Vapor pressure		t applicable
Melting point/range			Vapor density	: Not	t applicable
Boiling Point:				t applicable	
Water solubility	: Insol	uble			
	10. S	STABILITY AND REA	CTIVITY		
Stability	: S	table.			
Hazardous Polymerization	: W	Vill not occur.			
Conditions to avoid		eep away from oxidizin ecomposition, do not ov		n flame. To a	avoid therma
Incompatible Materials	: Ir	ncompatible with strong	acids and oxidiz	ing agents.	



MATERIAL SAFETY DATA SHEET

MURIATIC RED

Version Number 1.0 Revision Date 12/19/2001 Page 4 of 5 Print Date 11/2/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

13463-67-7 7 Persistence and degradab	Fitanium dioxide 12. ECOLOGIO	Systemic effects	Respiratory system.		
Persistence and degradab	12. ECOLOGIC	AL INFORMATION			
Persistence and degradab		AL INFUNIATION	I		
	ility : Not readily bi	odegradable.			
Environmental Toxicity	: Chemicals are of the polyme		s they are bound within the matri		
Bioaccumulation Potentia		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data availa	able.			
	13. DISPOSAL	CONSIDERATIONS			
Product Contaminated packaging	recycling is pr waste materia transportation state/provinci : Recycling is p has the respor and disposal i	 Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 			
	14. TRANSPO	RT INFORMATION			
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated	for transportation.			
ICAO/IATA	: Not regulated	for transportation.			
IMO / IMDG	: Not regulated	for transportation.			
	15. REGULATO	DRY INFORMATION	1		

MATERIAL SAFETY DATA SHEET



MURIATIC RED

	Page 5 of 5 Print Date 11/2/2011
:	Classified as hazardous based on components.
:	All components of this product are listed on the TSCA inventory or are exempt.
:	This product does not contain a substance listed by California Prop 65.
:	D2B
:	Listed.
:	Listed.
:	Listed.
:	Not determined.
:	Not determined.
:	Listed.
:	Listed.
	: : : : : : : : : : : : : : : : : : : :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.