

MATERIAL SAFETY DATA SHEET

89-GN-45 GREEN

Version Number 1.0 Revision Date 12/17/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	89-GN-45 GREEN
Product code	:	CC10007514
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.



Page 2 of 5 Print Date 11/2/2011

MATERIAL SAFETY DATA SHEET

89-GN-45 GREEN

Version Number 1.0 Revision Date 12/17/2001

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Unusual Fire/Explosion Hazards	:	None
	5. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

89-GN-45 GREEN

sion Number 1.0 ision Date 12/17/2001				Print I	Page 3 o Date 11/2/20
	ar	nd contamination. Keep	in a dry, cool place	2.	
8. E	XPOSURE	CONTROLS / PERSO	NAL PROTECTI	ON	
Respiratory protection	: N	o personal respiratory pr	otective equipmen	t normally r	required.
Eye/Face Protection	: Sa	afety glasses with side-sl	nields.		
Hand protection	: Pi	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations		andle in accordance with ash hands before breaks			afety practice.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposu	re type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):			ACGIH
	15 mg/m3	PEL:	Total	dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solid	F	Evaporation rate	· Not	applicable.
	: Pelle		pecific Gravity		determined
Appearance		ເຈັ້້ວ			
Appearance Color				: Not	established
Color	: GRE	EN E	Bulk density		established applicable
Color Odor	: GRE : Very	EN E faint V	Bulk density Japor pressure	: Not	applicable
Color Odor Melting point/range	: GRE : Very : Not c	EN E faint V letermined V	Bulk density Vapor pressure Vapor density	: Not : Not	applicable applicable
Color Odor	: GRE : Very : Not c	EN E faint V letermined V upplicable p	Bulk density Japor pressure	: Not : Not	applicable
Color Odor Melting point/range Boiling Point:	: GRE : Very : Not c : Not a : Insol	EN E faint V letermined V upplicable p	Bulk density Vapor pressure Vapor density H	: Not : Not	applicable applicable
Color Odor Melting point/range Boiling Point:	: GRE : Very : Not c : Not a : Insol	EN E faint V letermined V applicable p uble	Bulk density Vapor pressure Vapor density H	: Not : Not	applicable applicable
Color Odor Melting point/range Boiling Point: Water solubility	: GRE : Very : Not c : Not a : Insol 10. S : St	EN E faint V letermined V upplicable p uble TABILITY AND REA	Bulk density Vapor pressure Vapor density H	: Not : Not	applicable applicable
Color Odor Melting point/range Boiling Point: Water solubility Stability	: GRE : Very : Not c : Not a : Insol 10. S : St : St : K	EN E faint V letermined V upplicable p uble TABILITY AND REA	Bulk density /apor pressure /apor density H CTIVITY g agents and open f	: Not : Not : Not	applicable applicable applicable



Page 4 of 5

Print Date 11/2/2011

MATERIAL SAFETY DATA SHEET

89-GN-45 GREEN

Version Number 1.0 Revision Date 12/17/2001

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

13463-67-7 ' Persistence and degradab	Titanium dioxide 12. ECOLOGIO	Systemic effects	Respiratory system.			
Persistence and degradab	12. ECOLOGIO	CAL INFORMATION	т			
Persistence and degradab			1			
	ility : Not readily bi	iodegradable.				
Environmental Toxicity		Chemicals are not readily available as they are bound within the matrix of the polymer.Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potenti						
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packaging	recycling is p waste materia transportation state/provinci : Recycling is p has the respon and disposal i	 Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)		Not regulated for transportation.				
ICAO/IATA : Not regulated for transportation.						
IMO / IMDG	: Not regulated	: Not regulated for transportation.				
	15. REGULATO	ORY INFORMATION	1			

MATERIAL SAFETY DATA SHEET





Version Number 1.0		Page 5 of 5
Revision Date 12/17/2001		Print Date 11/2/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.