

MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 12/19/2001 Page 1 of 6 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | YELLOW |
| Product code | : | CC10007656 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|---|------------|----------|
| 1,6-Hexanediamine, | 70624-18-9 | 1 - 5 |
| N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, | | |
| polymer with 2,4,6-trichloro-1,3,5-triazine, | | |
| reaction products | | |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | |
|---------------------------------|---|--|
| Acute exposure | | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | |

YELLOW





| sion Number 1.0 ision Date 12/19/2001 | Page 2 Print Date 11/2/ |
|--|--|
| Medical Conditions Aggravated by Exposure: | : None known. |
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None |
| [| |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat |

MATERIAL SAFETY DATA SHEET



| sion Date 12/19/2001 | Page Print Date 11/ | | |
|---|--|--|--|
| | only in areas with appropriate exhaust ventilation. | | |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. | | |
| 8. EXP | POSURE CONTROLS / PERSONAL PROTECTION | | |
| Respiratory protection | : No personal respiratory protective equipment normally required. | | |
| Eye/Face Protection | : Safety glasses with side-shields. | | |
| Hand protection | : Protective gloves. | | |
| Skin and body protection | : Long sleeved clothing. | | |
| Additional Protective Measures | : Safety shoes. | | |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety pract Wash hands before breaks and at the end of workday. | | |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | |
| | | | |
| Exposure limit(s) | | | |
| Exposure limit(s) | | | |
| | . PHYSICAL AND CHEMICAL PROPERTIES | | |
| <u>Exposure limit(s)</u> 9. | . PHYSICAL AND CHEMICAL PROPERTIES | | |
| 9 . Form Appearance | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine | | |
| 9. Form Appearance Color | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe | | |
| 9. Form Appearance Color Odor | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe : Very faint Vapor pressure : Not applicable | | |
| 9. Form Appearance Color Odor Melting point/range | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe : Very faint Vapor pressure : Not applicable : Not determined Vapor density : Not applicable | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe : Very faint Vapor pressure : Not applicable : Not determined Vapor density : Not applicable : Not applicable pH : Not applicable | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe : Very faint Vapor pressure : Not applicable : Not determined Vapor density : Not applicable | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe : Very faint Vapor pressure : Not applicable : Not determined Vapor density : Not applicable : Not applicable pH : Not applicable | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe : Very faint Vapor pressure : Not applicable : Not determined Vapor density : Not applicable : Not applicable pH : Not applicable : Insoluble . . | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe : Very faint Vapor pressure : Not applicable : Not determined Vapor density : Not applicable : Not applicable pH : Not applicable : Insoluble 10. STABILITY AND REACTIVITY | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe : Very faint Vapor pressure : Not applicable : Not determined Vapor density : Not applicable : Insoluble pH : Not applicable the stability : Stable. | | |
| 9. Form Appearance Color Odor Melting point/range | . PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity : Not determine : YELLOW Bulk density : Not establishe : Very faint Vapor pressure : Not applicable : Not determined Vapor density : Not applicable : Not applicable pH : Not applicable : Insoluble IO. STABILITY AND REACTIVITY : Stable. : Will not occur. : Keep away from oxidizing agents and open flame. To avoid therm | | |



MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 12/19/2001

Page 4 of 6 Print Date 11/2/2011

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|---|--------------|------------------------------------|
| 70624-18-9 | 1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products | Highly Toxic | Refer to MSDS for Toxicity Data |

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|------------|---|-----------|-------------|---------|
| 70624-18-9 | 1,6-Hexanediamine, | LC50 | 112 mgm34H | rat |
| | N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products | Oral LD50 | 9,910 mg/kg | rat |

12. ECOLOGICAL INFORMATION

| Persistence and degradability | : Not readily biodegradable. |
|-------------------------------|---|
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Additional advice | : No data available. |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation |



MATERIAL SAFETY DATA SHEET

YELLOW

| ion Number 1.0 sion Date 12/19/2001 | Page 5 Print Date 11/2/2 |
|--|---|
| | and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground) | : Not regulated for transportation. |
| ICAO/IATA | : Not regulated for transportation. |
| IMO / IMDG | : Not regulated for transportation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : Classified as hazardous based on components. |
| TSCA Status | : All components of this product are listed on the TSCA inventory or are exempt. |
| California Proposition 65 | : This product does not contain a substance listed by California Prop 65 |
| Canadian Regulations: | |
| WHMIS Classification | : D1A |
| WHMIS Ingredient Disc | losure List |
| CAS-No. 1333-86-4 | |
| DSL | : Listed. |
| National Inventories: | |
| Australia AICS | : Listed. |
| China IECS | : Listed. |
| Europe EINECS | : Not determined. |
| Japan ENCS | : Not determined. |
| Korea KECI | : Not determined. |
| Philippines PICCS | : Not determined. |



MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 12/19/2001 Page 6 of 6 Print Date 11/2/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.