

MATERIAL SAFETY DATA SHEET

BLUE UV

Version Number 1.0 Revision Date 12/28/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE UV
Product code	:	CC10007727
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	of Exposure: : Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	





ion Number 1.0 sion Date 12/28/2001	Page 2 Print Date 11/2/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



BLUE UV

				FIIII	Date 11/2/
Storage		eep containers dry and nd contamination. Keep		d moistur	e absorption
8. E	XPOSURE	CONTROLS / PERSO	ONAL PROTECTIC	N	
Respiratory protection	: N	o personal respiratory p	rotective equipment	normally	required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practic Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			Provide	
Exposure limit(s)	Value	European time	Eastan	4	List
Components Calcium carbonate	Value	Exposure time Time Weighted Aver	Exposure age Total d		List: ACGIH
Calcium carbonate	10 mg/m3	(TWA):	age Iotai u	ust.	АССІП
	5 mg/m3	PEL:	Respirable	e dust.	OSHA Z
	15 mg/m3	PEL:	Total d		OSHA Z
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	rage Total d	ust.	ACGIH
	15 mg/m3	PEL:	Total d	ust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICA	L PROPERTIES		
	: Solid	l	Evaporation rate	: No	t applicable.
Form	: Pelle		Specific Gravity		t determined
Form Appearance	: Pelle	10			t established
	: Pelle : BLU		Bulk density	5	
Appearance		E	Bulk density Vapor pressure	: No	
Appearance Color	: BLU : Very	E faint			t applicable
Appearance Color Odor	: BLU : Very : Not c	E faint letermined	Vapor pressure	: No	t applicable t applicable
Appearance Color Odor Melting point/range	: BLU : Very : Not c	E faint letermined applicable	Vapor pressure Vapor density	: No	
Appearance Color Odor Melting point/range Boiling Point:	: BLU : Very : Not c : Not a : Insol	E faint letermined applicable	Vapor pressure Vapor density pH	: No	
Appearance Color Odor Melting point/range Boiling Point:	: BLU : Very : Not c : Not a : Insol	E faint letermined applicable uble	Vapor pressure Vapor density pH	: No	



MATERIAL SAFETY DATA SHEET

BLUE UV

sion Number 1.0 ision Date 12/28/20	01			Page / Print Date 11/2/2
~	_	-		
Conditions to avoid			rom oxidizing agents an on, do not overheat.	d open flame. To avoid thermal
Incompatible Materia	als : I	ncompatible	with strong acids and o	oxidizing agents.
Hazardous decompos products				oxide (CO), oxides of nitrogen ad smoke are all possible.
	11. T(XICOLOG	GICAL INFORMATIC	DN
This mixture has not health data for the ind				are effects listed are based on ex
Toxicity Overview This product contains	s the following co	omponents v	which in their pure form	have the following characteristi
CAS-No.	Chemic	al Name	Effect	Target Organ
13463-67-7	Titanium dioz	kide	Systemic effects	Respiratory system.
1317-65-3	Calcium carb	onate	Irritant	Eyes, Skin.
			Systemic effects	Eyes, Skin, Respiratory syster
	12.]	ECOLOGI	CAL INFORMATION	I
Persistence and degra	adability : N	lot readily b	viodegradable.	
Environmental Toxic		Chemicals ar		s they are bound within the matri
Bioaccumulation Pot		Chemicals ar		s they are bound within the matri
Additional advice	: 1	lo data avail	lable.	
	13.	DISPOSAL	CONSIDERATIONS	
Product		: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	<u> </u>	TRANSPO	RT INFORMATION	
U.S. D.O.T. / CA T.I			DRT INFORMATION d for transportation.	

MATERIAL SAFETY DATA SHEET



BLUE UV	
Version Number 1.0 Revision Date 12/28/2001	Page 5 of 5 Print Date 11/2/2011
Classification (Non-bulk ground)	
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D2B
DSL	: Listed.
National Inventories:	
Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information release only to the specific material designated and may not be valid for such

specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.