

MATERIAL SAFETY DATA SHEET

# **FROST GREEN**

Version Number 1.0 Revision Date 01/07/2002 Page 1 of 5 Print Date 11/3/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	: :	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No.	::	FROST GREEN CC10007743 Mixture Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	1 - 5

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# FROST GREEN

ion Number 1.0 sion Date 01/07/2002	Page 2 Print Date 11/3/
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

# FROST GREEN

sion Date 01/07/2002				Print	Page 3 of Date 11/3/20	
and contamination. Keep in a dry, cool place.						
8. F	XPOSURE	CONTROLS / PER	SONAL	PROTECTION		
Respiratory protection	: N	lo personal respirator	y protecti	ve equipment normally	required.	
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure tin	ne	Exposure type	List:	
Barium sulfate	10 mg/m3	Time Weighted A (TWA):	verage	Total dust.	ACGIH	
	5 mg/m3	PEL: PEL:		Respirable fraction. Total dust.	OSHA Z1 OSHA Z1	
	15 mg/m3	I DD.				
			TAL PRO	PERTIES		
	9. PHYSIC	CAL AND CHEMIC				
	9. PHYSIC : Solic	CAL AND CHEMIC	Evapor	ration rate : No	t applicable.	
Appearance	9. PHYSIC : Solic : Pelle	CAL AND CHEMIC	Evapor Specifi	ration rate : No ic Gravity : No	t applicable. t determined	
Appearance Color	9. PHYSIC : Solic : Pelle : GRE	C <b>AL AND CHEMIC</b> 1 ets EEN	Evapor Specifi Bulk d	ration rate : No ic Gravity : No ensity : No	t applicable. t determined t established	
Appearance Color Odor	9. PHYSIC : Solic : Pelle : GRE : Very	CAL AND CHEMIC I ets EEN 7 faint	Evapor Specifi Bulk d Vapor	ration rate : No ic Gravity : No ensity : No pressure : No	t applicable. t determined t established t applicable	
Appearance Color Odor Melting point/range	9. PHYSIC : Solic : Pelle : GRE : Very : Not of	CAL AND CHEMIC I ets EN 7 faint determined	Evapor Specifi Bulk d Vapor Vapor	ration rate : No ic Gravity : No ensity : No pressure : No density : No	t applicable. t determined t established t applicable t applicable	
Color	9. PHYSIC : Solic : Pelle : GRE : Very : Not of	CAL AND CHEMIC I Sts EN 7 faint determined applicable	Evapor Specifi Bulk d Vapor	ration rate : No ic Gravity : No ensity : No pressure : No density : No	t applicable. t determined t established t applicable	
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : GRE : Very : Not c : Not c : Insol	CAL AND CHEMIC I Sts EN 7 faint determined applicable	Evapor Specifi Bulk d Vapor Vapor pH	ration rate : No ic Gravity : No ensity : No pressure : No density : No : No	t applicable. t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S	CAL AND CHEMIC I ets EEN 7 faint determined applicable luble	Evapor Specifi Bulk d Vapor Vapor pH	ration rate : No ic Gravity : No ensity : No pressure : No density : No : No	t applicable. t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pelle : GRE : Very : Not d : Not a : Insol 10. S : S	CAL AND CHEMIC ts EN faint determined applicable luble STABILITY AND R	Evapor Specifi Bulk d Vapor Vapor pH	ration rate : No ic Gravity : No ensity : No pressure : No density : No : No	t applicable. t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solic : Pelle : GRE : Very : Not a : Not a : Insol 10. S n : W : K	CAL AND CHEMIC tets EEN faint determined applicable uble STABILITY AND R table. Vill not occur.	Evapor Specifi Bulk d Vapor pH EEACTIV	ration rate : No ic Gravity : No ensity : No pressure : No density : No : No	t applicable. t determined t established t applicable t applicable t applicable	



MATERIAL SAFETY DATA SHEET

# **FROST GREEN**

Version Number 1.0 Revision Date 01/07/2002 Page 4 of 5 Print Date 11/3/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

# 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.



### MATERIAL SAFETY DATA SHEET

# **FROST GREEN**

Version Number 1.0 Revision Date 01/07/2002 Page 5 of 5 Print Date 11/3/2011

	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use,

belief at the date of its publication. The information given is designed only as a guidance for safe handling, use processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.