

MATERIAL SAFETY DATA SHEET

# PALE GREEN

Version Number 1.0 Revision Date 01/14/2002 Page 1 of 5 Print Date 11/3/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE <b>Emergency telephone</b> number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	: : : :	PALE GREEN CC10008381 Mixture Mixture Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# PALE GREEN

ion Number 1.0 sion Date 01/14/2002	Page 2 Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET

# PALE GREEN

8. EX Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s)	XPOSURE : N : Sa : Pr : La : Sa : H W : H	nd contamination. Keep in CONTROLS / PERSONA To personal respiratory protect afety glasses with side-shieler rotective gloves. ong sleeved clothing. afety shoes. Tandle in accordance with generation afet only in areas with appropriate exhaust ventilation	AL PROTECTION ective equipment normally lds. ood industrial hygiene and a id at the end of workday.	safety practice	
Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: N : Sa : P1 : La : Sa : H W : H	o personal respiratory prote afety glasses with side-shie rotective gloves. ong sleeved clothing. afety shoes. andle in accordance with go /ash hands before breaks ar	ective equipment normally lds. ood industrial hygiene and a id at the end of workday. opriate exhaust ventilation.	safety practice	
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: Sa : Pr : La : Sa : H W : H	afety glasses with side-shie rotective gloves. ong sleeved clothing. afety shoes. andle in accordance with go /ash hands before breaks ar eat only in areas with appro	ood industrial hygiene and d at the end of workday.	safety practice	
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: P1 : La : Sa : H W : H	rotective gloves. ong sleeved clothing. afety shoes. andle in accordance with go /ash hands before breaks ar feat only in areas with appro	ood industrial hygiene and and at the end of workday.		
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: La : Sa : H W : H	ong sleeved clothing. afety shoes. andle in accordance with go Vash hands before breaks ar eat only in areas with appro	d at the end of workday.		
Additional Protective Measures General Hygiene Considerations Engineering measures	: Sa : H W : H	afety shoes. andle in accordance with go /ash hands before breaks ar eat only in areas with appro	d at the end of workday.		
Measures General Hygiene Considerations Engineering measures	: H W	andle in accordance with go lash hands before breaks ar eat only in areas with appro	d at the end of workday.		
Considerations Engineering measures	W : H	Vash hands before breaks ar eat only in areas with appro	d at the end of workday.		
				Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
]	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES		
	G 1' 1			. 1. 1.1	
Form Appearance	: Solid : Pelle			t applicable. t determined	
Color	: GRE		Bulk density : Not determined		
Odor	: Very		Vapor pressure : Not applicable		
Melting point/range			Vapor density : Not applicable		
Boiling Point:		applicable pH		t applicable	
Water solubility	: Insoluble			e applicació	
	10. S	TABILITY AND REACT	TVITY		
0.111					
Stability	: St	table.			
Hazardous Polymerization	: W	/ill not occur.			
Conditions to avoid		eep away from oxidizing a ecomposition, do not overh		avoid thermal	
Incompatible Materials	: In	acompatible with strong aci	ds and oxidizing agents.		



### MATERIAL SAFETY DATA SHEET

# PALE GREEN

#### Version Number 1.0 Revision Date 01/14/2002

Page 4 of 5 Print Date 11/3/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	1		
Persistence and degrad	lability : Not readily b	iodegradable.			
Environmental Toxicit	y : Chemicals ar of the polym		is they are bound within the matri		
Bioaccumulation Pote		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	lable.			
	13. DISPOSAL	CONSIDERATIONS	9		
Product Contaminated packagi	recycling is p waste materia transportation state/provinc ng : Recycling is has the respo and disposal	<ul> <li>Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>			
	14. TRANSPO	ORT INFORMATION			
U.S. D.O.T. / CA T.D. Classification (Non-bu ground)	G. : Not regulated	egulated for transportation.			
ICAO/IATA	: Not regulated	: Not regulated for transportation.			
IMO / IMDG	: Not regulated	l for transportation.			
	15 REGULAT	ORY INFORMATION	N		

#### MATERIAL SAFETY DATA SHEET



#### PALE GREEN Page 5 of 5 Version Number 1.0 Print Date 11/3/2011 Revision Date 01/14/2002 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : D2B WHMIS Ingredient Disclosure List CAS-No. 1333-86-4 DSL : Listed. National Inventories: Australia AICS Listed. • China IECS Listed. • Europe EINECS Not determined. Japan ENCS Not determined. : Korea KECI : Listed. **Philippines PICCS** : Listed.

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.