

## MATERIAL SAFETY DATA SHEET PMS 427U LIGHT GREY

Version Number 1.1 Revision Date 02/02/2004

Page 1 of 6 Print Date 11/13/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PMS 427U LIGHT GREY
Product code	:	CC10008395
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>		
Chronic exposure	<ul><li>Experience shows no unusual dermatitis hazard from routine handling.</li><li>Refer to Section 11 for Toxicological Information.</li></ul>		
Medical Conditions Aggravated by Exposure:	: None known.		



# MATERIAL SAFETY DATA SHEET PMS 427U LIGHT GREY

Version Number 1.1 Revision Date 02/02/2004 Page 2 of 6 Print Date 11/13/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	•	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	÷	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



# MATERIAL SAFETY DATA SHEET PMS 427U LIGHT GREY

Version Number 1.1 Revision Date 02/02/2004 Page 3 of 6 Print Date 11/13/2011

8. E	XPOSURE	<b>CONTROLS / PERSO</b>	NAL I	PROTECTION	
Respiratory protection	: N	lo personal respiratory p	rotectiv	ve equipment normall	y required.
Eye/Face Protection	: S	afety glasses with side-s	hields.		
Hand protection	: P	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practi Wash hands before breaks and at the end of workday.			l safety practice.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			n. Provide	
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age		ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	PRO	PERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not	ets S EY H / faint V determined V applicable H	Specifio Bulk de √apor j	c Gravity: : N ensity : N pressure : N density : N	fot applicable fot determined fot established fot applicable fot applicable fot applicable
	10. 5	STABILITY AND REA	CTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid		Keep away from oxidizing ecomposition, do not ove		s and open flame. To	o avoid thermal
				nd oxidizing agents.	



## MATERIAL SAFETY DATA SHEET PMS 427U LIGHT GREY

Version Number 1.1 Revision Date 02/02/2004 Page 4 of 6 Print Date 11/13/2011

Hazardous decomposition<br/>products:Carbon dioxide (C<br/>(NOx), other hazar

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	I		
Persistence and degrada	ability : Not readily b	iodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	lable			
	13. DISPOSAL	CONSIDERATIONS			
Product Contaminated packagin	g : Recycling is has the respo and disposal	<ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>			
	14. TRANSPO	ORT INFORMATION			
U.S. DOT Classificatio	n : Not regulated	l for transportation.			
ICAO/IATA (air)	: Refer to spec	ific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.			
	15. REGULAT	ORY INFORMATION	J		

PolyOne.

# MATERIAL SAFETY DATA SHEET PMS 427U LIGHT GREY

sion Number 1.1 <i>r</i> ision Date 02/02/2004		Page 5 c Print Date 11/13/20
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic (	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Iı	nventory (NPRI)
WHMIS Classification	:	D2B
D GI	:	All components of this product are on the Canadian Domestic
DSL		Substances List (DSL) or are exempt.
DSL National Inventories:		1 1
	:	1 1
National Inventories:	:	Substances List (DSL) or are exempt.
National Inventories: Australia AICS		Substances List (DSL) or are exempt.
National Inventories: Australia AICS China IECS	:	Substances List (DSL) or are exempt. Listed Listed
National Inventories: Australia AICS China IECS Europe EINECS	:	Substances List (DSL) or are exempt. Listed Listed Listed
National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	: : :	Substances List (DSL) or are exempt. Listed Listed Listed Not determined



## MATERIAL SAFETY DATA SHEET PMS 427U LIGHT GREY

Version Number 1.1 Revision Date 02/02/2004

Page 6 of 6 Print Date 11/13/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.