



MATERIAL SAFETY DATA SHEET

LT. BROWN

Version Number 1.1 Revision Date 02/02/2004

Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LT. BROWN
Product code	:	CC10008425
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

LT. BROWN

Version Number 1.1 Revision Date 02/02/2004 Page 2 of 6 Print Date 11/13/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET

LT. BROWN

Version Number 1.1 Revision Date 02/02/2004 Page 3 of 6 Print Date 11/13/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection		No personal respiratory protecti usty conditions occur wear app		
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves. Refer to equi	pment supplier to ensure	protection.
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Handle in accordance with good Vash hands before breaks and a		afety practice.
Engineering measures		Heat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9 PHYSI	CAL AND CHEMICAL PRO	PERTIES	
	<i><i>у</i>. т штот</i>			
	: Solid			applicable
			ic Gravity: : Not	applicable
Form Appearance			·	determined
Appearance Color	: BRC	OWN Bulk d		
Appearance Color Odor	: BRC : Very	DWN Bulk d V faint Vapor	pressure : Not	applicable
Appearance Color Odor Melting point/range	: BRC : Very : Not	DWNBulk dy faintVapordeterminedVapou	pressure : Not r density : Not	applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: BRC : Very : Not : Not	DWNBulk d7 faintVapordeterminedVapouapplicablepH	pressure : Not r density : Not	applicable
Appearance Color	: BRC : Very : Not	DWNBulk d7 faintVapordeterminedVapouapplicablepH	pressure : Not r density : Not	applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: BRC : Very : Not : Not : Inso	DWNBulk d7 faintVapordeterminedVapouapplicablepH	pressure : Not r density : Not : Not	applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: BRC : Very : Not : Not : Inso 10. \$	DWNBulk d/ faintVapor/ determinedVapouapplicablepHluble	pressure : Not r density : Not : Not	applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: BRC : Very : Not : Not : Inso 10. §	DWN Bulk d y faint Vapor determined Vapou applicable pH luble STABILITY AND REACTIV	pressure : Not r density : Not : Not	applicable applicable



MATERIAL SAFETY DATA SHEET

LT. BROWN

Version Number 1.1 Revision Date 02/02/2004

Page 4 of 6 Print Date 11/13/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
U.S. DOT Classification ICAO/IATA (air)	Not regulated for transportation.Refer to specific regulation.




MATERIAL SAFETY DATA SHEET

LT. BROWN

Version Number 1.1 Revision Date 02/02/2004 Page 5 of 6 Print Date 11/13/2011

	15. REGULAT	ORY INFORMATION		
US Regulations:				
OSHA Status	: Classified as	hazardous based on compor	ients.	
TSCA Status	: All compone Inventory.	ents of this product are listed	on or exempt from	the TSC.
US. EPA CERCLA Hazardo	ous Substances (40 CI	FR 302)		
Not applicable				
California Propositio 65	on : This product	does not contain a substance	listed by Californ	ia Prop 65
SARA Title III Section 302	Extremely Hazardous	Substance		
Not applicable				
SARA Title III Section 313	Toxic Chemicals:			
	Toxic Chemicals:	CAS-No	Weight %	1
Chemical Name ZINC COMPOUND		CAS-No. 68187-51-9	Weight % 29.48]
Chemical Name ZINC COMPOUNE Canadian Regulations:		68187-51-9]
Chemical Name ZINC COMPOUNE Canadian Regulations:	OS elease Inventory (NPF	68187-51-9]
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Re	DS elease Inventory (NPF on : D2B	68187-51-9]
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Re WHMIS Classificati	DS elease Inventory (NPF on : D2B	68187-51-9]
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Re WHMIS Classificati WHMIS Ingredient I CAS-No.	DS elease Inventory (NPF on : D2B Disclosure List 	68187-51-9	29.48	stic
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Re WHMIS Classificati WHMIS Ingredient I CAS-No. 1309-37-1	DS elease Inventory (NPF on : D2B Disclosure List 	68187-51-9 RI) ents of this product are on th	29.48	stic
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Re WHMIS Classificati WHMIS Ingredient I CAS-No. 1309-37-1 DSL	DS elease Inventory (NPF on : D2B Disclosure List 	68187-51-9 RI) ents of this product are on th	29.48	stic



16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.