

MATERIAL SAFETY DATA SHEET

WERNER YELLOW W/UV

Version Number 1.0 Revision Date 01/30/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WERNER YELLOW W/UV
Product code	:	CC10009212
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

WERNER YELLOW W/UV

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

WERNER YELLOW W/UV

Version Number 1.0 Revision Date 01/30/2002 Page 3 of 6 Print Date 11/3/2011

	and contamination	. Keep in a dry, cool place.	l moisture absorption	
8. EXP	OSURE CONTROLS / H	PERSONAL PROTECTIO	Ν	
Respiratory protection	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved cloth	ing.		
Additional Protective Measures	: Safety shoes.	: Safety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
• · · ·				
	PHYSICAL AND CHE			
Form	: Solid	Evaporation rate	: Not applicable.	
Form Appearance	: Solid : Pellets	Evaporation rate Specific Gravity	: Not determined	
Form Appearance Color	: Solid : Pellets : YELLOW	Evaporation rate Specific Gravity Bulk density	Not determinedNot established	
Form Appearance Color Odor	: Solid : Pellets : YELLOW : Very faint	Evaporation rate Specific Gravity Bulk density Vapor pressure	Not determinedNot establishedNot applicable	
Form Appearance Color	: Solid : Pellets : YELLOW	Evaporation rate Specific Gravity Bulk density	Not determinedNot established	
Form Appearance Color Odor Melting point/range	 Solid Pellets YELLOW Very faint Not determined 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	Not determinedNot establishedNot applicableNot applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets YELLOW Very faint Not determined Not applicable 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets YELLOW Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY AN	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 Solid Pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH DREACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable 	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Solid Pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. Keep away from o decomposition, do 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH DREACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable 	



MATERIAL SAFETY DATA SHEET

WERNER YELLOW W/UV

Version Number 1.0

Revision Date 01/30/2002

Page 4 of 6 Print Date 11/3/2011

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Highly Toxic	Refer to MSDS for Toxicity Data

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine,	LC50	112 mg/m3	rat
	N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Oral LD50	9,910 mg/kg	rat

12. ECOLOGICAL INFORMATION

Persistence and degradability	: No	t readily biodegradable.
Environmental Toxicity		emicals are not readily available as they are bound within the matrix he polymer.
Bioaccumulation Potential		emicals are not readily available as they are bound within the matrix he polymer.
Additional advice	: No	data available.
	13. DI	SPOSAL CONSIDERATIONS
Product	rec wa trai	te most thermoplastics the product can be recycled. Where possible ycling is preferred to disposal or incineration. The generator of ste material has the responsibility for proper waste classification, hsportation and disposal in accordance with applicable federal, te/provincial and local regulations.
Contaminated packaging		cycling is preferred when possible. The generator of waste material the responsibility for proper waste classification, transportation



MATERIAL SAFETY DATA SHEET

WERNER YELLOW W/UV

Version Number 1.0 Revision Date 01/30/2002 Page 5 of 6 Print Date 11/3/2011

	and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D1A
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.
	16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

WERNER YELLOW W/UV

Version Number 1.0 Revision Date 01/30/2002 Page 6 of 6 Print Date 11/3/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.