

MATERIAL SAFETY DATA SHEET

# LT. PEARL GREEN

Version Number 1.0 Revision Date 01/28/2002 Page 1 of 6 Print Date 11/3/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY<br>TELEPHONE    | : | Product Stewardship (770) 271-5902   |
|-------------------------------|---|--|
| Emergency telephone<br>number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name                  | : | LT. PEARL GREEN  |
| Product code                  | : | CC10009275   |
| Chemical Name                 | : | Mixture  |
| CAS-No.                       | : | Mixture  |
| Product Use                   | : | Industrial Applications  |

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components       | CAS-No.    | Weight % |
|------------------|------------|----------|
| Mica             | 12001-26-2 | 10 - 30  |
| Titanium dioxide | 13463-67-7 | 10 - 30  |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

| Routes of Exposure:                           | : Inhalation, Ingestion, Skin contact   |  |  |
|---|---|--|--|
| Acute exposure                                |   |  |  |
| Inhalation<br>Ingestion<br>Eyes<br>Skin       | <ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul> |  |  |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.  |  |  |
| Medical Conditions<br>Aggravated by Exposure: | : None known.   |  |  |



MATERIAL SAFETY DATA SHEET

# LT. PEARL GREEN

| Persion Number 1.0 F<br>Evision Date 01/28/2002 Print Date   |  |  |
|--|--|--|
|  |  |  |
|  | 4. FIRST AID MEASURES  |  |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.                     |  |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |  |
| Eyes   | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.                                       |  |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.   |  |
|  | 5. FIRE-FIGHTING MEASURES  |  |
| Flash point  | : Not applicable   |  |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>                                     |  |
| Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion<br>Hazards   | <ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>   |  |
|  | 6. ACCIDENTAL RELEASE MEASURES   |  |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |  |
| Environmental precautions  | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.   |  |
| Methods for cleaning up  | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |  |
|  | 7. HANDLING AND STORAGE  |  |
| Handling   | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.  |  |
| Storage  | : Keep containers dry and tightly closed to avoid moisture absorption  |  |



MATERIAL SAFETY DATA SHEET

# LT. PEARL GREEN

| sion Number 1.0<br>ision Date 01/28/2002   |   |  |                                 | Print D           | Page 3 o<br>ate 11/3/20                                 |  |
|--|---|--|---------------------------------|-------------------|---|--|
|  | aı  | nd contamination. Keep in a d                              | lry, cool place.                |                   |   |  |
| 8. ]   | EXPOSURE                                  | CONTROLS / PERSONAL  | PROTECTION                      |                   |   |  |
| Respiratory protection : No personal respiratory protective equipment normally required. |   |  |                                 |                   | quired.   |  |
| Eye/Face Protection  | : S                                       | : Safety glasses with side-shields.                        |                                 |                   |   |  |
| Hand protection  | : P                                       | rotective gloves.  |                                 |                   |   |  |
| Skin and body protection   | : L                                       | ong sleeved clothing.                                      |                                 |                   |   |  |
| Additional Protective<br>Measures  | : S                                       | : Safety shoes.  |                                 |                   |   |  |
| General Hygiene<br>Considerations  |   | andle in accordance with good vash hands before breaks and |                                 |                   | fety practice.  |  |
| Engineering measures   |   | eat only in areas with appropriate exhaust ventilation     |                                 | lation. H         | Provide   |  |
| Exposure limit(s)  |   |  |                                 |                   |   |  |
| Components   | Value                                     | Exposure time  | Exposure ty                     | pe                | List:   |  |
| Mica   | 3 mg/m3                                   | Time Weighted Average (TWA):                               | Total dust                      |                   | ACGIH   |  |
|  | 20 mppcf                                  | PEL:   | Total dust                      |                   | OSHA  |  |
| Titanium dioxide   | 10 mg/m3                                  | Time Weighted Average (TWA):                               | Total dust                      |                   | ACGIH   |  |
|  | 15 mg/m3                                  | PEL:   | Total dust                      |                   | OSHA Z1   |  |
|  | 9. PHYSIC                                 | CAL AND CHEMICAL PRO                                       | OPERTIES                        |                   |   |  |
| Form   | : Solid                                   | Even   | oration rate                    | · Not a           | pplicable.  |  |
| Appearance   | : Pelle                                   |  | fic Gravity                     |                   | etermined   |  |
| Color  | : GRE                                     | 1  | lensity                         | : Not established |   |  |
| Odor   |   |  | Vapor pressure<br>Vapor density |                   | <ul><li>Not applicable</li><li>Not applicable</li></ul> |  |
|  |   |  |                                 |                   |   |  |
| Melting point/range  | : Not o                                   | letermined vabor   |                                 |                   |   |  |
| Melting point/range<br>Boiling Point:  |   |  |                                 |                   | pplicable   |  |
| Melting point/range<br>Boiling Point:<br>Water solubility                                |   | applicable pH  |                                 |                   | pplicable   |  |
| Boiling Point:   | : Not a<br>: Insol                        | applicable pH  |                                 |                   | pplicable   |  |
| Boiling Point:   | : Not a<br>: Insol<br><b>10. S</b>        | applicable pH<br>uble                                      |                                 |                   | pplicable   |  |
| Boiling Point:<br>Water solubility   | : Not a<br>: Insol<br><b>10. S</b><br>: S | applicable pH<br>uble<br>TABILITY AND REACTION             |                                 |                   | pplicable   |  |



MATERIAL SAFETY DATA SHEET

# LT. PEARL GREEN

| ersion Number 1.0<br>evision Date 01/28/2002   |  |   | Page 4 of<br>Print Date <i>11/3/201</i>                 |  |  |
|--|--|---|---|--|--|
| Incompatible Materials   | : Incompatible wi  | ith strong acids and o  | xidizing agents.  |  |  |
| Hazardous decomposition products   |  |   | xide (CO), oxides of nitrogen d smoke are all possible. |  |  |
|  | 11. TOXICOLOGIC  | CAL INFORMATIC  | DN  |  |  |
|  | en evaluated as a whole for he<br>idual components which com                   |   | re effects listed are based on existi                   |  |  |
| <u>Toxicity Overview</u><br>This product contains th   | e following components which   | ch in their pure form   | have the following characteristics:                     |  |  |
| CAS-No.  | Chemical Name  | Effect  | Target Organ  |  |  |
| 12001-26-2   | Mica   | Systemic effects  | Respiratory system.                                     |  |  |
| 13463-67-7   | Titanium dioxide   | Systemic effects  | Respiratory system.                                     |  |  |
|  |  |   |   |  |  |
|  | 12. ECOLOGICA  | L INFORMATION   |   |  |  |
| Persistence and degradal   | bility : Not readily biod  | legradable.   |   |  |  |
| Environmental Toxicity : Chemicals are not readily available as they are bound within the matrix of the polymer. |  |   |   |  |  |
| Bioaccumulation Potent   | ial : Chemicals are n<br>of the polymer.                                       | : Chemicals are not readily available as they are bound within the matrix of the polymer.   |   |  |  |
| Additional advice  | : No data availabl   | le.   |   |  |  |
|  | 13. DISPOSAL C   | ONSIDERATIONS   |   |  |  |
| Product  | recycling is pref<br>waste material h<br>transportation an<br>state/provincial | <ul> <li>Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul> |   |  |  |
| Contaminated packaging   | has the responsi<br>and disposal in a  | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.  |   |  |  |
|  | 14. TRANSPORT  | <b>FINFORMATION</b>   |   |  |  |
| U.S. D.O.T. / CA T.D.G<br>Classification (Non-bulk<br>ground)  | e  | or transportation.  |   |  |  |
| ICAO/IATA  | : Not regulated for  | or transportation.  |   |  |  |



### MATERIAL SAFETY DATA SHEET

# LT. PEARL GREEN

Version Number 1.0 Revision Date 01/28/2002 Page 5 of 6 Print Date 11/3/2011

|                 | IMO / IMDG                         |   | Not regulated for transportation.  |   |
|-----------------|------------------------------------|---|--|---|
|                 |                                    |   | REGULATORY INFORMATION   |   |
| US Regulations: |                                    |   |  |   |
|                 | OSHA Status                        | : | Classified as hazardous based on components.                                   |   |
|                 | TSCA Status                        |   | All components of this product are listed on the TSCA inventory or are exempt. |   |
|                 | California Proposition<br>65       | : | This product does not contain a substance listed by California Prop 65.        |   |
|                 | Canadian Regulations:              |   |  |   |
|                 | WHMIS Classification               | : | D2B  |   |
|                 | WHMIS Ingredient Disclosure List   |   |  |   |
|                 | CAS-No.<br>12001-26-2<br>7631-86-9 |   |  |   |
|                 | DSL                                | : | Listed.  |   |
|                 | National Inventories:              |   |  |   |
|                 | Australia AICS                     | : | Listed.  |   |
|                 | China IECS                         | : | Listed.  |   |
|                 | Europe EINECS                      | : | Not determined.  |   |
|                 | Japan ENCS                         | : | Not determined.  |   |
|                 | Korea KECI                         | : | Listed.  |   |
|                 | Philippines PICCS                  | : | Listed.  |   |
|                 |                                    |   |  | 1 |

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

# LT. PEARL GREEN

Version Number 1.0 Revision Date 01/28/2002



Page 6 of 6 Print Date 11/3/2011