

MATERIAL SAFETY DATA SHEET

TAN 4675C

Version Number 1.0 Revision Date 01/25/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TAN 4675C
Product code	:	CC10009331
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TAN 4675C

ion Number 1.0 sion Date 01/25/2002	Page 2 Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



TAN 4675C



Version Number 1.0 Page 3 of 6 Revision Date 01/25/2002 Print Date 11/3/2011 and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Handle in accordance with good industrial hygiene and safety practice. General Hygiene Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average	Dust and fume. as Fe	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: TAN	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble	-	

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

AN 4675C			
ersion Number 1.0 evision Date 01/25/2002			Page 4 o Print Date 11/3/20
Incompatible Materials	: Incompatibl	e with strong acids and o	oxidizing agents.
Hazardous decompositior products			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOXICOLO	GICAL INFORMATIO	ON
health data for the individ <u>Toxicity Overview</u>	lual components which	comprise the mixture.	ure effects listed are based on existing the state of the
-	• •	-	
CAS-No. 1309-37-1 I	Chemical Name ron oxide	Effect Systemic effects	Target Organ Respiratory system.
	Fitanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGI	CAL INFORMATION	1
Persistence and degradable	ility : Not readily	biodegradable.	
Environmental Toxicity	: Chemicals a of the polyn		as they are bound within the matrix
Bioaccumulation Potentia	al : Chemicals a of the polyn		as they are bound within the matrix
Additional advice	: No data ava	ilable.	
	13. DISPOSAL	L CONSIDERATIONS	5
Product	recycling is waste mater transportatio	preferred to disposal or ial has the responsibility	et can be recycled. Where possible incineration. The generator of for proper waste classification, dance with applicable federal, s.
Contaminated packaging	has the resp	onsibility for proper was l in accordance with app	e. The generator of waste material ste classification, transportation licable federal, state/provincial
	14. TRANSPO	ORT INFORMATION	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulate	ed for transportation.	
ICAO/IATA	: Not regulate	ed for transportation.	
		4/6	



MATERIAL SAFETY DATA SHEET

TAN 4675C

ersion Number 1.0 evision Date 01/25/2002				Page 5 of Print Date <u>11/3/201</u>
IMO / IMDG	: Not r	egulated for transportation	1.	
	15. REG	ULATORY INFORMA	TION	
US Regulations:				
OSHA Status	: Class	ified as hazardous based o	on components.	
TSCA Status	: All co exem	omponents of this product pt.	are listed on the TS	CA inventory or are
California Proposition 65	: This	product does not contain a	substance listed by	v California Prop 65.
SARA Title III Section 313 Top	kic Chemic	als:		
Chemical Name		CAS-No.	Weight %	,)
ZINC COMPOU	INDS	68187-51-9	1.46	
ZINC COMPOL	JNDS	68187-51-9	1.46	
	INDS : D2B	68187-51-9	1.46	
Canadian Regulations:	: D2B		1.46	
Canadian Regulations: WHMIS Classification	: D2B		1.46	
Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc <u>CAS-No.</u> 1333-86-4	: D2B		1.46	
Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 1333-86-4 1309-37-1	: D2B losure List		1.46	
Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 1333-86-4 1309-37-1 DSL	: D2B losure List	d.	1.46	

Europe EINECS : Not determined.

Japan ENCS	:	Not determined.
vapan 21,00	•	r tot actermineat

Korea KECI : Listed.

Philippines PICCS : Listed.

16. OTHER INFORMATION

MATERIAL SAFETY DATA SHEET



TAN 4675C

Version Number 1.0 Revision Date 01/25/2002 Page 6 of 6 Print Date 11/3/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.