

# MATERIAL SAFETY DATA SHEET

### GREEN

Version Number 1.1 Revision Date 02/02/2004 Page 1 of 6 Print Date 11/13/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10009377
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



### MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.1 Revision Date 02/02/2004 Page 2 of 6 Print Date 11/13/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



### MATERIAL SAFETY DATA SHEET **GREEN**

#### Version Number 1.1 Revision Date 02/02/2004

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity:	: Not determined
Color	: GREEN	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	<b>10. STABILITY AN</b> : Stable.	DREACHVILY	
Stobility.	Stable.		
Stability			
Stability Hazardous Polymerization	: Will not occur.		



### MATERIAL SAFETY DATA SHEET **GREEN**

sion Date 02/02/2	004			Page 4 Print Date 11/13/2
		decompositio	n, do not overheat.	
Incompatible Mater	ials :	Incompatible	with strong acids and c	oxidizing agents.
Hazardous decompo products	osition :			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11. 7	TOXICOLOG	ICAL INFORMATIO	DN
health data for the in <u>Toxicity Overview</u>	ndividual compo	nents which co	omprise the mixture.	are effects listed are based on ex-
-	-	ical Name	Effect	-
CAS-No. 7631-86-9	Silica, amo		Irritant	Target OrganEyes, Respiratory system.
13463-67-7	Titanium di		Systemic effects	Respiratory system.
	icity :	of the polyme		s they are bound within the matri
Bioaccumulation Po Additional advice	otential :	of the polyme Chemicals are of the polyme No data availa	er. e not readily available a er. able	s they are bound within the matri
	otential :	of the polyme Chemicals are of the polyme No data availa	er. e not readily available a er.	s they are bound within the matri
	otential :	of the polyme Chemicals are of the polyme No data availa <b>3. DISPOSAL</b> Like most the possible recyc generator of v classification,	er. e not readily available a er. able <b>CONSIDERATIONS</b> ermoplastic plastics the cling is preferred to disp vaste material has the re-	s they are bound within the matri product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Additional advice	otential : : <u>13</u>	of the polyme Chemicals are of the polyme No data availa <b>3. DISPOSAL</b> Like most the possible recyc generator of v classification, applicable fec Recycling is p has the respon	er. e not readily available a er. able <b>CONSIDERATIONS</b> ermoplastic plastics the cling is preferred to disp waste material has the ro transportation and disp leral, state/provincial an preferred when possible nsibility for proper was n accordance with appl	s they are bound within the matri product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Additional advice	otential : : <u>13</u> aging :	of the polyme Chemicals are of the polyme No data availa <b>3. DISPOSAL</b> Like most the possible recyc generator of v classification, applicable fec Recycling is p has the respon and disposal i and local regu	er. e not readily available a er. able <b>CONSIDERATIONS</b> ermoplastic plastics the cling is preferred to disp waste material has the ro transportation and disp leral, state/provincial an preferred when possible nsibility for proper was n accordance with appl	s they are bound within the matri product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Additional advice	otential : 13 aging : 1	of the polyme Chemicals are of the polyme No data availa <b>3. DISPOSAL</b> Like most the possible recyc generator of v classification, applicable fec Recycling is p has the respon and disposal i and local regy	er. e not readily available a er. able <b>CONSIDERATIONS</b> rmoplastic plastics the cling is preferred to dis waste material has the re transportation and displeral, state/provincial an preferred when possible nsibility for proper was n accordance with appli- alations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation

POLYONE	CORPORATION



### MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.1 Revision Date 02/02/2004 Page 5 of 6 Print Date 11/13/2011

	15. REGULATO	RY INFORMATION	
US Regulations:			
OSHA Status	: Classified as h	azardous based on compo	nents.
TSCA Status	: All componer Inventory.	nts of this product are listed	l on or exempt from the TSCA
US. EPA CERCLA Hazard	ous Substances (40 CFF	R 302)	
Not applicable			
California Propositio 65	on : This product d	loes not contain a substanc	e listed by California Prop 65
SARA Title III Section 302	Extremely Hazardous S	Substance	
Not applicable			
SARA Title III Section 313	Toxic Chemicals:		
SARA Title III Section 313 Chemical Name		CAS-No.	Weight %
		CAS-No. 68187-51-9	Weight % 1.67
Chemical Name ZINC COMPOUNI			
Chemical Name ZINC COMPOUNI Canadian Regulations:	DS	68187-51-9	
Chemical Name ZINC COMPOUNI Canadian Regulations:		68187-51-9	
Chemical Name ZINC COMPOUNI Canadian Regulations: National Pollutant Re	DS elease Inventory (NPRI	68187-51-9	
Chemical Name ZINC COMPOUNI Canadian Regulations: National Pollutant Re WHMIS Classificati	DS elease Inventory (NPRI on : D2B	68187-51-9	
Chemical Name ZINC COMPOUNI Canadian Regulations: National Pollutant Re	DS elease Inventory (NPRI on : D2B	68187-51-9	
Chemical Name ZINC COMPOUNI Canadian Regulations: National Pollutant R WHMIS Classificati WHMIS Ingredient I CAS-No.	DS elease Inventory (NPRI on : D2B	68187-51-9	
Chemical Name ZINC COMPOUNI Canadian Regulations: National Pollutant Re WHMIS Classificati WHMIS Ingredient I CAS-No. 7631-86-9	DS elease Inventory (NPRI on : D2B Disclosure List	)	1.67
Chemical Name ZINC COMPOUNI Canadian Regulations: National Pollutant R WHMIS Classificati WHMIS Ingredient I CAS-No.	DS elease Inventory (NPRI on : D2B Disclosure List 	68187-51-9	1.67
Chemical Name ZINC COMPOUNI Canadian Regulations: National Pollutant Re WHMIS Classificati WHMIS Ingredient I CAS-No. 7631-86-9	DS elease Inventory (NPRI on : D2B Disclosure List 	) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) )	1.67





### MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.1 Revision Date 02/02/2004

Page 6 of 6 Print Date *11/13/2011* 

China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.