

MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.1 Revision Date 05/18/2004

Page 1 of 6 Print Date 11/14/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone<br>Emergency telephone<br>number | : | Product Stewardship (770) 271-5902<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--|---|---|
| Product name                               | : | WHITE   |
| Product code                               | : | CC10009569  |
| Chemical Name                              | : | Mixture   |
| CAS-No.                                    | : | Mixture   |
| Product Use                                | : | Industrial Applications   |

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components                                   | CAS-No.    | Weight % |
|--|------------|----------|
| 2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5]un  | 26741-53-7 | 1 - 5    |
| decane,                                      |            |          |
| 3,9-bis[2,4-bis(1,1-dimethylethyl)phenoxy]-  |            |          |
| Phenol,                                      | 25973-55-1 | 5 - 10   |
| 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimeth  |            |          |
| ylpropyl)-                                   |            |          |
| Decanedioic acid,                            | 52829-07-9 | 5 - 10   |
| bis(2,2,6,6-tetramethyl-4-piperidinyl) ester |            |          |
| Titanium dioxide                             | 13463-67-7 | 30 - 60  |

## **3. HAZARDS IDENTIFICATION**

## **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

| Routes of Exposure:             | : | Inhalation, Ingestion, Skin contact  |
|---------------------------------|---|--|
| Acute exposure                  |   |  |
| Inhalation<br>Ingestion<br>Eyes | : | Resin particles, like other inert materials, can be mechanically irritating.<br>May be harmful if swallowed.<br>Resin particles, like other inert materials, are mechanically irritating to<br>eyes. |



## MATERIAL SAFETY DATA SHEET WHITE

| sion Number 1.1<br>ision Date 05/18/2004   | Page 2<br>Print Date 11/14/2   |
|--|--|
| Skin   | : Experience shows no unusual dermatitis hazard from routine handling  |
| Chronic exposure   | : Refer to Section 11 for Toxicological Information.   |
| Medical Conditions<br>Aggravated by Exposure:  | : None known.  |
|  | 4. FIRST AID MEASURES  |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.                     |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |
| Eyes   | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.                                       |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.   |
|  | 5. FIRE-FIGHTING MEASURES  |
| Flash point  | : Not applicable   |
| Flammable Limits<br>Upper explosion limit<br>sower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>                               |
| Special Fire Fighting<br>Procedures  | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.                                   |
| Unusual Fire/Explosion<br>Hazards  | <ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>                                     |
|  | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions  | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.   |
| Methods for cleaning up  | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |



## MATERIAL SAFETY DATA SHEET **WHITE**

Version Number 1.1 Revision Date 05/18/2004 Page 3 of 6 Print Date 11/14/2011

|  | 7.   | HANDLING AND STOR   | AGE  |   |  |  |
|--|--|---|--|---|--|--|
| Handling   |  | ake measures to prevent the<br>nly in areas with appropriate  |  | atic charge. Heat   |  |  |
| Storage  |  | : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.   |  |   |  |  |
| 8. H   | XPOSURE  | CONTROLS / PERSONA  | L PROTECTION   |   |  |  |
| Respiratory protection   | : N  | o personal respiratory prote  | ective equipment norm  | nally required.   |  |  |
| Eye/Face Protection  | : S  | afety glasses with side-shiel   | ds.  |   |  |  |
| Hand protection  | : P  | rotective gloves.   |  |   |  |  |
| Skin and body protection   | : L  | ong sleeved clothing.   |  |   |  |  |
| Additional Protective<br>Measures  | : S  | afety shoes.  |  |   |  |  |
| General Hygiene<br>Considerations  |  | andle in accordance with go<br>ash hands before breaks an   |  | * 1   |  |  |
| Engineering measures   |  | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.  |  |   |  |  |
|  |  | propriate exhaust ventilation   | ni at machinery.   |   |  |  |
|  |  |   |  |   |  |  |
| Components   | Value  | Exposure time   | Exposure type  |   |  |  |
| Exposure limit(s)<br>Components<br>Titanium dioxide  | Value<br>10 mg/m3  | Exposure time<br>Time Weighted Average<br>(TWA):  | Exposure typ   | ACGIH   |  |  |
| Components   | Value  | Exposure time<br>Time Weighted Average  | Exposure type  |   |  |  |
| Components   | Value<br>10 mg/m3<br>15 mg/m3  | Exposure time<br>Time Weighted Average<br>(TWA):  | Exposure type<br>Total dust.   | ACGIH   |  |  |
| Components<br>Titanium dioxide   | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIC   | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P  | Exposure type<br>Total dust.   | ACGIH<br>OSHA Z1  |  |  |
| Components<br>Titanium dioxide<br>Form   | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solic  | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P<br>Eva   | Exposure type<br>Total dust.<br>ROPERTIES<br>poration rate :   | ACGIH<br>OSHA Z1<br>Not applicable  |  |  |
| Components<br>Titanium dioxide<br>Form<br>Appearance   | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solic<br>: Pelle   | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P<br>Eva<br>ts Spe   | Exposure type<br>Total dust.<br>ROPERTIES<br>poration rate :<br>cific Gravity: :   | ACGIH<br>OSHA Z1<br>Not applicable<br>Not determined  |  |  |
| Components<br>Titanium dioxide<br>Form<br>Appearance<br>Color  | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solic<br>: Pelle<br>: WHI  | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P<br>L Eva<br>ts Spe<br>TE Bul   | Exposure type         Total dust.         ROPERTIES         poration rate       :         cific Gravity:       :         k density       :   | ACGIH<br>OSHA Z1<br>Not applicable<br>Not determined<br>Not established                                     |  |  |
| Components<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odor  | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solic<br>: Pelle<br>: WHI<br>: Very                                | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P<br>L Eva<br>ts Spe<br>TE Bull<br>faint Vap   | Exposure type         Total dust.         ROPERTIES         poration rate       :         cific Gravity:       :         k density       :         or pressure       :                   | ACGIH<br>OSHA Z1<br>Not applicable<br>Not determined<br>Not established<br>Not applicable                   |  |  |
| Components<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range                   | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIO<br>: Solici<br>: Pelle<br>: WHI<br>: Very<br>: Not of                   | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P.<br>L Eva<br>ts Spe<br>TE Bul<br>faint Vap<br>letermined Vap                         | Exposure type         Total dust.         ROPERTIES         poration rate       :         cific Gravity:       :         k density       :   | ACGIH<br>OSHA Z1<br>Not applicable<br>Not determined<br>Not established<br>Not applicable<br>Not applicable |  |  |
| Components<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point: | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solic<br>: Pelle<br>: WHI<br>: Very<br>: Not c<br>: Not a          | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P<br>L Eva<br>ts Spe<br>TE Bull<br>faint Vap<br>letermined Vap<br>upplicable pH        | Exposure type         Total dust.         ROPERTIES         poration rate       :         cific Gravity:       :         k density       :         or pressure       :                   | ACGIH<br>OSHA Z1<br>Not applicable<br>Not determined<br>Not established<br>Not applicable                   |  |  |
| Components<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range                   | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solic<br>: Pelle<br>: WHI<br>: Very<br>: Not a<br>: Insol          | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P<br>L Eva<br>ts Spe<br>TE Bul<br>faint Vap<br>letermined Vap<br>upplicable pH<br>uble | Exposure type         Total dust.         ROPERTIES         poration rate         cific Gravity:         cific Gravity:         cor pressure         pour density         cific Gravity: | ACGIH<br>OSHA Z1<br>Not applicable<br>Not determined<br>Not established<br>Not applicable<br>Not applicable |  |  |
| Components<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point: | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solic<br>: Pelle<br>: WHI<br>: Very<br>: Not a<br>: Insol          | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P<br>L Eva<br>ts Spe<br>TE Bull<br>faint Vap<br>letermined Vap<br>upplicable pH        | Exposure type         Total dust.         ROPERTIES         poration rate         cific Gravity:         cific Gravity:         cor pressure         pour density         cific Gravity: | ACGIH<br>OSHA Z1<br>Not applicable<br>Not determined<br>Not established<br>Not applicable<br>Not applicable |  |  |
| Components<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point: | Value<br>10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solic<br>: Pelle<br>: WHI<br>: Very<br>: Not a<br>: Insol<br>10. S | Exposure time<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL P<br>L Eva<br>ts Spe<br>TE Bul<br>faint Vap<br>letermined Vap<br>upplicable pH<br>uble | Exposure type         Total dust.         ROPERTIES         poration rate         cific Gravity:         cific Gravity:         cor pressure         pour density         cific Gravity: | ACGIH<br>OSHA Z1<br>Not applicable<br>Not determined<br>Not established<br>Not applicable<br>Not applicable |  |  |



## MATERIAL SAFETY DATA SHEET WHITE

| Version Number 1.1<br>Revision Date 05/18/2004 |   | Page 4 of 6<br>Print Date <i>11/14/2011</i>  |
|--|---|--|
|  |   |  |
| Hazardous Polymerization                       | : | Will not occur.  |
| Conditions to avoid                            | : | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.                             |
| Incompatible Materials                         | : | Incompatible with strong acids and oxidizing agents.   |
| Hazardous decomposition products               | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name               | Effect           | Target Organ                 |
|------------|-----------------------------|------------------|------------------------------|
| 26741-53-7 | 2,4,8,10-Tetraoxa-3,9-diph  | toxic            | Refer to LC50 / LD50 Data on |
|            | osphaspiro[5.5]undecane,    |                  | MSDS                         |
|            | 3,9-bis[2,4-bis(1,1-dimeth  |                  |                              |
|            | ylethyl)phenoxy]-           |                  |                              |
| 25973-55-1 | Phenol,                     | Systemic effects | Kidney, Liver, reproductive  |
|            | 2-(2H-benzotriazol-2-yl)-4  |                  | system.                      |
|            | ,6-bis(1,1-dimethylpropyl)  |                  |                              |
|            | -                           |                  |                              |
| 52829-07-9 | Decanedioic acid,           | Irritant         | Eyes.                        |
|            | bis(2,2,6,6-tetramethyl-4-p |                  |                              |
|            | iperidinyl) ester           |                  |                              |
| 13463-67-7 | Titanium dioxide            | Systemic effects | Respiratory system.          |

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No.    | Chemical Name               | Route       | Value         | Species |
|------------|-----------------------------|-------------|---------------|---------|
| 26741-53-7 | 2,4,8,10-Tetraoxa-3,9-diph  | LC50        | > 2 gm/m3     | rat     |
|            | osphaspiro[5.5]undecane,    | Oral LD50   | 5,580 mg/kg   | rat     |
|            | 3,9-bis[2,4-bis(1,1-dimeth  | Dermal LD50 | > 200 mg/kg   | rabbit  |
|            | ylethyl)phenoxy]-           |             |               |         |
| 52829-07-9 | Decanedioic acid,           | Oral LD50   | 3,700 mg/kg   | rat     |
|            | bis(2,2,6,6-tetramethyl-4-p | Dermal LD50 | > 3,100 mg/kg | rabbit  |
|            | iperidinyl) ester           |             |               |         |

## **12. ECOLOGICAL INFORMATION**

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

: Chemicals are not readily available as they are bound within the matrix of the polymer.



Page 5 of 6 Print Date 11/14/2011

# MATERIAL SAFETY DATA SHEET

| WHITE  |   |
|--|---|
| Version Number 1.1<br>Revision Date 05/18/2004 | Page 5 o<br>Print Date 11/14/20   |
|  |   |
| Bioaccumulation Potential                      | : Chemicals are not readily available as they are bound within the matrix of the polymer.   |
| Additional advice                              | : No data available   |
|  | 13. DISPOSAL CONSIDERATIONS   |
| Product  | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging                         | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.  |
|  | 14. TRANSPORT INFORMATION   |
|  |   |

| U.S. DOT Classification | : | Not regulated for transportation. |
|-------------------------|---|-----------------------------------|
| ICAO/IATA (air)         | : | Refer to specific regulation.     |
| IMO / IMDG (maritime)   | : | Refer to specific regulation.     |

|                              | 15. REGULATORY INFORMATION   |
|------------------------------|--|
| US Regulations:              |  |
| OSHA Status                  | : Classified as hazardous based on components.                                   |
| TSCA Status                  | : All components of this product are listed on or exempt from the TSC Inventory. |
| US. EPA CERCLA Hazardo       | us Substances (40 CFR 302)   |
| Not applicable               |  |
|                              |  |
| California Propositio<br>65  | n : This product does not contain a substance listed by California Prop 6        |
| SARA Title III Section 302 I | Extremely Hazardous Substance  |
|                              |  |



## MATERIAL SAFETY DATA SHEET WHITE

| Version Number 1.1       |  |
|--------------------------|--|
| Revision Date 05/18/2004 |  |
|                          |  |

Page 6 of 6 Print Date 11/14/2011

| SARA Title III Section 313 Toxic Chemicals:<br>Not applicable<br>Canadian Regulations: |   |  |
|--|---|--|
| National Pollutant Release Inventory (NPRI)  |   |  |
| Not applicable   |   |  |
| WHMIS Classification   | : | D1B  |
| DSL  | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories:  |   |  |
| Australia AICS   | : | Listed   |
| China IECS   | : | Listed   |
| Europe EINECS  | : | Listed   |
| Japan ENCS   | : | Not determined   |
| Korea KECI   | : | Listed   |
| Philippines PICCS  | : | Listed   |

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.