

MATERIAL SAFETY DATA SHEET

SILVER

Version Number 1.0 Revision Date 02/02/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SILVER
Product code	:	CC10009819
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Aluminum	7429-90-5	10 - 30
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Skin contact, Ingestion		
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: No known effects.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



MATERIAL SAFETY DATA SHEET

SILVER

ision Date 02/02/2002	Print Date 11/3/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 Deg F
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable. Not applicable. Not applicable. Carbon dioxide blanket, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



SILVER

ersion Number 1.0 evision Date 02/02/2002		Page 3 c Print Date <i>11/3/20</i>
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	Under normal handling conditions a respirator is not required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

Components	Value	Exposure time	Exposure type	List:
Aluminum 10 mg/m		Time Weighted Average	Dust.	ACGIH
	_	(TWA):		
	5 mg/m3	Time Weighted Average	Welding fume. as Al	ACGIH
	_	(TWA):	_	
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
Mica	3 mg/m3	Time Weighted Average	Total dust.	ACGIH
	_	(TWA):		
	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- liquid
 viscous, liquid
 GREY
 Very faint
 Not applicable
 Not applicable
 immiscible
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH
- Not determined
 Not determined
 Not applicable.
 Not determined
 Not determined
 Not determined
 Not applicable.



MATERIAL SAFETY DATA SHEET

SILVER

Version Number 1.0 Revision Date 02/02/2002 Page 4 of 6 Print Date 11/3/2011

	10	. STABILITY AND REACTIVITY]
Stability	:	Stable.	
Hazardous Polymerization	:	Will not occur.	
Conditions to avoid	:	Keep away from oxidizing agents and open flame.	
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

12. ECOLOGICAL INFORMATION

: Not readily biodegradable.
: Adverse ecological impact is not known or expected under normal use
: Does not bioaccumulate
: No data available.
13. DISPOSAL CONSIDERATIONS
: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation



MATERIAL SAFETY DATA SHEET

SILVER

Version Number 1.0 Revision Date 02/02/2002 Page 5 of 6 Print Date 11/3/2011

	1	4. TRANSPORT	INFORMATION	N	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated fo	r transportation.		
ICAO/IATA : Not regulated for transportation.					
IMO / IMDG	:	Not regulated fo	r transportation.		
	15	5. REGULATOR	Y INFORMATIC	DN	
US Regulations:					
OSHA Status	:	Classified as haz	ardous based on co	omponents.	
TSCA Status	:	All components exempt.	of this product are	listed on the TSCA inv	ventory or are
California Proposition 65	:	This product doe	es not contain a sub	ostance listed by Califo	ornia Prop 65.
SARA Title III Section 313 To:	xic (Chemicals:			
Chemical Name	;		CAS-No.	Weight %	
ALUMINUM (F	FUM	E OR DUST)	7429-90-5	11.37	
Canadian Regulations:					
WHMIS Classification	:	D2B			
-					
WHMIS Classification WHMIS Ingredient Disc					
WHMIS Classification					
WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 1309-37-1					
WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5					
WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 1309-37-1					
WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 1309-37-1 12001-26-2		ıre List			
WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 1309-37-1 12001-26-2 DSL		ıre List			
WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 1309-37-1 12001-26-2 DSL National Inventories:		ıre List Listed.			
WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 1309-37-1 12001-26-2 DSL National Inventories: Australia AICS		rre List Listed. Listed.			

MATERIAL SAFETY DATA SHEET



Version Number 1.0 Revision Date 02/02/2002 PolyOne

Korea KECI	:	Listed.
------------	---	---------

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 6 of 6 Print Date 11/3/2011