

MATERIAL SAFETY DATA SHEET

PEBBLE FLAIR 4

Version Number 1.0 Revision Date 02/04/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PEBBLE FLAIR 4
Product code	:	CC10009911
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

PEBBLE FLAIR 4

sion Date 02/04/2002	Page 2 Print Date 11/3/2
	4. FIRST AID MEASURES
	4. FIK51 AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PEBBLE FLAIR 4

sion Number 1.0 rision Date 02/04/2002			Print	Page 3 of Date 11/3/201		
	a	nd contamination. Keep in a d	ry, cool place.			
8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
Respiratory protection	: N	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	afety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH		
	20 mppcf	PEL:	Total dust.	OSHA		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES			
Earne	. C.1:	Б	nation mater . No.	• • • • • 1: • • h 1 •		
Form Appearance	: Solic : Pelle			t applicable. t determined		
Color	: BRO		Bulk density : Not establish			
Odor			2	t applicable		
Melting point/range			£	t applicable		
Boiling Point:		applicable pH		t applicable		
Water solubility	: Insol					
	10.8	STABILITY AND REACTIV	TTY			
Stability	: S	table.				
Hazardous Polymerization	n : W	Vill not occur.				
Conditions to avoid		eep away from oxidizing agen ecomposition, do not overheat.		avoid thermal		



MATERIAL SAFETY DATA SHEET

PEBBLE FLAIR 4

ground)

sion Number 1.0 vision Date 02/04/2002	2		Page 4 Print Date 11/3/2		
Incompatible Materials	: Incompatible v	vith strong acids and o	oxidizing agents.		
Hazardous decompositi products			oxide (CO), oxides of nitrogen ad smoke are all possible.		
	11. TOXICOLOGI	CAL INFORMATIO	DN		
	een evaluated as a whole for l vidual components which co		are effects listed are based on exis		
<u>Toxicity Overview</u> This product contains th	he following components wh	ich in their pure form	have the following characteristic		
CAS-No.	Chemical Name	Effect	Target Organ		
12001-26-2	Mica	Systemic effects	Respiratory system.		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIC	AL INFORMATION	I		
Persistence and degrada Environmental Toxicity		not readily available a	s they are bound within the matrix		
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data availa	ble.			
	13. DISPOSAL (CONSIDERATIONS			
Product	recycling is pre waste material transportation	eferred to disposal or i has the responsibility	t can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s.		
Contaminated packagin	has the response and disposal in	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPOR	TINFORMATION			
U.S. D.O.T. / CA T.D.C Classification (Non-bul	6	for transportation.			

ICAO/IATA : Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

PEBBLE FLAIR 4

Version Number 1.0 Revision Date 02/04/2002 Page 5 of 6 Print Date 11/3/2011

	IMO / IMDG		Not regulated for transportation.	
		15	5. REGULATORY INFORMATION	
	US Regulations:			
	OSHA Status	:	Classified as hazardous based on components.	
	TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.	
	California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
	Canadian Regulations:			
	WHMIS Classification	:	D2B	
WHMIS Ingredient Disclosure List				
	CAS-No. 1333-86-4 1309-37-1 12001-26-2			
	DSL	:	Listed.	
	National Inventories:			
	Australia AICS	:	Listed.	
	China IECS	:	Listed.	
	Europe EINECS	:	Not determined.	
	Japan ENCS	:	Not determined.	
	Korea KECI	:	Listed.	
	Philippines PICCS	:	Listed.	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

PEBBLE FLAIR 4

Version Number 1.0 Revision Date 02/04/2002



Page 6 of 6 Print Date 11/3/2011