

MATERIAL SAFETY DATA SHEET

IVORY

Version Number 1.0 Revision Date 02/12/2002

Page 1 of 7 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	IVORY
Product code	:	CC10010296
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

: Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	5 - 10
C.I. Pigment Yellow 53	8007-18-9	0.1 - 1
Rutile, antimony chromium buff	68186-90-3	5 - 10
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

IVORY

sion Date 02/12/2002	Page 2 Print Date 11/3/2
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

MATERIAL SAFETY DATA SHEET



IVORY		
Version Number 1.0 Revision Date 02/12/2002		Page 3 of 7 Print Date 11/3/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSUI	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
C.I. Pigment Yellow	0.2 mg/m3	Time Weighted Average	as Ni	ACGIH
53		(TWA):		
	1 mg/m3	PEL:	as Ni	OSHA Z1
	0.5 mg/m3	Time Weighted Average	as Sb	ACGIH
		(TWA):		
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
Rutile, antimony	0.5 mg/m3	Time Weighted Average	Total dust. as Cr	ACGIH
chromium buff	_	(TWA):		
	0.5 mg/m3	PEL:	Total dust. as Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Average	Dust. as Sb	ACGIH
	_	(TWA):		
	0.5 mg/m3	PEL:	Total dust. as Sb	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : Solid : Pellets Evaporation rate Specific Gravity

Not applicable.Not determined

MATERIAL SAFETY DATA SHEET



PolyOne	

Version Number 1.0 Revision Date 02/12/2002			Page 4 of 7 Print Date 11/3/2011
Color Odor Melting point/range Boiling Point: Water solubility	 : TAN : Very faint : Not determined : Not applicable : Insoluble 	Bulk density Vapor pressure Vapor density pH	Not establishedNot applicableNot applicableNot applicableNot applicable
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	oxidizing agents and open ont overheat.	flame. To avoid thermal
Incompatible Materials	: Incompatible with	strong acids and oxidizing	g agents.
Hazardous decomposition products		CO2), carbon monoxide (C rdous materials, and smok	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine,	Highly Toxic	Refer to MSDS for Toxicity
	N,N'-bis(2,2,6,6-tetrameth		Data
	yl-4-piperidinyl)-,polymer		
	with		
	2,4,6-trichloro-1,3,5-triazi		
	ne, reaction products		
8007-18-9	C.I. Pigment Yellow 53	Irritant	Eyes, Skin.
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin.
	chromium buff		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine,	LC50	112 mg/m3	rat
	N,N'-bis(2,2,6,6-tetrameth	Oral LD50	9,910 mg/kg	rat
	yl-4-piperidinyl)-,polymer			
	with			
	2,4,6-trichloro-1,3,5-triazi			
	ne, reaction products			



MATERIAL SAFETY DATA SHEET

IVORY

Version Number 1.0 Revision Date 02/12/2002 Page 5 of 7 Print Date 11/3/2011

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
8007-18-9	C.I. Pigment Yellow 53	no	1	2

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G.	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

/ersion Number 1.0 Revision Date 02/12/2002			Print D	Page 6 of 7 Date <u>11/3/201</u> 1
Classification (Non-bulk ground)				
ICAO/IATA	: Not regulated for	r transportation.		
IMO / IMDG	: Not regulated for	r transportation.		
	15. REGULATORY	Y INFORMATIO	N	
US Regulations:				
OSHA Status	: Classified as haz	ardous based on co	omponents.	
TSCA Status	: All components of exempt.	All components of this product are listed on the TSCA inventory or are exempt.		
California Proposition 65	: WARNING! Th California to cau		s a chemical known in	the State of
SARA Title III Section 313 Tox	via Chamicals:			
SARA THE III SECUON 513 102	Ale Chemicais.			
Chemical Name	Are Chemicais.	CAS-No.	Weight %]
Chemical Name NICKEL COMP	POUNDS	CAS-No. 8007-18-9	Weight % 0.14	-
Chemical Name NICKEL COMP ANTIMONY CO CHROMIUM II	POUNDS OMPOUNDS I COMPOUNDS			
Chemical Name NICKEL COMP ANTIMONY CO	POUNDS OMPOUNDS I COMPOUNDS	8007-18-9	0.14	
Chemical Name NICKEL COMP ANTIMONY CO CHROMIUM II ANTIMONY CO	POUNDS OMPOUNDS I COMPOUNDS OMPOUNDS	8007-18-9	0.14	
Chemical Name NICKEL COMP ANTIMONY CO CHROMIUM II ANTIMONY CO Canadian Regulations:	POUNDS OMPOUNDS I COMPOUNDS OMPOUNDS : D1A	8007-18-9	0.14	
Chemical Name NICKEL COMP ANTIMONY CO CHROMIUM II ANTIMONY CO Canadian Regulations: WHMIS Classification	POUNDS OMPOUNDS I COMPOUNDS OMPOUNDS : D1A	8007-18-9	0.14	
Chemical Name NICKEL COMP ANTIMONY CO CHROMIUM II ANTIMONY CO Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 8007-18-9 1333-86-4	POUNDS OMPOUNDS I COMPOUNDS OMPOUNDS : D1A	8007-18-9	0.14	
Chemical Name NICKEL COMP ANTIMONY CO CHROMIUM II ANTIMONY CO Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 8007-18-9 1333-86-4 68186-90-3	POUNDS OMPOUNDS I COMPOUNDS OMPOUNDS : D1A Closure List	8007-18-9	0.14	
Chemical Name NICKEL COMP ANTIMONY CO CHROMIUM II ANTIMONY CO Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 8007-18-9 1333-86-4 68186-90-3 DSL	POUNDS OMPOUNDS I COMPOUNDS OMPOUNDS : D1A Closure List	8007-18-9	0.14	
Chemical Name NICKEL COMP ANTIMONY CO CHROMIUM II ANTIMONY CO Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 8007-18-9 1333-86-4 68186-90-3 DSL National Inventories:	POUNDS DMPOUNDS I COMPOUNDS DMPOUNDS COMPOUNDS : D1A closure List : Listed.	8007-18-9	0.14	

- Japan ENCS : Not determined.
- Korea KECI : Not determined.

MATERIAL SAFETY DATA SHEET

IVORY

Version Number 1.0 Revision Date 02/12/2002

Philippines PICCS

: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Page 7 of 7 Print Date 11/3/2011