

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 02/13/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED
Product code	:	CC10010497
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

RED

sion Date 02/13/2002	Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RED

URE : N : Sa : Pr : La : Sa : H W : H	nd contamination. Keep in a contamination. Keep in a contamination. Keep in a contamination of the personal respiratory protect afety glasses with side-shields rotective gloves. Ong sleeved clothing. afety shoes.	A PROTECTION tive equipment normally r s. d industrial hygiene and sa at the end of workday. riate exhaust ventilation.	afety practice.
: N : Sa : P1 : La : Sa : H W : H	o personal respiratory protect afety glasses with side-shields rotective gloves. ong sleeved clothing. afety shoes. andle in accordance with good /ash hands before breaks and eat only in areas with approp	tive equipment normally r s. d industrial hygiene and sa at the end of workday. riate exhaust ventilation.	afety practice.
: Sa : P1 : La : Sa : H W : H	afety glasses with side-shields rotective gloves. ong sleeved clothing. afety shoes. Candle in accordance with good Vash hands before breaks and reat only in areas with appropri	s. d industrial hygiene and sa at the end of workday. riate exhaust ventilation.	afety practice.
: Pr : La : Sa : H W : H	rotective gloves. ong sleeved clothing. afety shoes. andle in accordance with good ash hands before breaks and eat only in areas with approp	d industrial hygiene and sa at the end of workday. riate exhaust ventilation.	
: La : Sa : H W : H	ong sleeved clothing. afety shoes. andle in accordance with good ash hands before breaks and eat only in areas with appropri	at the end of workday. riate exhaust ventilation.	
: Sa : H W : H	afety shoes. andle in accordance with good ash hands before breaks and eat only in areas with approp	at the end of workday. riate exhaust ventilation.	
: H W	andle in accordance with goo Jash hands before breaks and eat only in areas with approp	at the end of workday. riate exhaust ventilation.	
W : H	ash hands before breaks and eat only in areas with approp	at the end of workday. riate exhaust ventilation.	
			Provide
ue	Exposure time	Exposure type	List:
g/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
g/m3	PEL:	Total dust.	OSHA Z1
IYSIC	CAL AND CHEMICAL PR	OPERTIES	
Peller RED Very Not c Not a Insolu	ts Specia Bulk of faint Vapor letermined Vapor applicable pH uble	fic Gravity : Not density : Not r pressure : Not r density : Not : Not	applicable. determined established applicable applicable applicable
: K	eep away from oxidizing age		void thermal
: In	acompatible with strong acids	and oxidizing agents.	
	y/m3 Solid Pelle RED Very Not c Not a Insol 10. S : S ¹ : W : K do	(TWA): t/m3 PEL: IYSICAL AND CHEMICAL PR Solid Evapo Pellets Speci RED Bulk Very faint Vapo Not determined Vapo Not applicable pH Insoluble Insoluble IVEXTABLE VALUE Stable. : Keep away from oxidizing age decomposition, do not overheal	(TWA): Total dust. IYSICAL AND CHEMICAL PROPERTIES Solid Evaporation rate : Not Pellets Specific Gravity : Not RED Bulk density : Not Very faint Vapor pressure : Not Not determined Vapor density : Not Not applicable pH : Not Insoluble Insoluble : Not is Stable. : Will not occur. : Keep away from oxidizing agents and open flame. To a decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 02/13/2002

Page 4 of 5 Print Date 11/3/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	I			
Persistence and degrada	ability : Not readily b	iodegradable.				
Environmental Toxicity		 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. 				
Bioaccumulation Poten						
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagir	recycling is p waste materia transportation state/provinci ng : Recycling is has the respo and disposal	 Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, and disposal in accordance with applicable federal, state/provincial and local regulations. 				
		RT INFORMATION				
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)	e	l for transportation.				
ICAO/IATA	: Not regulated	l for transportation.				
IMO / IMDG	: Not regulated	l for transportation.				
	15 DECULAT	ORY INFORMATION	T			

MATERIAL SAFETY DATA SHEET



RED

Version Number 1.0 Revision Date 02/13/2002	Page 5 of 5 Print Date <i>11/3/2011</i>
US Regulations:	
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification :	D2B
WHMIS Ingredient Disclosu	are List
CAS-No. 1333-86-4	
DSL :	Listed.
National Inventories:	
Australia AICS :	Listed.
China IECS :	Listed.
Europe EINECS :	Not determined.
Japan ENCS :	Listed.
Korea KECI :	Listed.
Philippines PICCS :	Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.