

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 02/12/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED
Product code	:	CC10010501
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

RED

sion Date 02/12/2002	Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RED

sion Date 02/12/2002				Print D	ate 11/3/2
	aı	nd contamination. Keep in	n a dry, cool place.		
8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION		
Respiratory protection	: N	o personal respiratory pro	tective equipment norr	mally re	quired.
Eye/Face Protection	: S	afety glasses with side-shi	elds.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with g			fety practice.
Engineering measures		leat only in areas with app ppropriate exhaust ventilat		ation. I	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposure typ	be	List:
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):			ACGIH
	15 mg/m3	PEL:	Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not a : Insol	tts Sp Bu faint Va determined Va applicable pH uble	Ilk density : upor pressure : upor density : I :	Not d Not e Not a Not a	pplicable. letermined established pplicable pplicable pplicable
	10. 8	STABILITY AND REAC			
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid		eep away from oxidizing a ecomposition, do not over		. To av	oid thermal
Incompatible Materials	: Ir	acompatible with strong ac	ids and oxidizing ager	nts.	



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 02/12/2002

Page 4 of 5 Print Date 11/3/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target OrganRespiratory system.		
13403 07 7	Thainum dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	1		
Persistence and degrada	bility : Not readily b	iodegradable.			
Environmental Toxicity	: Chemicals ar of the polymo		is they are bound within the matri		
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	lable.			
	13. DISPOSAL	CONSIDERATIONS	9		
Product Contaminated packagin	g : Recycling is p waste materia transportation state/provinc	preferred to disposal or a al has the responsibility n and disposal in accord ial and local regulations preferred when possible	et can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s. e. The generator of waste materia te classification, transportation		
	and disposal	and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPO	RT INFORMATION			
U.S. D.O.T. / CA T.D.C Classification (Non-bull ground)	e	l for transportation.			
ICAO/IATA	: Not regulated	l for transportation.			
IMO / IMDG	: Not regulated	l for transportation.			
	15. REGULAT	ORY INFORMATION	N		

MATERIAL SAFETY DATA SHEET



RED

Version Number 1.0 Revision Date 02/12/2002	Page 5 of 5 Print Date <i>11/3/2011</i>
US Regulations:	
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification :	D2B
WHMIS Ingredient Disclosu	re List
CAS-No. 1333-86-4	
DSL :	Listed.
National Inventories:	
Australia AICS :	Listed.
China IECS :	Listed.
Europe EINECS :	Not determined.
Japan ENCS :	Listed.
Korea KECI :	Listed.
Philippines PICCS :	Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.