

MATERIAL SAFETY DATA SHEET

050WT201

Version Number 1.0 Revision Date 02/27/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	050WT201
Product code	:	CC10010791
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
D&C red No. 9	5160-02-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

050WT201

sion Date 02/27/2002	Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

050WT201

	aı	nd contamination.	Keep in a di	y, cool place.	
8. EX	XPOSURE	CONTROLS / PE	RSONAL I	PROTECTION	
Respiratory protection	: N	o personal respirate	ory protectiv	ve equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
ComponentsD&C red No. 9	Value 0.5 mg/m3	Exposure ti Time Weighted (TWA):	Average	Exposure type as Ba	List: ACGIH
(0.5 mg/m3	PEL:		as Ba	OSHA Z1
	9. PHYSIC	CAL AND CHEM	ICAL PRO	PERTIES	
Appearance:PerColor:RIOdor:VoMelting point/range:NoBoiling Point::No		blidEvaporation rate:Not applicableelletsSpecific Gravity:Not determineEDBulk density:Not establisheery faintVapor pressure:Not applicableot determinedVapor density:Not applicableot applicablepH:Not applicablesoluble::::		ot determined ot established ot applicable ot applicable	
	10. S	STABILITY AND	REACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	: W	Vill not occur.			
Conditions to avoid		eep away from oxi		s and open flame. To	avoid thermal
Incompatible Materials	: Ir	ncompatible with st	rong acids a	nd oxidizing agents.	



MATERIAL SAFETY DATA SHEET

050WT201

Version Number 1.0 Revision Date 02/27/2002

Page 4 of 6 Print Date 11/3/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
5160-02-1	D&C red No. 9	Irritant	Eyes, Skin.			
	12. ECOLOG	ICAL INFORMATI	ON			
Persistence and degra		biodegradable.				
Environmental Toxici	ty : Chemicals of the poly		e as they are bound within the matri			
Bioaccumulation Pote		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data ava	: No data available.				
	13. DISPOSA	L CONSIDERATIO	NS			
Product	recycling is waste mate transportati	s preferred to disposal rial has the responsibil	duct can be recycled. Where possible or incineration. The generator of ity for proper waste classification, ordance with applicable federal, ons.			
Contaminated packag	has the resp and dispose	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSP	ORT INFORMATIC	DN			
U.S. D.O.T. / CA T.D Classification (Non-b ground)	e	ed for transportation.				
ICAO/IATA	: Not regulat	ed for transportation.				
IMO / IMDG	: Not regulat	ed for transportation.				
	15. REGULA	TORY INFORMATI	ON			



MATERIAL SAFETY DATA SHEET

050WT201

US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on the TS exempt. California Proposition : WARNING! This product contains a chemical kr 65 California to cause cancer. SARA Title III Section 313 Toxic Chemicals:	Page 5 of 6 Print Date 11/3/2011			
OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on the TS exempt. California Proposition : WARNING! This product contains a chemical kr California to cause cancer. SARA Title III Section 313 Toxic Chemicals:				
TSCA Status : All components of this product are listed on the TS exempt. California Proposition : WARNING! This product contains a chemical kr 65 California to cause cancer. SARA Title III Section 313 Toxic Chemicals:				
exempt. California Proposition : WARNING! This product contains a chemical kr 65 California to cause cancer. SARA Title III Section 313 Toxic Chemicals:				
65 California to cause cancer. SARA Title III Section 313 Toxic Chemicals:	CA inventory or are			
	WARNING! This product contains a chemical known in the State of California to cause cancer.			
Chemical NameCAS-No.Weight %BARIUM COMPOUNDS5160-02-123.00)			
Canadian Regulations:				
WHMIS Classification : Not controlled.				
WHMIS Ingredient Disclosure List				
CAS-No. 5160-02-1				
DSL : Listed.				
National Inventories:				
Australia AICS : Listed.				
China IECS : Listed.				
Europe EINECS : Not determined.				
Japan ENCS : Not determined.				
Korea KECI : Listed.				
Philippines PICCS : Listed.				
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

050WT201

Version Number 1.0 Revision Date 02/27/2002



Page 6 of 6 Print Date 11/3/2011