

# MATERIAL SAFETY DATA SHEET YELLOW W/ LASER

Version Number 1.1 Revision Date 07/29/2003

Page 1 of 6 Print Date 11/11/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW W/ LASER
Product code	:	CC10010825
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron Copper chromite black spinel (C.I. Pigment Black 23)	68187-54-2	1 - 5
Mica	12001-26-2	1 - 5
Titanium dioxide	13463-67-7	10 - 30

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



### MATERIAL SAFETY DATA SHEET YELLOW W/ LASER

Version Number 1.1 Revision Date 07/29/2003 Page 2 of 6 Print Date 11/11/2011

Medical Conditions Aggravated by Exposure:	:	None known.
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET YELLOW W/ LASER

Version Number 1.1 Revision Date 07/29/2003		Page 3 of 6 Print Date 11/11/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSUR	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron Copper chromite	0.5 mg/m3	PEL:	as Sb	OSHA Z1
black spinel (C.I.				
Pigment Black 23)				
	0.5 mg/m3	Time Weighted Average	as Sb	ACGIH
	_	(TWA):		
Mica	3 mg/m3	Time Weighted Average	Total dust.	ACGIH
	_	(TWA):		
	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
	_	(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

Solid
Pellets
YELLOW
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH Not applicable.
Not determined
Not established
Not applicable
Not applicable
Not applicable



# MATERIAL SAFETY DATA SHEET YELLOW W/ LASER

Version Number 1.1 Revision Date 07/29/2003

Page 4 of 6 Print Date 11/11/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68187-54-2	Iron Copper chromite black spinel (C.I. Pigment Black 23)	Irritant	Eyes, Skin.
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Not readily biodegradable. Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix
of the polymer. Chemicals are not readily available as they are bound within the matrix
of the polymer.
No data available.
3. DISPOSAL CONSIDERATIONS
Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
3



### MATERIAL SAFETY DATA SHEET YELLOW W/ LASER

sion Number 1.1 vision Date 07/29/2003						Prir	Page 5 nt Date 11/11/2
Contaminated packaging	:	Recycling is preferre has the responsibility and disposal in accor and local regulations	y for rdan	proper waste	classi	fication,	transportation
	1	4. TRANSPORT IN	FOR	MATION			
U.S. DOT Classification	:	Refer to specific reg	ulati	on.			
ICAO/IATA	:	Refer to specific reg	ulati	on.			
IMO / IMDG	:	Refer to specific reg	ulati	on.			
	15	. REGULATORY IN	VFO	RMATION			
US Regulations:							
OSHA Status	:	Classified as hazardo	ous b	ased on comp	onent	s.	
TSCA Status	:	All components of the Inventory.	his p	roduct are liste	ed on	or exem	pt from the TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)					
Not applicable							
California Proposition	:	This product does no	ot coi	ntain a substan	ce lis	ted by C	alifornia Prop 65
65							
SARA Title III Section 302 Ext	trem	ely Hazardous Substa	nce				
Not applicable							
SARA Title III Section 313 To	xic (	Chemicals:					
Chemical Name				CAS-No.		Weight	%
ANTIMONY COMPO	UNI	DS		68187-54-2		2.84	
Canadian Regulations:							
National Pollutant Relea	ise Ii	nventory (NPRI)					
Chemical Name				AS-No.		eight %	NPRI ID#
	k sp	inel (C.I. Pigment	68	8187-54-2	2.	84	17
Iron Copper chromite blac Black 23)	-						



#### MATERIAL SAFETY DATA SHEET YELLOW W/ LASER

Version Number 1.1 Revision Date 07/29/2003

Page 6 of 6 Print Date 11/11/2011

WHMIS Classification : D2B WHMIS Ingredient Disclosure List CAS-No. 68187-54-2 12001-26-2 DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed. China IECS : Listed. **Europe EINECS** Not determined. : Japan ENCS Not determined. : Korea KECI : Listed. **Philippines PICCS** : Listed. **16. OTHER INFORMATION** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.