

MATERIAL SAFETY DATA SHEET

AQUA

Version Number 1.0 Revision Date 02/27/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AQUA
Product code	:	CC10010988
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

AQUA

4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	Not applicable			
Flash point	: Not applicable			
Flammable Limits				
Upper explosion limit	: Not applicable			
Lower explosion limit	: Not applicable			
Autoignition temperature	: Not relevant			
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.			
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive			
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	: None			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption			



MATERIAL SAFETY DATA SHEET

AQUA

sion Number 1.0 ision Date 02/27/2002			Prir	Page 3 11/3/2 ht Date
	aı	nd contamination. Keep in a d	ry, cool place.	
0 1				
δ. Ι	LAPUSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normall	y required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		l safety practice
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		n. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
Form	: Solid	Euono	notion noto . N	ot oppliaable
Appearance	: Pelle			ot applicable. ot determined
	: BLU			ot established
Color Odor				ot applicable
Color	: Very	faint Vapor	pressure : N	ot applicable ot applicable
Color Odor	: Very : Not c	faint Vapor	pressure : N density : N	
Color Odor Melting point/range	: Very : Not c	faint Vapor determined Vapor applicable pH	pressure : N density : N	ot applicable
Color Odor Melting point/range Boiling Point:	: Very : Not c : Not a : Insol	faint Vapor determined Vapor applicable pH	pressure : N density : N : N	ot applicable
Color Odor Melting point/range Boiling Point:	: Very : Not c : Not a : Insol 10. S	faint Vapor determined Vapor applicable pH uble	pressure : N density : N : N	ot applicable
Color Odor Melting point/range Boiling Point: Water solubility	: Very : Not c : Not a : Insol 10. S : S	faint Vapor determined Vapor applicable pH uble	pressure : N density : N : N	ot applicable



MATERIAL SAFETY DATA SHEET

AQUA

evision Date 02/27/20	02			Page 4 of Print Date <u>11/3/201</u>
Incompatible Materia	ls	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decomposi products	ition			oxide (CO), oxides of nitrogen and smoke are all possible.
	11	. TOXICOLOG	ICAL INFORMATIO	DN
<u>Toxicity Overview</u> This product contains	the followin	ng components wl	hich in their pure form	have the following characteristics:
				<u>.</u>
CAS-No.		emical Name	Effect	Target Organ
13463-67-7	Titanium		Systemic effects	Respiratory system.
13463-67-7	Titanium Mica	dioxide	Systemic effects	Respiratory system. Respiratory system.
13463-67-7	Titanium Mica	dioxide	Systemic effects Systemic effects	Respiratory system. Respiratory system.
13463-67-7 12001-26-2	dability	dioxide 12. ECOLOGIC : Not readily bio	Systemic effects Systemic effects CAL INFORMATION odegradable. e not readily available a	Respiratory system. Respiratory system.
13463-67-7 12001-26-2 Persistence and degra	dability	dioxide 12. ECOLOGIC : Not readily bid : Chemicals are of the polyment	Systemic effects Systemic effects CAL INFORMATION odegradable. e not readily available a r.	Respiratory system. Respiratory system.
13463-67-7 12001-26-2 Persistence and degra Environmental Toxici	dability	dioxide 12. ECOLOGIC : Not readily bid : Chemicals are of the polyment : Chemicals are	Systemic effects Systemic effects CAL INFORMATION odegradable. e not readily available a r. e not readily available a r.	Respiratory system. Respiratory system.

Product: Like most thermoplastics the product can be recycled. Where possible
recycling is preferred to disposal or incineration. The generator of
waste material has the responsibility for proper waste classification,
transportation and disposal in accordance with applicable federal,
state/provincial and local regulations.Contaminated packaging: Recycling is preferred when possible. The generator of waste material

Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

14. TRANSPORT INFORMATION

U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

AQUA

Version Number 1.0 Revision Date 02/27/2002 Page 5 of 6 Print Date 11/3/2011

	IMO / IMDG	:	Not regulated for transportation.
		15	. REGULATORY INFORMATION
	US Regulations:		
	OSHA Status	:	Classified as hazardous based on components.
	TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
	California Proposition 65	n :	This product does not contain a substance listed by California Prop 65.
	Canadian Regulations:		
	WHMIS Classification	on :	D2B
WHMIS Ingredient Disclosure List			
	CAS-No. 1309-37-1 12001-26-2 18282-10-5		
	DSL	:	Listed.
	National Inventories:		
	Australia AICS	:	Listed.
	China IECS	:	Listed.
	Europe EINECS	:	Not determined.
	Japan ENCS	:	Not determined.
	Korea KECI	:	Listed.
	Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

AQUA

Version Number 1.0 Revision Date 02/27/2002



Page 6 of 6 Print Date 11/3/2011