

MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 02/21/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10011205
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

GREEN

ion Number 1.0 sion Date 02/21/2002	Page 2 Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

GREEN

ion Number 1.0 sion Date 02/21/2002			Print	Page 3 Date 11/3/	
	aı	nd contamination. Keep in a d	ry, cool place.		
8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protection	ve equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practic	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
	5 mg/m3	PEL:	Respirable dust.	OSHA Z	
	15 mg/m3	PEL:	Total dust.	OSHA Z	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z	
I					
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES		
Form				applicable.	
Form Appearance	9. PHYSIC : Solic : Pelle	l Evapor	ration rate : Not	applicable.	
Appearance Color	: Solic : Pelle : GRE	l Evapor ets Specifi EN Bulk de	ration rate : Not ic Gravity : Not ensity : Not		
Appearance Color Odor	: Solic : Pelle : GRE : Very	l Evapor ets Specifi EN Bulk de faint Vapor	ration rate : Not ic Gravity : Not ensity : Not pressure : Not	determined established applicable	
Appearance Color Odor Melting point/range	: Solic : Pelle : GRE : Very : Not o	l Evapor ets Specifi EN Bulk de faint Vapor determined Vapor	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	determined established applicable applicable	
Appearance Color Odor	: Solic : Pelle : GRE : Very : Not o	l Evapor ets Specifi EN Bulk de faint Vapor determined Vapor applicable pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	determined established applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not c : Not a : Insol	l Evapor ets Specifi EN Bulk de faint Vapor determined Vapor applicable pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S	l Evapor ets Specifi EN Bulk de faint Vapor determined Vapor applicable pH uble	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : GRE : Very : Not d : Not a : Insol 10. S : S	I Evapor ts Specifi EN Bulk de faint Vapor determined Vapor applicable pH uble STABILITY AND REACTIV	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable	



MATERIAL SAFETY DATA SHEET

ion Number 1.0 sion Date 02/21/20	002			Page Print Date 11/3/	
		decompositio	on, do not overheat.		
Incompatible Materia	als :	Incompatible	with strong acids and	oxidizing agents.	
Hazardous decompos products	sition :			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11.	TOXICOLO	GICAL INFORMATI	ON	
			r health effects. Expos omprise the mixture.	ure effects listed are based on ex	
This product contain	s the following	g components v	which in their pure form	have the following characterist	
CAS-No.	Cher	nical Name	Effect	Target Organ	
13463-67-7	Titanium o		Systemic effects	Respiratory system.	
1317-65-3	Calcium c	arbonate	Irritant	Eyes, Skin.	
			Systemic effects	Eyes, Skin, Respiratory syste	
	1	2 ECOLOGI	CAL INFORMATION	J	
Environmental Toxicity Bioaccumulation Potential		 Chemicals are not readily available as they are bound within the matri of the polymer. Chemicals are not readily available as they are bound within the matri of the polymer. 			
Additional advice		: No data available.			
	1	3. DISPOSAL	CONSIDERATIONS	5	
Product		: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packa;	ging :	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPO	ORT INFORMATION		



MATERIAL SAFETY DATA SHEET

GREEN		
Version Number 1.0 Revision Date 02/21/2002		Page 5 of 5 Print Date 11/3/2011
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.