

MATERIAL SAFETY DATA SHEET

050PK337 HMF

Version Number 1.0 Revision Date 03/11/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	050PK337 HMF
Product code	:	CC10011518
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

050PK337 HMF

ion Number 1.0 sion Date 03/11/2002	Page Print Date 11/3		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

050PK337 HMF

sion Date 03/11/2002				Print	Page 2 /Date 11/3	
	aı	nd contamination. Keep i	n a dry, co	ol place.		
8. E	XPOSURE	CONTROLS / PERSON	NAL PROT	TECTION		
Respiratory protection	: N	o personal respiratory pro	otective equ	ipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-sh	ields.			
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.					
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	ge	Total dust.		
Titanium dioxide	10 mg/m3 15 mg/m3		ge	Total dust.		
Titanium dioxide	15 mg/m3	(TWA):		Total dust.		
Titanium dioxide Form Appearance Color	15 mg/m3	(TWA): PEL: CAL AND CHEMICAL I E ⁻ ts Sj		Total dust. TIES rate : Not vity : Not	OSHA Z	
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : Solid : Pelle : PINH : Very	(TWA): PEL: CAL AND CHEMICAL I E ots S K B faint V	PROPER' vaporation pecific Gra ulk density apor pressu	Total dust. TIES rate : Not vity : Not : Not ure : Not	determined established applicable	
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : Solid : Pelle : PINF : Very : Not c	(TWA): PEL: CAL AND CHEMICAL CAL AND CHEMICAL I E- ts SJ X B faint V determined V	PROPER' vaporation pecific Gra ulk density apor pressu apor densit	Total dust. TIES rate : Not vity : Not · : Not ure : Not :y : Not	applicable. determined established applicable applicable	
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : Solid : Pelle : PINF : Very : Not c	(TWA): PEL: CAL AND CHEMICAL I E ts Si X B faint V determined V applicable pl	PROPER' vaporation pecific Gra ulk density apor pressu apor densit	Total dust. TIES rate : Not vity : Not · : Not ure : Not :y : Not	applicable. etablished applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solid : Pelle : PINH : Very : Not c : Not a : Insol	(TWA): PEL: CAL AND CHEMICAL I E ts Si X B faint V determined V applicable pl	PROPER' vaporation pecific Gra ulk density apor pressu apor densit H	Total dust. TIES rate : Not vity : Not · : Not ure : Not :y : Not	applicable. determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solid : Pelle : PINF : Very : Not c : Not a : Insol 10. S	(TWA): PEL: CAL AND CHEMICAL I E ots S ₁ K B faint V determined V applicable pl uble	PROPER' vaporation pecific Gra ulk density apor pressu apor densit H	Total dust. TIES rate : Not vity : Not · : Not ure : Not :y : Not	applicable. determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 9. PHYSIC : Solid : Pelle : PINF : Very : Not c : Not a : Insol 10. S : Si	(TWA): PEL: CAL AND CHEMICAL CAL AND CHEMICAL CAL AND CHEMICAL CAL AND CHEMICAL STABILITY AND REAC	PROPER' vaporation pecific Gra ulk density apor pressu apor densit H	Total dust. TIES rate : Not vity : Not · : Not ure : Not :y : Not	applicable. determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	15 mg/m3 9. PHYSIC : Solid : Pelle : PINF : Very : Not c : Not a : Insol 10. S n : W : K	(TWA): PEL: CAL AND CHEMICAL I E ts Sj ts Sj f aint V determined V applicable pl uble STABILITY AND REAC table. E	PROPER' vaporation pecific Gra ulk density apor pressu apor densit H	Total dust. TIES rate : Not vity : Not ire : Not iy : Not : Not	OSHA Z applicable. determined established applicable applicable	



MATERIAL SAFETY DATA SHEET

050PK337 HMF

Version Number 1.0 Revision Date 03/11/2002

Page 4 of 5 Print Date 11/3/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	1			
Persistence and degrad	ability : Not readily b	biodegradable.				
Environmental Toxicit		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poter		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	lable.				
	13. DISPOSAI	CONSIDERATIONS				
Product Contaminated packagin	recycling is j waste materi transportatio state/provinc ng : Recycling is has the respo and disposal	 Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
		ORT INFORMATION				
U.S. D.O.T. / CA T.D. Classification (Non-bu ground)	G. : Not regulated	gulated for transportation.				
ICAO/IATA : Not regulated for transportation.						
IMO / IMDG	: Not regulated	d for transportation.				
	15 REGULAT	ORY INFORMATION	J			

MATERIAL SAFETY DATA SHEET



050PK337 HMF Page 5 of 5 Version Number 1.0 Print Date 11/3/2011 Revision Date 03/11/2002 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. California Proposition : WARNING! This product contains a chemical known in the State of California to cause cancer. 65 Canadian Regulations: WHMIS Classification : D2B WHMIS Ingredient Disclosure List CAS-No. 5160-02-1 DSL : Listed. National Inventories: Australia AICS Listed. • China IECS Listed. • Europe EINECS Not determined. Japan ENCS Not determined. : Korea KECI : Listed. **Philippines PICCS** : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.