

MATERIAL SAFETY DATA SHEET

## S4744SC DK. PINK

Version Number 1.0 Revision Date 03/04/2002 Page 1 of 5 Print Date 11/3/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	S4744SC DK. PINK
Product code	:	CC10011767
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

## S4744SC DK. PINK

Version Number 1.0 Page 2 of 5 Revision Date 03/04/2002 Print Date 11/3/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption •



MATERIAL SAFETY DATA SHEET

# S4744SC DK. PINK

SURE         :       N         :       S         :       P         :       L         :       S         :       H         :       H         :       H         alue       ng/m3	Safety glasses with second second second second clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas with ppropriate exhaust with ppropriate exhaust with the second seco	RSONAL I ory protectiv ide-shields. g. e with good reaks and a ith appropri- ventilation a me	PROTECTION ve equipment normally re industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practice.
: N : S : P : L : S : H W : H aj	No personal respirate Safety glasses with si Protective gloves. Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi uppropriate exhaust v Exposure ti Time Weighted J (TWA):	ory protectivide-shields. g. e with good reaks and a th appropri- ventilation a	ve equipment normally r industrial hygiene and sa t the end of workday. ate exhaust ventilation. at machinery. Exposure type	afety practice. Provide List:
: S : P : L : S : H W : H aj	Safety glasses with second second second second clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas with ppropriate exhaust with ppropriate exhaust with the second seco	g. e with good reaks and a th appropri ventilation a me	industrial hygiene and sa t the end of workday. ate exhaust ventilation. at machinery. Exposure type	afety practice. Provide List:
: P : L : S : H W : H aj	Protective gloves. Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi ppropriate exhaust v Exposure ti Time Weighted (TWA):	g. e with good reaks and a ath appropri- ventilation a me	industrial hygiene and sa t the end of workday. ate exhaust ventilation. at machinery. Exposure type	Provide List:
: L : S : H w : H aj	Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi appropriate exhaust w Exposure ti Time Weighted J (TWA):	e with good reaks and a ith appropri ventilation a me	t the end of workday. ate exhaust ventilation. at machinery. Exposure type	Provide List:
: S : H W : H aj	Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi ppropriate exhaust v Exposure ti Time Weighted A (TWA):	e with good reaks and a ith appropri ventilation a me	t the end of workday. ate exhaust ventilation. at machinery. Exposure type	Provide List:
: H W : H aj	Handle in accordance Wash hands before b Heat only in areas wi ppropriate exhaust v Exposure ti Time Weighted (TWA):	reaks and a th appropri- ventilation a me	t the end of workday. ate exhaust ventilation. at machinery. Exposure type	Provide List:
W : H aj alue ng/m3	Wash hands before b Heat only in areas wi appropriate exhaust w Exposure ti Time Weighted (TWA):	reaks and a th appropri- ventilation a me	t the end of workday. ate exhaust ventilation. at machinery. Exposure type	Provide List:
aj alue ng/m3	Exposure ti Time Weighted (TWA):	ventilation a	at machinery. Exposure type	List:
mg/m3	Time Weighted A (TWA):			
mg/m3	Time Weighted A (TWA):			
-	(TWA):	Average	Total dust.	ACGIH
ng/m3	PEL:		Total dust.	OSHA Z1
PHYSIC	CAL AND CHEMI	CAL PRO	PERTIES	
Form: SolidAppearance: PelletsColor: PINKOdor: Very faintMelting point/range: Not determinedBoiling Point:: Not applicableWater solubility: Insoluble		Specifi Bulk de Vapor y Vapor o pH	c Gravity : Not ensity : Not pressure : Not density : Not : Not	applicable. determined established applicable applicable applicable
10. 5	STABILITY AND	REACTIV	ITY	
: S	Stable.			
: W	Will not occur.			
				void thermal
: Ir	ncompatible with str	rong acids a	and oxidizing agents.	
	: PIN : Ver : Not : Not : Inso 10. : S : V : H	<ul> <li>PINK</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> </ul>	<ul> <li>PINK Bulk determined Vapor</li> <li>Not determined Vapor</li> <li>Not applicable pH</li> <li>Insoluble</li> <li>Insoluble</li> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxidizing agen decomposition, do not overheat.</li> </ul>	<ul> <li>PINK Bulk density : Not</li> <li>Very faint Vapor pressure : Not</li> <li>Not determined Vapor density : Not</li> <li>Not applicable pH : Not</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND REACTIVITY</b> : Stable.



MATERIAL SAFETY DATA SHEET

## S4744SC DK. PINK

Version Number 1.0 Revision Date 03/04/2002 Page 4 of 5 Print Date 11/3/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	ability : Not readily bi	iodegradable.				
Environmental Toxicity		<ul> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> </ul>				
Bioaccumulation Poten						
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS	5			
Product Contaminated packagin	g : Recycling is p waste materia transportation state/provinci g : Recycling is p has the respon and disposal i	<ul> <li>Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>				
	14. TRANSPO	RT INFORMATION				
U.S. D.O.T. / CA T.D.O Classification (Non-bul ground)	G. : Not regulated	for transportation.				
ICAO/IATA	: Not regulated	for transportation.				
IMO / IMDG	: Not regulated	for transportation.				
	15 DECHI ATO	ORY INFORMATION	λī.			

### MATERIAL SAFETY DATA SHEET





Version Number 1.0 Revision Date 03/04/2002		Page 5 of 5 Print Date 11/3/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disclo	osu	re List
CAS-No. 1333-86-4		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16 OTHER INFORMATION

### 16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.