

MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 03/13/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10012017
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to over
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

BLUE

sion Date 03/13/2002	Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

BLUE

sion Number 1.0 sion Date 03/13/2002			Print	Page 3 t Date 11/3/2	
	a	nd contamination. Keep in a d	ry, cool place.		
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	No personal respiratory protective equipment normally required.Safety glasses with side-shields.			
Eye/Face Protection	: S				
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with good /ash hands before breaks and a		safety practice	
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Pr appropriate exhaust ventilation at machinery.			. Provide		
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
	20 mppcf	PEL:	Total dust.	OSHA	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES		
Form	: Solid	Evano	ration rate : No	ot applicable.	
Appearance	: Pelle			ot determined	
Color	: BLU			ot established	
Odor	: Very			ot applicable	
Melting point/range		-		ot applicable	
Dailing Daints		applicable pH	: No	ot applicable	
Boiling Point:		uhla			
Water solubility	: Insol	uble			
		TABILITY AND REACTIV	/ITY		
	10. 8		ЛТҮ		
Water solubility	10. S	TABILITY AND REACTIV	TTY		



MATERIAL SAFETY DATA SHEET

BLUE

sion Number 1.0 ision Date 03/13/2	2002			Page 4 Print Date 11/3/2	
Incompatible Mater	rials :	Incompatible	e with strong acids and o	oxidizing agents.	
				oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11.	TOXICOLOG	GICAL INFORMATIO	DN	
health data for the i			or health effects. Exposi- comprise the mixture.	ure effects listed are based on exi	
Toxicity Overview This product contai	ns the followin	g components v	which in their pure form	have the following characteristic	
CAS-No.		nical Name	Effect	Target Organ	
13463-67-7	Titanium	dioxide	Systemic effects	Respiratory system.	
12001-26-2	Mica		Systemic effects	Respiratory system.	
	1		CAL INFORMATION	J	
Environmental Tox Bioaccumulation Po Additional advice	-	of the polym	er. re not readily available a er.	is they are bound within the matri	
]	3. DISPOSAL	CONSIDERATIONS	}	
Product		: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated pack	aging :	has the respo and disposal	in accordance with app	te classification, transportation	
Contaminated pack		has the respo and disposal and local reg	in accordance with app	te classification, transportation	

ICAO/IATA : Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 03/13/2002 Page 5 of 5 Print Date 11/3/2011

IMO / IMDG	:	Not regulated for transportation.	
	15	. REGULATORY INFORMATION	
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.	
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
Canadian Regulations:			
WHMIS Classification	:	D2B	
WHMIS Ingredient Disclosure List			
CAS-No. 12001-26-2			
DSL	:	Listed.	
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	
Korea KECI	:	Listed.	
Philippines PICCS	:	Listed.	
		16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.