

### MATERIAL SAFETY DATA SHEET

## **MAUVE SHIMMER**

Version Number 1.0 Revision Date 03/12/2002 Page 1 of 6 Print Date 11/3/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY<br>TELEPHONE    | : | Product Stewardship (770) 271-5902   |
|-------------------------------|---|--|
| Emergency telephone<br>number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name                  | : | MAUVE SHIMMER  |
| Product code                  | : | CC10012104   |
| Chemical Name                 | : | Mixture  |
| CAS-No.                       | : | Mixture  |
| Product Use                   | : | Industrial Applications  |

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components        | CAS-No.    | Weight % |
|-------------------|------------|----------|
| Carbon black      | 1333-86-4  | 0.1 - 1  |
| Silica, amorphous | 7631-86-9  | 1 - 5    |
| Titanium dioxide  | 13463-67-7 | 10 - 30  |
| Mica              | 12001-26-2 | 30 - 60  |

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>              | : Inhalation, Skin contact, Ingestion  |  |  |
|---|--|--|--|
| Acute exposure                          |  |  |  |
| Inhalation<br>Ingestion<br>Eyes<br>Skin | <ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul> |  |  |
| Chronic exposure                        | : Refer to Section 11 for Toxicological Information.   |  |  |
|   |  |  |  |



## MATERIAL SAFETY DATA SHEET

# MAUVE SHIMMER

| Medical Conditions<br>Aggravated by Exposure:                                     | : None known.  |
|---|--|
|   | 4. FIRST AID MEASURES  |
| Inhalation  | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.                    |
| Ingestion   | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |
| Eyes  | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin  | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.   |
|   | 5. FIRE-FIGHTING MEASURES  |
| Flash point   | : Not applicable   |
| Flammable Limits<br>Upper explosion limit   | : Not applicable   |
| Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>   |
| Special Fire Fighting<br>Procedures   | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.                                   |
| Unusual Fire/Explosion<br>Hazards   | : none   |
|   | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions  | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions   | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.  |
| Methods for cleaning up   | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
|   | 7. HANDLING AND STORAGE  |
| Handling  | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.  |

### MATERIAL SAFETY DATA SHEET

# **MAUVE SHIMMER**



| /ersion Number 1.0<br>Revision Date 03/12/2002 |       | Page 3 of 6<br>Print Date 11/3/2011  |
|--|-------|--|
| Storage  | :     | Keep containers dry and tightly closed to avoid moisture absorption<br>and contamination. Keep in a dry, cool place.               |
| 8. EXF   | POSUF | RE CONTROLS / PERSONAL PROTECTION  |
| Respiratory protection                         | :     | No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection. |
| Eye/Face Protection                            | :     | Safety glasses with side-shields.  |
| Hand protection                                | :     | Protective gloves.   |
| Skin and body protection                       | :     | Long sleeved clothing.   |
| Additional Protective<br>Measures              | :     | Safety shoes.  |
| General Hygiene<br>Considerations              | :     | Handle in accordance with good industrial hygiene and safety practice.<br>Wash hands before breaks and at the end of workday.      |
| Engineering measures                           | :     | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.                     |

Exposure limit(s)

| Components        | Value     | Exposure time         | Exposure type         | List:   |
|-------------------|-----------|-----------------------|-----------------------|---------|
| Carbon black      | 3.5 mg/m3 | Time Weighted Average | Total dust. as carbon | ACGIH   |
|                   |           | (TWA):                | black                 |         |
|                   | 3.5 mg/m3 | PEL:                  | Total dust. as carbon | OSHA Z1 |
|                   |           |                       | black                 |         |
| Mica              | 3 mg/m3   | Time Weighted Average | Total dust.           | ACGIH   |
|                   |           | (TWA):                |                       |         |
|                   | 20 mppcf  | PEL:                  | Total dust.           | OSHA    |
| Silica, amorphous | 20 mppcf  | PEL:                  | Total dust.           | OSHA    |
|                   | 20 mppcf  | PEL:                  | Total dust.           | Z3      |
| Titanium dioxide  | 10 mg/m3  | Time Weighted Average | Total dust.           | ACGIH   |
|                   |           | (TWA):                |                       |         |
|                   | 15 mg/m3  | PEL:                  | Total dust.           | OSHA Z1 |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Solid
powder, granular
PINK
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH Not applicable.
Not determined
Not determined
Not applicable
Not applicable
Not applicable



### MATERIAL SAFETY DATA SHEET

# **MAUVE SHIMMER**

Version Number 1.0 Revision Date 03/12/2002 Page 4 of 6 Print Date 11/3/2011

|                                  | 10. STABILITY AND REACTIVITY   |
|----------------------------------|--|
| Stability                        | : Stable.  |
| Hazardous Polymerization         | : Will not occur.  |
| Conditions to avoid              | : To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.                             |
| Incompatible Materials           | : Incompatible with strong acids and oxidizing agents.   |
| Hazardous decomposition products | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

# **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name     | Effect           | Target Organ              |
|------------|-------------------|------------------|---------------------------|
| 1333-86-4  | Carbon black      | Systemic effects | Eyes, Respiratory system. |
| 7631-86-9  | Silica, amorphous | Irritant         | Eyes, Respiratory system. |
| 13463-67-7 | Titanium dioxide  | Systemic effects | Respiratory system.       |
| 12001-26-2 | Mica              | Systemic effects | Respiratory system.       |

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

| CAS-No.   | Chemical Name | Route                    | Value                       | Species       |
|-----------|---------------|--------------------------|-----------------------------|---------------|
| 1333-86-4 | Carbon black  | Oral LD50<br>Dermal LD50 | > 15,400 mg/kg<br>> 3 gm/kg | rat<br>rabbit |

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

| CAS-No.   | Chemical Name | OSHA | IARC | NTP |
|-----------|---------------|------|------|-----|
| 1333-86-4 | Carbon black  | no   | 2B   | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.



MATERIAL SAFETY DATA SHEET

# **MAUVE SHIMMER**

Version Number 1.0 Revision Date 03/12/2002 Page 5 of 6 Print Date 11/3/2011

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

|  | 12. ECOLOGICAL INFORMATION  |
|--|---|
| Persistence and degradability                                  | : Not readily biodegradable.  |
| Environmental Toxicity   | : Adverse ecological impact is not known or expected under normal use.  |
| Bioaccumulation Potential                                      | : Not inherently biodegradable.   |
| Additional advice  | : No data available.  |
|  | 13. DISPOSAL CONSIDERATIONS   |
| Product  | : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging   | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.                              |
|  | 14. TRANSPORT INFORMATION   |
| U.S. D.O.T. / CA T.D.G.<br>Classification (Non-bulk<br>ground) | : Not regulated for transportation.   |
| ICAO/IATA  | : Not regulated for transportation.   |
|  | : Not regulated for transportation.   |
| IMO / IMDG   |   |



## MATERIAL SAFETY DATA SHEET

# MAUVE SHIMMER

| Version Number 1.0<br>Revision Date 03/12/2002                |      | Page 6 of 6<br>Print Date 11/3/2011  |
|---|------|--|
| OSHA Status   | :    | Classified as hazardous based on components.                                   |
| TSCA Status   | :    | All components of this product are listed on the TSCA inventory or are exempt. |
| California Proposition 65                                     | :    | This product does not contain a substance listed by California Prop 65.        |
| Canadian Regulations:   |      |  |
| WHMIS Classification  | :    | D2B  |
| WHMIS Ingredient Disc   | losu | ire List   |
| CAS-No.<br>1333-86-4<br>12001-26-2<br>7631-86-9<br>18282-10-5 |      |  |
| DSL   | :    | Listed.  |
| National Inventories:   |      |  |
| Australia AICS  | :    | Listed.  |
| China IECS  | :    | Listed.  |
| Europe EINECS   | :    | Not determined.  |
| Japan ENCS  | :    | Not determined.  |
| Korea KECI  | :    | Listed.  |
| Philippines PICCS   | :    | Listed.  |
|   |      | 16. OTHER INFORMATION  |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.