

MATERIAL SAFETY DATA SHEET

BROWN

Version Number 1.1 Revision Date 03/09/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BROWN
Product code	:	CC10012122
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

BROWN

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

BROWN

ion Number 1.1 sion Date 03/09/2002				Page 3 Print Date <u>11/3/</u>
	a	nd contamination. Keep in	a dry, cool place.	
8. E	EXPOSURE	CONTROLS / PERSONA	AL PROTECTION	
Respiratory protection	: N	o personal respiratory prot	ective equipment norm	nally required.
Eye/Face Protection	: S	afety glasses with side-shie	elds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with g Vash hands before breaks a		
Engineering measures		eat only in areas with appr ppropriate exhaust ventilati		ation. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure typ	
Mica	3 mg/m3	Time Weighted Average (TWA):	e Total dust.	ACGIH
Titanium dioxide	20 mppcf 10 mg/m3	PEL: Time Weighted Average	e Total dust.	OSHA ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA ZI
	9. PHYSIC	CAL AND CHEMICAL P	PROPERTIES	
Form	: Solid	l Eva	aporation rate :	Not applicable.
Appearance	: Pelle	1	cific Gravity :	Not determined
Color	: BRO		lk density :	Not established
Odor			por pressure :	Not applicable
Melting point/range			por density :	Not applicable
Boiling Point: Water solubility	: Insol	applicable pH	•	Not applicable
water solubility	. 11501	uble		
	10. 8	STABILITY AND REAC	ΓΙVITY	
Stability	: S	table.		
	n : W	Vill not occur.		
Hazardous Polymerization				



MATERIAL SAFETY DATA SHEET

BROWN

sion Number 1.1 vision Date 03/09/2002	2		Page 4 e Print Date 11/3/20		
Incompatible Materials	: Incompatible	with strong acids and o	oxidizing agents.		
Uszandowa dogomnositi	on . Corbon diovid	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen			
Hazardous decompositi products			nd smoke are all possible.		
	11. TOXICOLOG	ICAL INFORMATIO	DN		
health data for the indiv Toxicity Overview	vidual components which co	omprise the mixture.	are effects listed are based on exist have the following characteristic		
CAS-No.	Chemical Name Titanium dioxide	Effect	Target Organ		
13463-67-7 12001-26-2	Mica	Systemic effects	Respiratory system.		
12001-20-2	Wilea	Systemic effects	Respiratory system.		
Environmental Toxicity Bioaccumulation Poten Additional advice	of the polyment tial : Chemicals are of the polyment : No data availa	 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. No data available. 13. DISPOSAL CONSIDERATIONS Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification and disposal in accordance with applicable federal, state/provincial and local regulations.			
Product Contaminated packagin	recycling is pr waste material transportation state/provincia g : Recycling is p has the respon and disposal in				
		RT INFORMATION			
U.S. D.O.T. / CA T.D.C Classification (Non-bul		for transportation.			

ICAO/IATA : Not regulated for transportation.

ground)



MATERIAL SAFETY DATA SHEET

BROWN

Version Number 1.1 Revision Date 03/09/2002 Page 5 of 6 Print Date 11/3/2011

IMO / IMDG	:	Not regulated for transportation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	losu	re List
CAS-No. 12001-26-2 150-13-0		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

BROWN

Version Number 1.1 Revision Date 03/09/2002



Page 6 of 6 Print Date 11/3/2011