

MATERIAL SAFETY DATA SHEET

019TN114 CM-02-51

Version Number 1.0 Revision Date 03/11/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	019TN114 CM-02-51
Product code	:	CC10012161
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

019TN114 CM-02-51

Version Number 1.0 Revision Date 03/11/2002 Page 2 of 5 Print Date 11/3/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Elemmehle Limite		
Flammable Limits Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

019TN114 CM-02-51

Version Number 1.0 Revision D

rsion Number 1.0 vision Date 03/11/2002			Page 3 of 5 Print Date <i>11/3/2011</i>
	i	and contamination. Keep in a dr	ry, cool place.
8.1	EXPOSURE	E CONTROLS / PERSONAL	PROTECTION
Respiratory protection	: 1	No personal respiratory protectiv	ve equipment normally required.
Eye/Face Protection	: :	Safety glasses with side-shields.	
Hand protection	:]	Protective gloves.	
Skin and body protection	:]	Long sleeved clothing.	
Additional Protective Measures	: :	Safety shoes.	
General Hygiene Considerations		Handle in accordance with good Wash hands before breaks and a	industrial hygiene and safety practice. t the end of workday.
Engineering measures		Heat only in areas with appropri appropriate exhaust ventilation a	ate exhaust ventilation. Provide tt machinery.
Exposure limit(s)			
Components	Value	Exposure time	Exposure type List:

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets TAN Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not applicable. Not determined Not established Not applicable Not applicable Not applicable
	10 CTADILITY AND	DDEACTIVITY	
	10. STABILITY AN	DREACHVILY	
Stability	: Stable.	DREACTIVITY	
Stability Hazardous Polymerization		DREACTIVITY	



MATERIAL SAFETY DATA SHEET

019TN114 CM-02-51

sion Number 1.0 ision Date 03/11/2002			Page 4 Print Date 11/3/2
Incompatible Materials	: Incompatible w	ith strong acids an	d oxidizing agents.
Hazardous decomposition products			pnoxide (CO), oxides of nitrogen, and smoke are all possible.
	11. TOXICOLOGIO	CAL INFORMAT	ΓΙΟΝ
health data for the indiv Toxicity Overview	idual components which com	prise the mixture.	osure effects listed are based on ex
CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	
	12. ECOLOGICA	L INFORMATI	ON
Persistence and degrada			
Environmental Toxicity		0	e as they are bound within the matri
Bioaccumulation Potent	ial : Chemicals are n of the polymer.	ot readily availabl	e as they are bound within the matri
Additional advice	: No data availab	le.	
	13. DISPOSAL C	ONSIDERATIO	NS
Product	recycling is pret waste material l transportation a	ferred to disposal on the responsibility of the response o	luct can be recycled. Where possib or incineration. The generator of ity for proper waste classification, ordance with applicable federal, ons.
Contaminated packagin	has the responsi	bility for proper w accordance with a	ble. The generator of waste materia vaste classification, transportation pplicable federal, state/provincial
	14. TRANSPORT	Γ INFORMATIC	N
U.S. D.O.T. / CA T.D.C Classification (Non-bull ground)	•	or transportation.	
ICAO/IATA	: Not regulated for	or transportation.	



MATERIAL SAFETY DATA SHEET

019TN114 CM-02-51

sion Number 1.0 ision Date 03/11/2002	Print Date 1	ige : 1/3/
IMO / IMDG	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on the TSCA inventory exempt.	or a
California Proposition 65	: This product does not contain a substance listed by California Pro	эр б
Canadian Regulations:		
WHMIS Classification	: D2B	
WHMIS Ingredient Disc	sure List	
CAS-No. 1333-86-4 7631-86-9]	
DSL	: Listed.	
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Listed.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.