

## MATERIAL SAFETY DATA SHEET

# White

Version Number 1.0 Revision Date 03/29/2002

Page 1 of 5 Print Date 11/4/2011

# **1. PRODUCT AND COMPANY IDENTIFICATION**

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	White
Product code	:	CC10012281
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

: Industrial Applications

# 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	5 - 10
Titanium dioxide	13463-67-7	30 - 60

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# White

sion Date 03/29/2002	Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET

# White

ion Number 1.0 sion Date 03/29/2002			Print	Page 3 Date 11/4/	
	a	nd contamination. Keep in a	dry, cool place.		
8. F	EXPOSURE	CONTROLS / PERSONAL	L PROTECTION		
Respiratory protection	: N	lo personal respiratory protec	ctive equipment normally	required.	
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z	
	9. PHYSI(	CAL AND CHEMICAL PR	OPERTIES		
Form	: Solid	l Evap	ooration rate : Not	t applicable.	
Appearance	: Pelle	ets Spec	ific Gravity : Not	t determined	
Color	: WHI		5	t established	
Odor				t applicable	
Melting point/range				t applicable	
Boiling Point: Water solubility	: Not a : Insol	applicable pH luble	: 100	t applicable	
	10. §	STABILITY AND REACTI	IVITY		
Stability	: S	table.			
Stability Hazardous Polymerization		table. Vill not occur.			



# MATERIAL SAFETY DATA SHEET

sion Number 1.0 ision Date 03/29/2002	2		Page 4 Print Date 11/4/2
Incompatible Materials	: Incompatible	e with strong acids and	l oxidizing agents.
Hazardous decompositi products			noxide (CO), oxides of nitrogen and smoke are all possible.
	11. TOXICOLO	GICAL INFORMAT	ION
	en evaluated as a whole for vidual components which c		osure effects listed are based on ex
<u>Toxicity Overview</u> This product contains th	ne following components v	which in their pure for	m have the following characteristi
CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9 13463-67-7	Silica, amorphous Titanium dioxide	Irritant Systemic effects	Eyes, Respiratory system. Respiratory system.
15405-07-7		Systemic effects	Kespiratory system.
	12. ECOLOGI	CAL INFORMATIO	DN
Environmental Toxicity Bioaccumulation Poten Additional advice Product Contaminated packagin	of the polym tial : Chemicals ar of the polym : No data avai 13. DISPOSAI : Like most th possible, rec generator of classification applicable fe generator is has the response	er. re not readily available er. lable. <b>CONSIDERATION</b> ermoplastics the prod ycling is preferred to o waste material has the h, transportation and d deral, state/provincial preferred when possibility for proper w in accordance with ap	e as they are bound within the matrix e as they are bound within the matrix e as they are bound within the matrix <b>VS</b> luct can be recycled. Where disposal or incineration. The e responsibility for proper waste isposal in accordance with and local regulations. ble. The generator of waste materia aste classification, transportation oplicable federal, state/provincial
		ORT INFORMATIO	N
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)	G. : Not regulate	d for transportation.	
ICAO/IATA	: Not regulate	d for transportation.	



# MATERIAL SAFETY DATA SHEET

# White

ersion Number 1.0 evision Date 03/29/2002		Page 5 of 5 Print Date 11/4/2011		
IMO / IMDG	:	Not regulated for transportation.		
	15	S. REGULATORY INFORMATION		
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Canadian Regulations:				
WHMIS Classification	:	D2B		
WHMIS Ingredient Disc	WHMIS Ingredient Disclosure List			
CAS-No. 7631-86-9				
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.