

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.1 Revision Date 03/29/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | | |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | RED |
| Product code | : | CC10012297 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Silica, amorphous | 7631-86-9 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 5 - 10 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET

RED

| | 4. FIRST AID MEASURES |
|--|---|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| - | |
| Flammable Limits | . Not applicable |
| Upper explosion limit Lower explosion limit | Not applicableNot applicable |
| Autoignition temperature | : Not relevant |
| Suitable extinguishing media | : Carbon dioxide blanket, Water spray, dry powder, foam. |
| barable entingaisting mean | |
| Special Fire Fighting | : Fullface self-contained breathing apparatus (SCBA) used in positive |
| Procedures | pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |



MATERIAL SAFETY DATA SHEET

RED

| ision Date 03/29/2002 | | | Р | Page 3 rint Date 11/4/2 |
|--|---|--|---|---|
| | aı | nd contamination. Keep in | a dry, cool place. | |
| 8. F | EXPOSURE | CONTROLS / PERSON | AL PROTECTION | |
| Respiratory protection | : N | o personal respiratory prot | ective equipment norma | lly required. |
| Eye/Face Protection | : S | afety glasses with side-shie | elds. | |
| Hand protection | : P | rotective gloves. | | |
| Skin and body protection | : L | ong sleeved clothing. | | |
| Additional Protective Measures | : S | afety shoes. | | |
| General Hygiene Considerations | | andle in accordance with g ash hands before breaks a | | |
| Engineering measures | | eat only in areas with appr ppropriate exhaust ventilati | | on. Provide |
| Exposure limit(s) | | | | |
| Components | Value | Exposure time | Exposure type | List: |
| Silica, amorphous | 20 mppcf | PEL: | Total dust. | OSHA |
| Silica, amorphous | 20 mppcf | PEL: | Total dust. | Z3 |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | e Total dust. | ACGIH |
| Titanium dioxide | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 9 PHYSIC | CAL AND CHEMICAL F | PROPERTIES | |
| | <i><i><i></i></i></i> | | KOI LKIILD | |
| | | | | Not applicable |
| Form | : Solid | l Eva | aporation rate : | Not applicable. |
| | : Solid : Pelle | | | Not determined |
| Appearance Color | : Pelle : RED | ts Spe Bu | ecific Gravity : lk density : | Not determined Not established |
| Appearance Color Odor | : Pelle : RED : Very | ts Spe Bu faint Va | ecific Gravity : Ik density : por pressure : | Not determined Not established Not applicable |
| Appearance Color Odor Melting point/range | : Pelle : RED : Very : Not o | ts Spe Bu faint Va letermined Va | ecific Gravity : lk density : por pressure : por density : | Not determined Not established Not applicable Not applicable |
| Appearance Color Odor Melting point/range Boiling Point: | : Pelle : RED : Very : Not c : Not a | ts Spe Bu faint Va determined Va applicable pH | ecific Gravity : lk density : por pressure : por density : | Not determined Not established Not applicable |
| Appearance Color Odor Melting point/range | : Pelle : RED : Very : Not o | ts Spe Bu faint Va determined Va applicable pH | ecific Gravity : lk density : por pressure : por density : | Not determined Not established Not applicable Not applicable |
| Appearance Color Odor Melting point/range Boiling Point: | : Pelle : RED : Very : Not c : Not a : Insol | ts Spe Bu faint Va determined Va applicable pH | ecific Gravity : Ik density : por pressure : por density : | Not determined Not established Not applicable Not applicable |
| Appearance Color Odor Melting point/range Boiling Point: | : Pelle : RED : Very : Not c : Not a : Insol | ts Spa Bu faint Va determined Va applicable pH uble | ecific Gravity : Ik density : por pressure : por density : | Not determined Not established Not applicable Not applicable |
| Appearance Color Odor Melting point/range Boiling Point: Water solubility | : Pelle : RED : Very : Not c : Not a : Insol 10. S : St | ts Spa Bu faint Va determined Va applicable pH uble | ecific Gravity : Ik density : por pressure : por density : | Not determined Not established Not applicable Not applicable |



MATERIAL SAFETY DATA SHEET

| | 2 | | | Print Date 11/4/2 |
|--|-------------|---|---|--|
| Incompatible Materials | : | Incompatible w | ith strong acids and | oxidizing agents. |
| Hazardous decompositi products | ion : | | | oxide (CO), oxides of nitrogen and smoke are all possible. |
| | 11. | TOXICOLOGI | CAL INFORMATI | ON |
| health data for the indiv Toxicity Overview | vidual comp | onents which con | prise the mixture. | sure effects listed are based on exi |
| This product contains t | _ | - | _ | n have the following characteristic |
| CAS-No. | | nical Name | Effect | Target Organ |
| 7631-86-9 | Silica, amo | | Irritant | Eyes, Respiratory system. |
| 13463-67-7 | Titanium d | lioxide | Systemic effects | Respiratory system. |
| | 1 | 2. ECOLOGICA | L INFORMATIO | N |
| Persistence and degrad | ability : | Not readily bio | degradable. | |
| Environmental Toxicit | - | - | not readily available | as they are bound within the matri |
| Bioaccumulation Poten | itial : | Chemicals are r of the polymer. | not readily available | as they are bound within the matri |
| Additional advice | : | No data availab | le. | |
| | 1 | 3. DISPOSAL C | ONSIDERATION | S |
| Product | : | possible, recycl generator of wa classification, tr | ing is preferred to d ste material has the ransportation and di | act can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations. |
| Contaminated packaging : | | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | |
| |] | 14. TRANSPOR | T INFORMATION | I |
| | | | | |
| U.S. D.O.T. / CA T.D. Classification (Non-bu ground) | | Not regulated for | or transportation. | |



MATERIAL SAFETY DATA SHEET

RED

| sion Number 1.1 ision Date 03/29/2002 | | Page 5 Print Date 11/4/2 |
|--|------|---|
| IMO / IMDG | : | Not regulated for transportation. |
| | 15 | 5. REGULATORY INFORMATION |
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on the TSCA inventory or ar exempt. |
| California Proposition 65 | : | This product does not contain a substance listed by California Prop 65 |
| Canadian Regulations: | | |
| WHMIS Classification | : | D2B |
| WHMIS Ingredient Disc | lost | ure List |
| CAS-No. 150-13-0 7631-86-9 | | |
| DSL | : | Listed. |
| National Inventories: | | |
| Australia AICS | : | Listed. |
| China IECS | : | Listed. |
| Europe EINECS | : | Not determined. |
| Japan ENCS | : | Listed. |
| Korea KECI | : | Listed. |
| Philippines PICCS | : | Listed. |
| | | 16. OTHER INFORMATION |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.