

## MATERIAL SAFETY DATA SHEET

# RED

Version Number 1.0 Revision Date 03/22/2002 Page 1 of 5 Print Date 11/4/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED
Product code	:	CC10012356
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 3 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: No known effects.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



# MATERIAL SAFETY DATA SHEET

# RED

sion Date 03/22/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 Deg F
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET

# RED

sion Date 03/22/2002			Print	t Date 11/4/20
	а	and contamination. Store ir	n a cool dry place.	
8. H	EXPOSURE	CONTROLS / PERSON	AL PROTECTION	
Respiratory protection	: U	Jnder normal handling con	ditions a respirator is not re	quired.
Eye/Face Protection	: 5	Safety glasses with side-shi	elds.	
Hand protection	: F	Protective gloves.		
Skin and body protection	: I	long sleeved clothing.		
Additional Protective Measures	: \$	Safety shoes.		
General Hygiene Considerations		Handle in accordance with g Wash hands before breaks a	good industrial hygiene and and at the end of workday.	safety practice.
Engineering measures		Heat only in areas with appr ppropriate exhaust ventilat	ropriate exhaust ventilation ion at machinery.	. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSI	CAL AND CHEMICAL I	PROPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: REE : Very : Not : Not : imm	ous, liquid Sp D Bu y faint Va	ecific Gravity : No ilk density : No apor pressure : No apor density : No I : No	ot determined ot determined ot applicable. ot determined ot determined ot applicable.
Stability	: S	Stable.		
Hazardous Polymerization	n : V	Will not occur.		
		z c · 1: ·	agents and onen flame	
Conditions to avoid	: ŀ	Keep away from oxidizing a	agents and open manie.	
Conditions to avoid Incompatible Materials		seep away from oxidizing a ncompatible with strong ac		



### MATERIAL SAFETY DATA SHEET

# RED

#### Version Number 1.0 Revision Date 03/22/2002

Page 4 of 5 Print Date 11/4/2011

products

(NOx), other hazardous materials, and smoke are all possible.

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION			
Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.			
<b>Bioaccumulation Potential</b>	: Does not bioaccumulate			
Additional advice	: No data available.			
13. DISPOSAL CONSIDERATIONS				
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
14. TRANSPORT INFORMATION				
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.			
ICAO/IATA	: Not regulated for transportation.			
IMO / IMDG	: Not regulated for transportation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			



# MATERIAL SAFETY DATA SHEET

# RED

TSCA Status : All components of this product are listed on the TSCA inventory or are exempt.	
exempt.	
California Droposition	
California Proposition : This product does not contain a substance listed by California Prop 65 65	
Canadian Regulations:	
WHMIS Classification : D2B	
WHMIS Ingredient Disclosure List	
CAS-No. 1333-86-4	
DSL : Listed.	
National Inventories:	
Australia AICS : Listed.	
China IECS : Listed.	
Europe EINECS : Not determined.	
Japan ENCS : Not determined.	
Korea KECI : Listed.	
Philippines PICCS : Listed.	

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.