

MATERIAL SAFETY DATA SHEET

RED PEARL

Version Number 1.0 Revision Date 03/21/2002 Page 1 of 6 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED PEARL
Product code	:	CC10012372
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

RED PEARL

ision Date 03/21/2002	Page 2 Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RED PEARL

sion Date 03/21/2002				Print I	Date 11/3/2
	aı	nd contamination. Ke	ep in a c	dry, cool place.	
8. F	XPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory	y protect	ive equipment normally r	equired.
Eye/Face Protection	: Sa	afety glasses with side	e-shields	S.	
Hand protection	: P 1	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations				d industrial hygiene and sa at the end of workday.	afety practice
Engineering measures		leat only in areas with ppropriate exhaust ver		riate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure tim		Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Av (TWA):	_	Dust.	ACGIH
	5 mg/m3	Time Weighted Av (TWA):	verage	Welding fume. as Al	ACGIH
	15 mg/m3	PEL:		Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:		Respirable dust. as Al	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Av (TWA):	verage	Total dust.	ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	AL PRO	OPERTIES	
P	· Solid	1	Evene	Not	liashla
Form	: Solid : Pelle				applicable. determined
Appearance Color	: Pelle : RED			•	established
		faint		5	applicable
		determined			applicable
Odor	\cdot Not c		рН		applicable
Odor Melting point/range		unnlicable	pn	. 1101	applicable
Odor Melting point/range Boiling Point:	: Not a	applicable			
Odor Melting point/range					
Odor Melting point/range Boiling Point:	: Not a : Insol		EACTIV	VITY	
Odor Melting point/range Boiling Point:	: Not a : Insol 10. S	uble	EACTIV	VITY	



MATERIAL SAFETY DATA SHEET

RED PEARL

sion Number 1.0 vision Date 03/21/2002	2		Page 4 o Print Date 11/3/20
Conditions to avoid		from oxidizing agents an on, do not overheat.	d open flame. To avoid thermal
Incompatible Materials	: Incompatibl	e with strong acids and o	oxidizing agents.
Hazardous decomposition products			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11. TOXICOLO	GICAL INFORMATIO	DN
health data for the indiv	idual components which	comprise the mixture.	are effects listed are based on exist have the following characteristics
CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
7429-90-3	Alullillulli		
13463-67-7	Titanium dioxide	Systemic effects	Eyes, Skin, Respiratory system.
13403-07-7		Systemic effects	Respiratory system.
	12. ECOLOGI	ICAL INFORMATION	I
Persistence and degrada	bility : Not readily	biodegradable.	
Environmental Toxicity	Chemicals a of the polyn		s they are bound within the matrix
Bioaccumulation Potent	tial : Chemicals a of the polyn		s they are bound within the matrix
Additional advice	: No data ava	ilable.	
	13. DISPOSA	L CONSIDERATIONS	
Product	recycling is waste mater transportatio	preferred to disposal or i ial has the responsibility	t can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s.
Contaminated packagin	has the resp	onsibility for proper was l in accordance with appl	e. The generator of waste material te classification, transportation licable federal, state/provincial
	14. TRANSPO	ORT INFORMATION	
p			



MATERIAL SAFETY DATA SHEET

rsion Number 1.0 evision Date 03/21/2002			Print D	Page 5 o Date 11/3/20	
Classification (Non-bulk ground)					
ICAO/IATA	: Not regulated for	transportation.			
IMO / IMDG	: Not regulated for transportation.				
	15. REGULATORY	Y INFORMATIC	DN		
US Regulations:					
OSHA Status	: Classified as haze	ardous based on c	omponents.		
TSCA Status	: All components of exempt.	of this product are	listed on the TSCA inv	ventory or are	
California Proposition 65	: This product does	s not contain a sub	ostance listed by Califo	ornia Prop 65.	
SARA Title III Section 313 Tox	kic Chemicals:				
Chemical Name	kic Chemicals: FUME OR DUST)	CAS-No. 7429-90-5	Weight % 4.58]	
Chemical Name]	
Chemical Name ALUMINUM (F	FUME OR DUST)]	
Chemical Name ALUMINUM (F Canadian Regulations:	EUME OR DUST)]	
Chemical Name ALUMINUM (F Canadian Regulations: WHMIS Classification	EUME OR DUST)				
Chemical Name ALUMINUM (F Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5	EUME OR DUST)				
Chemical Name ALUMINUM (F Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 7631-86-9	FUME OR DUST) : D2B losure List				
Chemical Name ALUMINUM (F Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 7631-86-9 DSL	FUME OR DUST) : D2B losure List				
Chemical Name ALUMINUM (F Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 7631-86-9 DSL National Inventories:	FUME OR DUST) : D2B dosure List : Listed.				

- Japan ENCS : Not determined.
- Korea KECI : Not determined.
- Philippines PICCS : Not determined.



MATERIAL SAFETY DATA SHEET

RED PEARL

Version Number 1.0 Revision Date 03/21/2002 Page 6 of 6 Print Date 11/3/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.