

### MATERIAL SAFETY DATA SHEET

### **RUBY 202C**

Version Number 1.0 Revision Date 03/14/2002 Page 1 of 5 Print Date 11/3/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RUBY 202C
Product code	:	CC10012412
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Iron oxide	1309-37-1	10 - 30

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



### MATERIAL SAFETY DATA SHEET

## **RUBY 202C**

ion Number 1.0 sion Date 03/14/2002	Page 2 Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	C A COIDENTAL DELEACE MEACUDEC
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# RUBY 202C

Hazardous Polymerization



### Page 3 of 5 Version Number 1.0 Revision Date 03/14/2002 Print Date 11/3/2011 and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. **Eye/Face Protection** Safety glasses with side-shields. : Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Handle in accordance with good industrial hygiene and safety practice. General Hygiene Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

#### Components Value Exposure time Exposure type List: Iron oxide 5 mg/m3 Time Weighted Average Dust and fume. as Fe ACGIH (TWA): Titanium dioxide 10 mg/m3 Time Weighted Average Total dust. ACGIH (TWA): 15 mg/m3 PEL: Total dust. OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: RED	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	

Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal
		decomposition, do not overheat.

: Will not occur.



### MATERIAL SAFETY DATA SHEET

	sion Number 1.0 ision Date 03/14/2002	2			Page 4 c Print Date 11/3/20
	Incompatible Materials	:	Incompatible w	vith strong acids and o	oxidizing agents.
	Hazardous decompositi products	on :			oxide (CO), oxides of nitrogen and smoke are all possible.
		11.	TOXICOLOGI	CAL INFORMATIO	DN
	This mixture has not be health data for the indiv				are effects listed are based on exist
	<u>Toxicity Overview</u> This product contains th	ne following	components whi	ich in their pure form	have the following characteristics
	CAS-No.		nical Name	Effect	Target Organ
ļ	13463-67-7	Titanium d	lioxide	Systemic effects	Respiratory system.
l	1309-37-1	Iron oxide		Systemic effects	Respiratory system.
Τ		1	2. ECOLOGICA	L INFORMATION	I
_	Persistence and degrada	bility :	Not readily bio	degradable.	
	Environmental Toxicity	:	Chemicals are r of the polymer.		s they are bound within the matrix
	Bioaccumulation Poten	tial :	Chemicals are r of the polymer.		s they are bound within the matrix
	Additional advice	:	No data availab	le.	
[		1	3. DISPOSAL C	ONSIDERATIONS	
	Product	:	recycling is pre waste material transportation a	ferred to disposal or i has the responsibility	t can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal,
	Contaminated packagin	g :	has the respons	ibility for proper was accordance with appl	e. The generator of waste material te classification, transportation licable federal, state/provincial
			14. TRANSPOR	T INFORMATION	
	U.S. D.O.T. / CA T.D.C		Not regulated for	or transportation.	
	Classification (Non-bul ground)				



### MATERIAL SAFETY DATA SHEET

### **RUBY 202C**

sion Number 1.0 ision Date 03/14/2002	Pag Print Date 11	ge 5 1/3/2
IMO / IMDG	Not regulated for transportation.	
	5. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	Classified as hazardous based on components.	
TSCA Status	All components of this product are listed on the TSCA inventory exempt.	or ar
California Proposition 65	This product does not contain a substance listed by California Pro	op 65
Canadian Regulations:		
WHMIS Classification	D2B	
WHMIS Ingredient Disc	ure List	
CAS-No. 1309-37-1		
DSL	Listed.	
National Inventories:		
Australia AICS	Listed.	
China IECS	Listed.	
Europe EINECS	Not determined.	
Japan ENCS	Listed.	
Korea KECI	Listed.	
Philippines PICCS	Listed.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.