

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 03/18/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10012439
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

WHITE

sion Date 03/18/2002	Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WHITE

ion Number 1.0 sion Date 03/18/2002			Prir	Page 3 nt Date <u>11/3/</u>
	a	nd contamination. Keep in a	a dry, cool place.	
8. F	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	lo personal respiratory prote	ective equipment normall	y required.
Eye/Face Protection	: S	afety glasses with side-shiel	lds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with go Vash hands before breaks an		
Engineering measures		leat only in areas with appro ppropriate exhaust ventilation		n. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	20 mppcf 10 mg/m3	PEL: Time Weighted Average	Total dust. Total dust.	Z3 ACGIH
	15 mg/m3	(TWA): PEL:	Total dust.	OSHA Z
	9. PHYSI(CAL AND CHEMICAL P	ROPERTIES	
E	: Solid			I-+ amplicable
Form Appearance	: Solid : Pelle		poration rate : N cific Gravity :	lot applicable.
Color	: WHI			lot established
Odor			•	lot applicable
Melting point/range	•		-	lot applicable
Boiling Point:		applicable pH		lot applicable
Water solubility	: Insol			
	10. §	STABILITY AND REACT	ΓΙVITY	
Stability	: S	table.		
Stability Hazardous Polymerization		table. Vill not occur.		



MATERIAL SAFETY DATA SHEET

		Page 4 Print Date <i>11/3/</i> 2			lumber 1.0 Date 03/18/2002
products (NOx), other hazardous materials, and smoke are all possible 11. TOXICOLOGICAL INFORMATION This mixture has not been evaluated as a whole for health effects. Exposure effects listed are base health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following char CAS-No. Chemical Name Effect Target Organ 7631-86-9 Silica, amorphous 113463-67-7 Titanium dioxide Systemic effects Respiratory system. 12. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within to of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within to of the polymer. Additional advice : No data available. Product : Like most thermoplastics the product can be recycled. Wher recycling is preferred to disposal or incineration. The genera waste material has the responsibility for proper waste classifi transportation and disposal in accordance with applicable fec state/provincial and local regulations.		xidizing agents.	with strong acids and o	: Incompatible	npatible Materials
This mixture has not been evaluated as a whole for health effects. Exposure effects listed are base health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following char CAS-No. Chemical Name Effect Target Orgat 7631-86-9 Silica, amorphous 112. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within to of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within to of the polymer. Additional advice : No data available. Product : Like most thermoplastics the product can be recycled. Wher recycling is preferred to disposal or incineration. The generator waste material has the responsibility for proper waste classifi transportation and disposal in accordance with applicable federal state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of wasts has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
Indext constraints which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following char CAS-No. Chemical Name Effect Target Organ Toxicity Overview 17631-86-9 Silica, amorphous Irritant Eyes, Respiratory system. 12. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within to of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within to of the polymer. Additional advice : No data available. III ike most thermoplastics the product can be recycled. When recycling is preferred to disposal or incineration. The generator waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable fee state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transpo and disposal in accordance with applicable federal, state/provincial and local regulations.		N	ICAL INFORMATIO	11. TOXICOLOG	
This product contains the following components which in their pure form have the following char CAS-No. Chemical Name Effect Target Organ 7631-86-9 Silica, amorphous Irritant Eyes, Respiratory sys 13463-67-7 Titanium dioxide Systemic effects Respiratory system. ILECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within to of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within to of the polymer. Additional advice : No data available. Istee most thermoplastics the product can be recycled. Where recycling is preferred to disposal or incineration. The generator waste material has the responsibility for proper waste classifi transportation and disposal in accordance with applicable fee state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transpo and disposal in accordance with applicable federal, state/provincial and local regulations.	d on exis	re effects listed are based on exis			
7631-86-9 Silica, amorphous Irritant Eyes, Respiratory sys 13463-67-7 Titanium dioxide Systemic effects Respiratory system. I2. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within to of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within to of the polymer. Additional advice : No data available. III. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where recycling is preferred to disposal or incineration. The generative waste material has the responsibility for proper waste classific transportation and disposal in accordance with applicable feet state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transpoare and disposal in accordance with applicable feed and state/provincial and local regulations.	cteristic	have the following characteristic	nich in their pure form	following components w	
13463-67-7 Titanium dioxide Systemic effects Respiratory system. 12. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within to of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within to of the polymer. Additional advice : No data available. Product : Like most thermoplastics the product can be recycled. When recycling is preferred to disposal or incineration. The generation and disposal in accordance with applicable feet state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transpo and disposal in accordance with applicable federal, state/provincial and local regulations.		Target Organ		Chemical Name	
12. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within to of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within to of the polymer. Additional advice : No data available. Image: Product : Like most thermoplastics the product can be recycled. When recycling is preferred to disposal or incineration. The generation and disposal in accordance with applicable feet state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transporation and disposal in accordance with applicable federal, state/provincial and local regulations.	em.	Eyes, Respiratory system.			
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within to of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within to of the polymer. Additional advice : No data available. Image: Product : No data available. Product : Like most thermoplastics the product can be recycled. When recycling is preferred to disposal or incineration. The generation and disposal in accordance with applicable feet state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		Respiratory system.	Systemic effects	tanium dioxide	03-07-7
Environmental Toxicity: Chemicals are not readily available as they are bound within the of the polymer.Bioaccumulation Potential: Chemicals are not readily available as they are bound within the of the polymer.Additional advice: No data available. I3. DISPOSAL CONSIDERATIONS Product: Like most thermoplastics the product can be recycled. Where recycling is preferred to disposal or incineration. The generation and disposal in accordance with applicable fee state/provincial and local regulations.Contaminated packaging: Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transport and disposal in accordance with applicable fee state/provincial and local regulations.			AL INFORMATION	12. ECOLOGIC	
and rocal regulations.	possible or of cation, eral, materia tation	can be recycled. Where possible concernation. The generator of for proper waste classification, ance with applicable federal, The generator of waste materia e classification, transportation	not readily available as ble. CONSIDERATIONS moplastics the product eferred to disposal or in has the responsibility and disposal in accorda and local regulations. referred when possible sibility for proper wast accordance with appli	 of the polyme Chemicals are of the polyme No data availa 13. DISPOSAL Like most then recycling is prwaste materia transportation state/provincia Recycling is phas the respondent of the state is provincial 	ccumulation Potential tional advice
14. TRANSPORT INFORMATION			RT INFORMATION	14. TRANSPOI	
U.S. D.O.T. / CA T.D.G. : Not regulated for transportation. Classification (Non-bulk ground)			for transportation.	: Not regulated	ification (Non-bulk
ICAO/IATA : Not regulated for transportation.			for transportation.	: Not regulated	Ο/ΙΑΤΑ



MATERIAL SAFETY DATA SHEET

WHITE

sion Number 1.0 /ision Date 03/18/2002	Page 5 Print Date <i>11/3/</i> 2
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65
Canadian Regulations:	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	osure List
CAS-No. 7631-86-9	
DSL	: Listed.
National Inventories:	
Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.