

MATERIAL SAFETY DATA SHEET

10032426 FROST

Version Number 1.0 Revision Date 06/13/2002 Page 1 of 5 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY : Pro TELEPHONE		roduct Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	10032426 FROST	
Product code	:	CC10012532	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

10032426 FROST

ion Number 1.0 sion Date 06/13/2002	Page 2 Print Date 11/5/
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 7 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

10032426 FROST

				Print	Date 11/5/
	aı	nd contamination. Keep	in a d	ry, cool place.	
8. E	XPOSURE	CONTROLS / PERSO	NAL	PROTECTION	
Respiratory protection	: N	o personal respiratory p	rotecti	ve equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-s	hields		
Hand protection	: P	rotective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s) Components	Value	Exposure time		Exposure type	List:
		Enposare unite			
Barium sulfate	10 mg/m3	Time Weighted Avera	age	Total dust.	ACGIH
Barium sulfate	-	(TWA):	age	Total dust.	ACGIH
-	5 mg/m3	(TWA): PEL:	age	Total dust. Respirable fraction.	ACGIH OSHA Z
Barium sulfate	-	(TWA):	age	Total dust.	ACGIH OSHA Z
Barium sulfate	5 mg/m3 15 mg/m3	(TWA): PEL:		Total dust. Respirable fraction. Total dust.	ACGIH OSHA Z
Barium sulfate Barium sulfate	5 mg/m3 15 mg/m3 9. PHYSIC	(TWA): PEL: PEL: CAL AND CHEMICAI	L PRC	Total dust. Respirable fraction. Total dust. PERTIES	ACGIH OSHA Z OSHA Z
Barium sulfate Barium sulfate	5 mg/m3 15 mg/m3	(TWA): PEL: PEL: CAL AND CHEMICAI	E PRC Evapor	Total dust. Respirable fraction. Total dust. PERTIES ration rate : Not	ACGIH OSHA Z OSHA Z applicable.
Barium sulfate Barium sulfate	5 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle	(TWA): PEL: PEL: CAL AND CHEMICAI I I	E PRC Evapor	Total dust. Respirable fraction. Total dust. PPERTIES ration rate : Not ic Gravity : Not	ACGIH OSHA Z OSHA Z
Barium sulfate Barium sulfate Barium sulfate Form Appearance Color Odor	5 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TRA : Very	(TWA): PEL: PEL: CAL AND CHEMICAI I I Its S NSPARENT I faint V	Evapor Evapor Specifi Bulk d Vapor	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ration rate : Not ensity : Not pressure : Not	ACGIH OSHA Z OSHA Z applicable. determined established applicable
Barium sulfate Barium sulfate Form Appearance Color	5 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TRA : Very	(TWA): PEL: PEL: CAL AND CHEMICAI I I Its S NSPARENT I faint V	Evapor Evapor Specifi Bulk d Vapor	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ration rate : Not ensity : Not pressure : Not	ACGIH OSHA Z OSHA Z applicable. determined established
Barium sulfate Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TRA : Very : Not c : Not a	(TWA): PEL: PEL: CAL AND CHEMICAI I I I I I I I I I I I I I	Evapor Evapor Specifi Bulk d Vapor	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ration rate : Not ensity : Not pressure : Not density : Not	ACGIH OSHA Z OSHA Z applicable. determined established applicable
Barium sulfate Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range	5 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TRA : Very : Not o	(TWA): PEL: PEL: CAL AND CHEMICAI I I I I I I I I I I I I I	L PRO Evapor Specifi Bulk d Vapor Vapor	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ration rate : Not ensity : Not pressure : Not density : Not	ACGIH OSHA Z OSHA Z applicable. determined established applicable applicable
Barium sulfate Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TRA : Very : Not a : Insol	(TWA): PEL: PEL: CAL AND CHEMICAI I I I I I I I I I I I I I	Evapor Evapor Specifi Bulk d Vapor Vapor oH	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not c Gravity : Not pressure : Not density : Not : Not	ACGIH OSHA Z OSHA Z applicable. determined established applicable applicable
Barium sulfate Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TRA : Very : Not c : Not a : Insol 10. S	(TWA): PEL: PEL: CAL AND CHEMICAI I I I	Evapor Evapor Specifi Bulk d Vapor Vapor oH	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not c Gravity : Not pressure : Not density : Not : Not	ACGIH OSHA Z OSHA Z applicable. determined established applicable applicable
Barium sulfate Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : TRA : Very : Not d : Not a : Insol 10. S : S	(TWA): PEL: PEL: CAL AND CHEMICAI I I I STABILITY AND REA	Evapor Evapor Specifi Bulk d Vapor Vapor oH	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not c Gravity : Not pressure : Not density : Not : Not	ACGIH OSHA Z OSHA Z applicable. determined established applicable applicable
Barium sulfate Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	5 mg/m3 15 mg/m3 9. PHYSIC : Solici : Pelle : TRA : Very : Not c : Not a : Insol 10. S n : W : K	(TWA): PEL: PEL: CAL AND CHEMICAI CAL AND CHEMICAI I I I tts S NSPARENT I faint V determined V applicable p uble STABILITY AND REA table. Vill not occur.	2 PRO Evapor Specifi Bulk d Vapor Vapor bH	Total dust. Respirable fraction. Total dust. OPERTIES ration rate : Not c Gravity : Not ensity : Not gressure : Not ': Not ': Not 'TTY ts and open flame. To a	ACGIH OSHA Z OSHA Z applicable. determined established applicable applicable



MATERIAL SAFETY DATA SHEET

10032426 FROST

Version Number 1.0 Revision Date 06/13/2002 Page 4 of 5 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

10032426 FROST

Version Number 1.0 Page 5 of 5 Print Date 11/5/2011 Revision Date 06/13/2002 **15. REGULATORY INFORMATION** US Regulations: **OSHA Status** Classified as hazardous based on components. : **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : Not controlled. DSL : Listed. National Inventories: Australia AICS : Listed. China IECS : Listed. **Europe EINECS** Not determined. : Japan ENCS Listed. : Korea KECI Listed. ÷ **Philippines PICCS** : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.