

MATERIAL SAFETY DATA SHEET

LIGHT GRAY

Version Number 1.0 Revision Date 03/21/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone:CHEMTREC 1-800-424-9300numberor accident).		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LIGHT GRAY
Product code	:	CC10012596
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
C.I. Pigment Yellow 163	68186-92-5	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

LIGHT GRAY

ion Number 1.0 sion Date 03/21/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

LIGHT GRAY

sion Date 03/21/2002		_		Page Print Date 11/4/			
	aı	nd contamination. Keep in	a dry, cool place.				
8.1	EXPOSURE	CONTROLS / PERSON	AL PROTECTION				
Respiratory protection	: N	o personal respiratory prot	ective equipment norr	nally required.			
Eye/Face Protection	: S	: Safety glasses with side-shields.					
Hand protection	: P:	: Protective gloves.					
Skin and body protection	i : L	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.						
General Hygiene Considerations		landle in accordance with g Vash hands before breaks a					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)							
Components	Value	Exposure time	Exposure typ				
C.I. Pigment Yellow 163	0.5 mg/m3	Time Weighted Average (TWA):		ACGIH			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	15 mg/m3	PEL:	Total dust.	OSHA Z			
	9. PHYSIC	CAL AND CHEMICAL F	PROPERTIES				
Form	: Solid	l Ev	aporation rate :	Not applicable.			
Appearance	: Pelle	ets Spe	ecific Gravity :	Not determined			
Color	: GRE		lk density :	Not established			
Odor	: Very		por pressure :	Not applicable			
Melting point/range				Not applicable			
Boiling Point:		applicable pH		Not applicable			
Water solubility	: Insol	uble					
	10 \$	STABILITY AND REAC	TIVITY				
	10. 0						
Stability		table.					
Stability Hazardous Polymerizatio	: S						



MATERIAL SAFETY DATA SHEET

Helen Bate col	1/2002			Page 4 0 Print Date 11/4/20	
Incompatible Ma	terials	: Incompatible w	vith strong acids and o	oxidizing agents.	
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroger (NOx), other hazardous materials, and smoke are all possible.					
		11. TOXICOLOGI	CAL INFORMATIO	DN	
		luated as a whole for h components which con		are effects listed are based on exis	
<u>Toxicity Overvie</u> This product con		owing components whi	ich in their pure form	have the following characteristics	
CAS-No.		Chemical Name	Effect	Target Organ	
68186-92-5	C.I. I	Pigment Yellow 163	Irritant	Eyes, Skin.	
13463-67-7	Titanium dioxide		Systemic effects	Respiratory system.	
		12. ECOLOGICA	L INFORMATION	I	
Persistence and d	egradability	: Not readily bio	degradable.		
Environmental T	oxicity	: Chemicals are r of the polymer.	•	s they are bound within the matrix	
Bioaccumulation	Potential	: Chemicals are r of the polymer.		s they are bound within the matrix	
Additional advice	3	: No data availab	ole.		
		13. DISPOSAL C	ONSIDERATIONS		
Product		recycling is pre waste material transportation a	ferred to disposal or i has the responsibility	et can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, 3.	
Contaminated packaging :		has the response and disposal in	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
		14. TRANSPOR	T INFORMATION		
U.S. D.O.T. / CA Classification (N ground)			T INFORMATION		



MATERIAL SAFETY DATA SHEET

Japan ENCS

Korea KECI

Philippines PICCS

: Not determined.

: Listed.

: Not determined.

LIGHT GRAY						
Version Number 1.0 Revision Date 03/21/2002				Print [Page 5 of 6 Date 11/4/2011	
IMO / IMDG	:	Not regulated for tr	ansportation.			
	1	5. REGULATORY I	NFORMATION			
US Regulations:						
OSHA Status	:	Classified as hazard	lous based on com	ponents.		
TSCA Status	:	: All components of this product are listed on the TSCA inventory or are exempt.				
California Proposition 65	:	: This product does not contain a substance listed by California Prop 65.				
SARA Title III Section 313 Tox	xic (Chemicals:				
Chemical Name			CAS-No.	Weight %	Г	
CHROMIUM III		OMPOUNDS	68186-92-5	2.09		
Canadian Regulations:						
WHMIS Classification	:	D2B				
WHMIS Ingredient Discl	closi	ure List				
CAS-No. 68186-92-5 1333-86-4						
DSL	:	Listed.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Not determined.				
Europe EINECS	:	Not determined.				

16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

LIGHT GRAY

Version Number 1.0 Revision Date 03/21/2002 Page 6 of 6 Print Date 11/4/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.