

MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 09/08/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10012618
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Misc00005- Misc Zinc Cpd's	Not Available	1 - 5
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.1 Revision Date 09/08/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	pressure mode should be worn to prevent inhalation of airborne contaminants.None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



MATERIAL SAFETY DATA SHEET **BLUE**

ion Number 1.1 sion Date 09/08/2003					Print [Page Date 11/12/
	0:	nly in areas with appro	opriate ex	haust ventila	ation.	
G.	*7			1 1.	••••	
Storage		: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. H	XPOSURE	CONTROLS / PERS	SONAL I	PROTECTI	ON	
Respiratory protection	: N	o personal respiratory	protectiv	ve equipment	t normally	required.
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		andle in accordance w ash hands before brea				safety practio
Engineering measures	: Heat only in areas with approp appropriate exhaust ventilation					Provide
Exposure limit(s)						
Components	Value		Exposure time Exposur			List:
Silica, amorphous	20 mppcf	PEL:		Total		OSHA
Silica, amorphous	20 mppcf	PEL:		Total	dust.	Z3
Titanium dioxide	10 mg/m3	mg/m3 Time Weighted Averag (TWA):				ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total	dust.	OSHA Z
	9. PHYSIC	CAL AND CHEMIC	AL PRO	PERTIES		
Form	: Solid	l	Evapor	ation rate	: No	t applicable.
1 UIII				c Gravity	: No	t determined
	: Pelle	ts	Speem			
Appearance Color	: YEL	LOW	Bulk de	ensity		
Appearance Color Odor	: YEL : Very	LOW faint	Bulk de Vapor j	ensity pressure	: No	t applicable
Appearance Color Odor Melting point/range	: YEL : Very : Not o	LOW faint letermined	Bulk de Vapor j Vapor o	ensity	: No : No	t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point:	: YEL : Very : Not o : Not a	LOW faint letermined applicable	Bulk de Vapor j	ensity pressure	: No : No	t applicable
Appearance Color Odor Melting point/range Boiling Point:	: YEL : Very : Not o	LOW faint letermined applicable	Bulk de Vapor j Vapor o	ensity pressure	: No : No	t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point:	: YEL : Very : Not c : Not a : Insol	LOW faint letermined applicable	Bulk de Vapor j Vapor o pH	ensity pressure density	: No : No	t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: YEL : Very : Not o : Not a : Insol	LOW faint determined applicable uble	Bulk de Vapor j Vapor o pH	ensity pressure density	: No : No	t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: YEL : Very : Not c : Not a : Insol 10. S : St	LOW faint determined applicable uble STABILITY AND RI	Bulk de Vapor j Vapor o pH	ensity pressure density	: No : No	t applicable



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 09/08/2003		Page 4 of 6 Print Date 11/12/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chen	nical Name	Effect	Target Organ	
7631-86-9	Silica, amorphous		Irritant	Eyes, Respiratory system.	
13463-67-7	7 Titanium dioxide		Systemic effects	Respiratory system.	
	1	2. ECOLOGIO	CAL INFORMATION	N	
Persistence and degrad	lability :	Not readily b	iodegradable.		
Environmental Toxici	ty :	Chemicals ar of the polyme		as they are bound within the matrix	
Bioaccumulation Pote	ntial :	Chemicals ar of the polyme	•	as they are bound within the matrix	
Additional advice	:	No data avail	able.		
	1	3. DISPOSAL	CONSIDERATIONS	5	
Product	:	possible, recy generator of classification	cling is preferred to di waste material has the r	ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with ind local regulations.	
has the respo		nsibility for proper was in accordance with app	e. The generator of waste materia ste classification, transportation licable federal, state/provincial		
]	14. TRANSPO	RT INFORMATION		
U.S. DOT Classificati	on :	Refer to spec	ific regulation.		



MATERIAL SAFETY DATA SHE	ET					
BLUE						
Version Number 1.1 Revision Date 09/08/2003			Print Date	Page 5 of 6 11/12/2011		
ICAO/IATA	: Refer to specific regu	lation.				
IMO / IMDG	: Refer to specific regu	lation.				
	15. REGULATORY IN	FORMATION				
US Regulations:						
OSHA Status	: Classified as hazardo	us based on compone	nts.			
TSCA Status	TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous S	ubstances (40 CFR 302)					
Not applicable						
California Proposition 65 SARA Title III Section 302 Extra Not applicable SARA Title III Section 313 Toxi			isted by California	ι Prop 65.		
Chemical Name		CAS-No.	Weight %			
ZINC COMPOUNDS Canadian Regulations: National Pollutant Releas Chemical Name	e Inventory (NPRI)	Not Available	1.38 Veight % NPRI	ID#		
Misc00005- Misc Zinc Cpd	's		1.38 241			
WHMIS Classification WHMIS Ingredient Discle CAS-No. 7631-86-9 DSL	: DSL status has not be	een determined. Qua	ntity use in Canad	la may be		
	restricted by regulation	ons.				



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 09/08/2003

Page 6 of 6 Print Date *11/12/2011*

National Inventories:

Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.