

MATERIAL SAFETY DATA SHEET

EFFECT 2

Version Number 1.0 Revision Date 03/19/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	: Product Stewardship (770) 271-5902		
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	EFFECT 2	
Product code	:	CC10012684	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Magnesium fluoride	7783-40-6	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever 		
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

EFFECT 2

ion Number 1.0 sion Date 03/19/2002	Page 2 Print Date 11/3/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





MATERIAL SAFETY DATA SHEET

EFFECT 2

ion Number 1.0 sion Date 03/19/2002			Print	Page∶ 2. Date 11/3
	a	nd contamination. Keep in a c	dry, cool place.	
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	to personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields	3.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and		safety practic
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Magnesium fluoride	2.5 mg/m3	Time Weighted Average (TWA):	as F	ACGIH
	2.5 mg/m3	Time Weighted Average (TWA):	Dust.	OSHA Z
	2.5 mg/m3	PEL:	as F	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	
Form	: Solid	i Evapo	oration rate : No	t applicable.
Appearance	: Pelle	ets Specif	fic Gravity : No	t determined
Color	: PUR		~	t established
Odor				t applicable
Melting point/range				t applicable
Boiling Point:		applicable pH	: INO	t applicable
Water solubility	: Insol	uble		
	10 (STABILITY AND REACTIV	VITY	
	10. 2	STABILITT AND REACTI		
Stability		table.		
Stability Hazardous Polymerizatio	: S		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	



MATERIAL SAFETY DATA SHEET

sion Number 1.0 ision Date 03/19/2002			Page / Print Date 11/3/2
Incompatible Materials	: Incompatible	e with strong acids an	d oxidizing agents.
Hazardous decomposition products	on : Carbon dioxi	ide (CO2), carbon mo	pnoxide (CO), oxides of nitrogen , and smoke are all possible.
	11. TOXICOLO	GICAL INFORMAT	ΓΙΟΝ
	en evaluated as a whole fo idual components which c		osure effects listed are based on ex
<u>Toxicity Overview</u> This product contains th	e following components v	which in their pure for	rm have the following characteristi
CAS-No.	Chemical Name	Effect	Target Organ
7783-40-6	Magnesium fluoride	Irritant	Eyes, Skin.
	12. ECOLOGI	CAL INFORMATIO	ON
Persistence and degradal	bility : Not readily b	biodegradable.	
Environmental Toxicity	: Chemicals ar of the polym	•	e as they are bound within the matr
Bioaccumulation Potent	ial : Chemicals ar of the polym	•	e as they are bound within the matri
Additional advice	: No data avai	lable.	
	13. DISPOSAL	CONSIDERATIO	NS
Product	recycling is p waste materi transportatio	preferred to disposal or al has the responsibil	luct can be recycled. Where possib or incineration. The generator of ity for proper waste classification, ordance with applicable federal, ons.
Contaminated packaging	has the respo	onsibility for proper w in accordance with a	ble. The generator of waste materia vaste classification, transportation pplicable federal, state/provincial
	14. TRANSPO	ORT INFORMATIO	N
U.S. D.O.T. / CA T.D.G Classification (Non-bulk ground)	e	d for transportation.	
ICAO/IATA	: Not regulated	d for transportation.	
ICAO/IATA	. itorieguiates	· · · · · · · · · · · · · · · · · · ·	



MATERIAL SAFETY DATA SHEET

EFFECT 2

Version Number 1.0 Revision Date 03/19/2002

Page 5 of 5 Print Date 11/3/2011

1	5 DECHI ATODY INFORMATION	
	5. REGULATORY INFORMATION	
US Regulations:		
OSHA Status :	Classified as hazardous based on components.	
TSCA Status :	All components of this product are listed on the TSCA inventory or are exempt.	
California Proposition : 65	This product does not contain a substance listed by California Prop 65.	
Canadian Regulations:		
WHMIS Classification :	Not controlled.	
WHMIS Ingredient Disclos	ure List	
CAS-No. 7429-90-5 7440-47-3 7783-40-6		
DSL :	Listed.	
National Inventories:		
Australia AICS :	Listed.	
China IECS :	Listed.	
Europe EINECS :	Not determined.	
Japan ENCS :	Not determined.	
Korea KECI :	Listed.	
Philippines PICCS :	Listed.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.