

#### MATERIAL SAFETY DATA SHEET

## ORANGE

Version Number 1.0 Revision Date 03/21/2002 Page 1 of 6 Print Date 11/4/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE
Product code	:	CC10012693
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# ORANGE

sion Date 03/21/2002	Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





## ORANGE

ion Number 1.0 sion Date 03/21/2002				Print	Page : //4/Date 11
	aı	nd contamination. Keep in	ı a dry, cool place.		
8. I	EXPOSURE	CONTROLS / PERSON	AL PROTECTIO	DN	
Respiratory protection	: N	lo personal respiratory prot	tective equipment	normally 1	equired.
Eye/Face Protection	: S	afety glasses with side-shi	elds.		
Hand protection	: P:	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S:	afety shoes.			
General Hygiene Considerations		landle in accordance with g Vash hands before breaks a			afety practic
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure		List:
Silica, amorphous	20 mppcf	PEL:	Total d		OSHA
TT1 1 1 1	20 mppcf	PEL:	Total d		Z3
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):			ACGIH
	15 mg/m3	PEL:	Total d	ust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL I	PROPERTIES		
Form	: Solid		aporation rate		applicable.
Appearance	: Pelle		ecific Gravity		determined
Color			ılk density		established
Odor Malia	•		apor pressure		applicable
Melting point/range			apor density		applicable applicable
Doiling Doint	INDU Z	n n h		. 1101	applicable
Boiling Point: Water solubility	: Insol	applicable pH luble	1		
	: Insol				
	: Insol 10. S	luble			
Water solubility	: Insol 10. S : St	TABILITY AND REAC			



#### MATERIAL SAFETY DATA SHEET

ersion Number 1.0 evision Date 03/21/2002			Page 4 of Print Date <i>11/4/201</i>
Incompatible Materials	: Incompatible	with strong acids and	l oxidizing agents.
Hazardous decomposition products			noxide (CO), oxides of nitrogen and smoke are all possible.
	11. TOXICOLOG	GICAL INFORMAT	ION
	en evaluated as a whole for dual components which co		osure effects listed are based on existin
<u>Toxicity Overview</u> This product contains th	e following components w	which in their pure for	m have the following characteristics:
CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATIO	N
Persistence and degrada Environmental Toxicity		-	as they are bound within the matrix
Bioaccumulation Potent	of the polyme ial : Chemicals are of the polyme	e not readily available	as they are bound within the matrix
Additional advice	: No data avail	able.	
	13. DISPOSAL	CONSIDERATION	IS
Product	recycling is p waste materia transportatior	preferred to disposal of al has the responsibilit	uct can be recycled. Where possible r incineration. The generator of ty for proper waste classification, rdance with applicable federal, ns.
Contaminated packaging	has the respon	nsibility for proper wa	ble. The generator of waste material aste classification, transportation plicable federal, state/provincial
	14. TRANSPO	RT INFORMATION	N
U.S. D.O.T. / CA T.D.C Classification (Non-bull ground)	e	l for transportation.	
ICAO/IATA	: Not regulated	l for transportation.	



### MATERIAL SAFETY DATA SHEET

## ORANGE

sion Date 03/21/2002	Print Date	11/4/
IMO / IMDG	Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	All components of this product are listed on the TSCA inventor exempt.	y or a
California Proposition 65	: This product does not contain a substance listed by California F	rop 6
Canadian Regulations:		
WHMIS Classification	: D2B	
WHMIS Ingredient Disc	sure List	
150-13-0 68186-90-3 7631-86-9		
DSL	: Listed.	
National Inventories:		
Australia AICS	Not determined.	
China IECS	Not determined.	
Europe EINECS	Not determined.	
Japan ENCS	Not determined.	
Korea KECI	Not determined.	
Philippines PICCS	Not determined.	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## MATERIAL SAFETY DATA SHEET

## ORANGE

Version Number 1.0 Revision Date 03/21/2002



Page 6 of 6 Print Date 11/4/2011